

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	the second second second second
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEI IOVO.
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statement	nts given in this declaration.
Type of product *	Desktop
Commercial name *	IdeaCentre Gaming5 14ACN6
Model number *	90RW
Issue date *	2021.4.28
Intended market *	🛛 Global 🗌 🗖 Europe 📄 Asia, Pacific & Japan 📄 Americas 🗌 Other
Additional information	NA

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	imber *	90RW	Logo	Long		
Issue dat	te *	2021.4.28		Lend)
Product	environ	mental attributes - Legal requirements	•	Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.	laximum			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0),5 µg/cm²/wee	k 🔀		
		al reference).			_	_
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contract).		_	
P1./		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	the disposal			
	symbol.	Information on proper disposal is provided in user manual. (See legal reference)	-			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		\square		
DO OT		laration of Conformity can be requested at: https://www.lenovo.com/us/en/comp	liance/eu-doc			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, U	d information is; given in item P15 or added to this document,		\boxtimes		
		available at: https://www.lenovo.com/us/en/complian	ce/eco-			
	declara					
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material	(s)		
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Iontreal Protoc	ol 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	90RE	Logo	Long		
Issue dat	te *	2021.3.29		Lenc	ovo.	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			(
	- Enviro	onmental conscious design	,	Require	ment i	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*					<u>+</u>	╞╌
		naterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	Ц_
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
DZ Z		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: PC+ABS Materia n materials of external electrical cables are PVC free.	al type: SGCC			
				<u> </u>		ㅡㅡ
P7.13		n materials of internal electrical cables are PVC free.				Ц_
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, a	nd 📩		
P7.15		sircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g _ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en	\boxtimes	
P7.16	Marking:					\square
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				_
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-9 4	1-7	\bowtie		
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations	in		
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0.1% are used which			H	
	•	I the following Risk phrases; and Hazard statements:				
	-	5 1 ,	See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	- /	\boxtimes		
	a) Oft ape or	It least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 13.6% .	nt (calculated as	5		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90RE	Logo	Lenovo
Issue date *	2021.3.29		LEHOVO
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

	Material and su	Ibstance requirements	(continued)			
P7.21*		material content is use		OTE B7):		
	If YES: at least	one of the two alternativ	es below shall be answ	ered:		_
	a) Of total pla	stic parts' weight > 25 g			ated as a percentage of	
		by weight) is %.				
	or b) The weight	of the biobased plastic	material is q.			
P7.22*		e free from mercury, i.e				X
		ed specify: Number of la	mps: and maxim	ium mercury content p		
P8.1*	Batteries	Leomacitica, Lithium	Managana Diavida			
P8.1		l composition: <i>Lithium</i>	wanganese Dioxide			
P9.1		nption (See NOTE B8) the following power leve	als or energy consumpti	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	-
		100 V AC	115 V AC	230 V AC	modes and test method *	_
Peak (On-	max)	W	W	W	Full load	
Categor	<u>y D2</u>					
Short Idle	State - WOL	27.01 W	28.23 W	26.67 W	Reference (P _{idle})	
Enabled						
Long Idle	State - WOL	24.69 W	25.55 W	24.35 W	Reference (P _{idle})	
Enabled						
Sleep (S3)	- WOL Enabled	0.86 W	0.85 W	0.86W	Reference (P _{sleep})	
Off (S5) - 1	WOL Enabled	0.56 W	0.57 W	0.57 W	Reference (Poff)	
EPS No-lo		W	W	W		\triangleleft
(External power s	supply / charger plugged in t connected from the product	he)			_	-
PTEC *		W	W	W		$\overline{\langle}$
	ergy Consumption			05 50 1 10/1 /		
ETEC *	ergy Consumptior	96.74 kWh/year	100.67 kWh/year	95.56 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45) + P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 + P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 + P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 + P_{sleep} \times 0.05 + P_{sleep} \times 0$	
	ergy consumption				$P_{short \ Idle} \times 0.35$	
					L Enabled; Pidle: Idle State - WOL Enabled	
	11.7	ency Level (Internationa	al Efficiency Marking Pro	otocol) * :		\triangleleft
Display res	solution * :	megapixels				\leq
Default tim	e to enter energy	save mode: 25 minutes				
P9.2*	Information abo	ut the energy save funct	tion is provided with the	product.		
P9.3	Energy efficience	y class (monitors only):	NA			\triangleleft
P10	Emissions					
D 40.4		Declared according to the second s	to ISO 9296 (See NOTE			
P10.1	Mode Idle	Mode description * HDD:Idle		Statistical upper lim * 3.3	hit A-weighted sound power level, $L_{WA,c}$ (B)	<u> </u>
	Operation			* 3.6	L	╡
	Operation Other mode	* HDD: Operating Declared A-weighted sou	nd pressure level (dB) L_{pAn}		en deskton idle)	
	-		nd pressure level (dB) L_{pAn}			
	Other mode		Ĩ	24 (operator positi	on desktop – operating)	
	Measured accor	~	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	90RE						1	Logo	one	-	
Issue dat	e *	2021.3	8.29							Leno	VO_	
Product	environ	mental	attributes - Marke	t requirem	ents (c	ontinu	ued)			Require	ment	met
Item					•					Yes	No	n.a.
			ic emissions									
P10.4	Compu prograr		y meets the requirem	ent for low fi	requency	electro	omagnetio	c fields of the follow	wing voluntary			\square
P12			r computing product									
P12.1*			ets the ergonomic requ						es.			
P12.2*		/ I	out device meets the re	equirements	of ISO 9	995 an	d ISO 92	41-410.			\mathbf{X}	
P13			documentation									
P13.1*	Produc Produc	t packagi t packagi	ng material type(s): C ng material type(s): L ng material type(s): C ng material type(s): P	EPE orrugated s	weight single wa	(kg): <mark>0</mark> .	26	ght (kg): 0.96 ght (kg): 0.11				
P13.2*	Produc	t plastic p	primary packaging is f	ree from PV	C.					\boxtimes		
P13.3*	consum	ner recov	nary corrugated fiber ered fiber content: 52	. <mark>5</mark> %		•	he contai	ined percentage c	of minimum po	st-		
P13.4*			or user and product do	ocumentation	n (tick bo	x):						
P13.5	Ùser ar		nplete this item if pap ot documentation on p pecify:							\boxtimes		
	Totally	chlorine-	free							\boxtimes		
	Elemer	ital chlori	ne-free									
	Proces	sed chlor	ine-free									
P14		ary prog										
P14.1	The pro	oduct me	ets the requirements of	of the followi	ng volun	tary pro	ogram(s):					
	Eco-lab Eco-lab	el:	Criteria Criteria	version: version: version:		Dat Dat Dat	e:	Product ca Product ca Product ca	tegory:			
P15			rmation (See NOTE I									
P9	Energy Test	consun Category	nption of specific co	Memorv	may vai HDD	y; des Issp	<i>cription (</i> Graphics	power supply	Sleep m		-	
	item	Calegory		Memory		550	Graphics	power suppry	Sleep m	ode		
	ES	D2	Ryzen 7 5700G	32GB	2TB 3.5"HDD	1TB	DIS	380W	S3			
P9	informa knowled provide informa See En	tion cont dge avail d here is tion. ergy Sta	makes no representa ained in this documer able at the time of cor approximate and pro	it. All information, and vided for info	ation pro d supplie prmation	vided b r shall l al purpo for the	y supplie have no c oses only latest infe	r in this document obligation to update . See a Lenovo Ac ormation:	is provided bas e such informat count Represe	sed on supp tion. The inf	olier's ormat	ion
	http://w	ww.energ	gystar.gov/index.cfm?	fuseaction=1	find_a_p	roduct.s	showProd	luctGroup&pgw_co	ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre Gaming5 14ACN6	Logo
Model Number	90RW	Longua
Issue Date	2021.4.28	Lenovo
Additional information	NA	

P7.1.1	Product environmental attributes				
(d)	year of manufacture:				2021
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are
	1	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				28
ents	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	# <u>:</u> (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Card(s)				G6
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				NA
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				96.43
(g)	Idle state power demand (Watts);	L	•	L	26.63
(h)	Sleep mode power demand (Watts);				0.84
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.85
(j)	Off mode power demand (Watts);				0.56
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.57
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency:				
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t	11	tand (applies only to r	otebook computers):	NA
(p-1)	Measurement methodology used to dete	ermine information mer 80 plus prograi		nternal PSU efficiency:	:
(p-2)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (m) –	external PSU efficience	sy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	refer to IEC62623:2013-Desktop and notebook computers-Measurement of energy consumption	
(q)	Sequence of steps for achieving a stable condition with respect to power demand:	
	Based on user manual/Power on->Wait 5 minutes->Stable condition	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	Based on user manual-Set power button behaviors	
	Set power button behaviors	
	You can define what the power button does according to your preference. For example, by pressing the power button, you can turn off the computer or put the computer to sleep or hibernation mode.	
	To change what the power button does:	
	1. Go to Control Panel and view by large icons or small icons.	
	 Click Power Options → Choose what the power buttons do. 	
	3. Change the settings as you prefer.	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	Information on the energy-saving potential of power management functionality:	
	NA	
(x)	User information on how to enable the power management functionality:	
	Based on user manual-Set the power plan	
	Set the power plan	
	For ENERGY STAR [®] compliant computers, the following power plan takes effect when your computers have been idle for a specified duration:	
	Table 1. Default power plan (when plugged into ac power)	
	Turn off the display: After 10 minutes	
	Put the computer to sleep: After 25 minutes	
	To awaken the computer from Sleep mode, press any key on your keyboard.	
	To reset the power plan to achieve the best balance between performance and power saving:	
	1. Go to Control Panel and view by large icons or small icons.	
	2. Click Power Options , and then choose or customize a power plan of your preference.	

		sting:			
			Itage in V and frequency in Hz: 23		
,		Total harn	nonic distortion of the electricity supply sys	tem: ≦2%	
_	Instrument	Name	Range Used or ******	Make and Model**	
-	AC Power		1~300VAC;1~550Hz; 1000VA	NF; EC1000S	
-	Power M		1~500V;0~20A	YOKOGAWA; WT310	
-	Digital W		Full Range	CASIO; HS-70W	
	Ambient N	lonitor	-10~60℃; 0~100&RH	Testo; 622	
Ĺ	Anemorr	ieter	0~20m/s	Testo; 425	
A 1 11/1 1					
Additional	Notebook Batter		r: <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ie	s] in this product cannot be easily ers themselves. ¹⁾		n/a
Internal/bui	ilt-in Battery				
External/de	etachable Battery				
Bios Backu	ıp Battery				
Other:					
Additional i	nformation				
/ΜΥΛΑΤΟΡΗΑΤΑ[ι s baterías de es měnu baterie/ba igeren kan ikke r Akku/die Akku sutajad ei saa s ιπαταρία[-ες] σ	ste producto no pueden s aterií v tomto výrobku by uden videre udskifte bat us dieses Produkts kann// selle toote akut/akusid ise το προϊόν αυτό δεν μπορ	podykt He Mowe da er sustituidas fáciln neméli provádět sa teriet/batterierne i c können nicht ohne hölpsasti asendad oúv va avrikatratra ti ne peuvent être f	ce замени[ят] лесно от самите потребител ente por los propios usuarios. mi uživatelé. ette produkt. veiteres vom Benutzer selbst ausgetauscht w a. θούν εύκολα από τους ίδιους τους χρήστες acilement remplacée(s) par les utilisateurs eu	erden.	