



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	_
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter alcarter@lenovo.com	Leliovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Portable Computer Tablet				
Commercial name *	Lenovo IdeaPad Duet Chromebook				
Model number *	ZA6F				
Issue date *	2019.12.12				
Intended market *	☐ Global 区 Europe ☐ Asia, Pacific & Japan 🛛 Americas 🖂 Other <i>Hong Kong, Japan, Ukraine</i>				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ZA6F	Logo		_	
Issue date	e *	2019.12.12		Lenc	)VC	) <sub>TM</sub>
	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no metation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg- laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal

available at: https://www.lenovo.com/us/en/compliance/eco-declaration

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Required information is;

Treatment information

hexavalent chromium by weight of these together.

Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

Product packaging

P5

P5.1\*

P5.2\*

P5.3\*

P6

P6.1\*

Model number *	ZA6F	Logo	Lanava
Issue date *	2020.12.12		Lei Iovo.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\boxtimes$	
P7.8*	Upgrading can be done using commonly available tools		$\boxtimes$	
P7.9	Spare parts are available after end of production for: 2 years			
P7.10	Service is available after end of production for: 2 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+20%GF Material type: C7521 Material type: SUS304			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		$\boxtimes$	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	, <u> </u>		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		П	$\boxtimes$
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
1 7.10	concentrations above 0,1%:			
	1. Chemical name: <b>DOPO</b> , CAS #: <b>35948-25-5</b> (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; <i>P280, P305+351+338</i> and Hazard statements: <i>H315;H319</i> The source(s) for these classifications is/are found at (add URL(s)):			
P7.20*	https://www.chemblink.com/MSDS/MSDSFiles/35948-25-5_Matrix.pdf, (See note B5)  Postconsumer recycled plastic material content is used in the product (See Note B6):		$\square$	
17.20	1 ostorioumor rooyolou plactic material content lo asca in the product (occ Note 20).			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %. or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	mber *	ZA6F				Logo	
Issue date	e *	2019.12.	12			Lenov	O <sub>TM</sub>
Product	environn	nental at	tributes - Market r	equirements (conti	nued)	Requireme	ent met
Item				•	•	Yes No	n.a.
	Material	and subs	stance requirements	(continued)			
P7.21*				in the product (See N	OTE B7):		
	,			es below shall be answ	•		
					material content (calcu	lated as a percentage	
	or to	otai piastic	by weight) is %	0.			
		weight of	the biobased plastic r	material is g.			
P7.22*			ree from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp	um mercury content pe	r lamp: mg	
P8	Batteries		specify. Number of lar	nps. and maxim	an mercury content pe	riamp. mg	
P8.1*			omposition: Li-ion Po	lymer			
P9			tion (See NOTE B8)	<u>-</u>			
P9.1				s or energy consumpti	ons are reported:		
Energy mo			Power level at	Power level at	Power level at	Reference/Standard for energy	У
			100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)		10 W	10 W	10 W	Full load	
Categor	<u>y2</u>						
Short Idle	State - W	OL	2.67 W	2.68 W	2.71 W	Use for ENERGY STAR V8.0	
Enabled						registration (P <sub>idle</sub> )	
Long Idle	State - WO	)L	0.295 W	<b>0.297</b> W	0.328 W	Use for ENERGY STAR V8.0	
Enabled						registration (P <sub>idle</sub> )	
Sleep (S3)	) - WOL Di	sabled	0.295 W	0.297 W	0.328 W	Reference	
Off (S5) - I	WOL Disa	bled	0.143 W	0.143 W	0.166 W	Use for ErP	
EPS No-loa	ad		0.0239 W	0.0242 W	0.0326 W		
(External power s wall outlet but dis	supply / charger	plugged in the					
PTEC *	occurrence morn	ano product.	W	W	W		$\boxtimes$
Typical En	ergy Cons	umption					
ETEC *	oral Cono	montion	8.5 kWh/year	8.54 kWh/year	8.78 kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25)$	
Annual En	ergy Consi	umption				+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short Idle</sub> x 0.30)	
			Poff: Off Mode(S5) - W	DL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enable	ed; Pidle: Idle State - WOL Enabled	1
External Po	ower Supp	ly Efficien		l Efficiency Marking Pro			
Display res	solution * :	1200*192	20 megapixels	·			
Default tim	e to enter	energy sa	ve mode: 1 minutes				
P9.2*	Informati	on about 1	the energy save functi	on is provided with the	product.		
P9.3			class (monitors only):	<u> </u>			
P10	Emissio		*				
			Declared according to	ISO 9296 (See NOTE	E B9)		
P10.1	Mode		Node description	•		t A-weighted sound power level, $L_W$	, · · · /
	Idle	*			*		$\boxtimes$
	Operation				*		$\boxtimes$
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	(operator po	sition desktop – idle)	
	Other mo			d pressure level (dB) $L_{pAr}$		sition desktop – operating)	
	Measure	d accordir		TECMA-74	·· 1		
	ivicasure	a accordi	Other	(only if not covered by	ECMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;  $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		ZA6F				_ogo	Lenc	W <sub>O</sub>	
Issue date	*	2019.12.12					Lenc	VO	TM
Product	environn	nental attribu	tes - Market requirements	(continued)			Require	ment	me
Item							Yes	No	n.a
		nagnetic emiss							
P10.4	program	(s):	the requirement for low frequen	cy electromagnetic field	ls of the follow	ving voluntary			
P12		nics for compu							
P12.1*	The disp	lay meets the e	rgonomic requirements of ISO 9	241-307 for visual displa	ay technologi	es.	$\boxtimes$		
P12.2*	The phys	sical input devic	e meets the requirements of ISC	9995 and ISO 9241-41	10.		$\boxtimes$		
P13	Packagi	Packaging and documentation							
P13.1*	Product	packaging mate packaging mate	rial type(s): <b>paper(manual)</b> rial type(s): <b>EPE</b> weigh	nt (kg): <b>0.48</b> weight (kg): <b>0.045</b> nt (kg): <b>0.005</b>					
P13.2*	Product	plastic primary բ	packaging is free from PVC.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:								
P13.4*		nedia for user a onic, ⊠Paper,	nd product documentation (tick Other	box):					
P13.5	Ùser and		nis item if paper documentation unentation on paper media is chlo						
	•	hlorine-free al chlorine-free							
	Processe	ed chlorine-free					Ħ		
P14	Voluntai	ry programs							
P14.1			equirements of the following volu	untary program(s):					
	Eco-labe Eco-labe	d:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: Oct,2019 Date: Date:	Product ca Product ca Product ca	tegory:			
P15	Addition	al information	(See NOTE B10)						
P9			f specific configuration may v						
	informati knowledg	on contained in ge available at t here is approxi	no representations, guarantees, this document. All information p he time of completion, and supp mate and provided for information	rovided by supplier in th lier shall have no obliga	nis document ition to update	is provided ba such informa	sed on supportion. The in	olier's format	ion
P9			ed Notebooks & Tablet Compute ov/index.cfm?fuseaction=find_a_			ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad Duet Chromebook	Logo
Model Number	ZA6F	Lenovo
Issue Date	2020.12.12	Leliovo.
Additional information		

(d)	Year of manufacture:							
					2020			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	III discrete graphics (	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	4						
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	No						
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.54						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);			•	2.68			
n)	Sleep mode power demand (Watts);				0.297			
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);					
)	Off mode power demand (Watts);				0.1434			
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);					
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
n)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 81.93%							
	*internal note: show values for all available external po	ower supplies						
0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	800cls , <i>≥</i> 70% ( capacity			
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) – in	nternal PSU efficiency:				

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:  EU Directive for Energy-related Products ErP 2009/125/EC and Implementing Measure (IM) no.  EC278/2009 for External Power Supply.							
(p-3)	Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  0.5C Charge/Discharge						
(p-4)	power as defined in F	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  ENERGY STAR Final Test Method for Computers, Rev. October 2019						
(q)		or achieving a stable condition with respect to power IERGY STAR Final Test Method for Computers, F						
(r)		eep and/or off mode was selected or programmed: agement, sleep mode: ACPI system level G1/S3 ( ACPI system level G2/S5 ('soft off') s						
(s)	off mode:	required to reach the mode where the equipment auter to power management, 1 mins automatically re						
(t)		te condition before the computer automatically rendered the applicable power demand requirement		5.5				
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v)		re the display sleep mode is set to activate after		5.5				
(w)		nergy-saving potential of power management function refer to user manual						
(x)	User information on h	now to enable the power management functionality:  refer to user manual						
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:  230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits					
Additiona	al Notebook Batter	y Information:						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/b	uilt-in Battery							
External/o	detachable Battery							
Bios Backup Battery								
Other:								
Additional	I information							
1)								
The battery[ies	s] in this product cannot be	easily replaced by users themselves.						

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Konsnik ne moze tako zamijeniu Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tigi/jigu sostitwita/i mill-utenti stess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.