

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes **Notebooks and Tablets**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs			
e-mail address	Alvin L Carter	Lenovo		
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo IdeaPad S550-15 AMD/XiaoXinAir 15 2021			
Model number *	82GL			
Issue date *	2020-8-17			
Intended market *	🗌 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🔀 Other <i>China</i>			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *	82GL	Logo	Lenovo			
Issue date *	2020-8-17		LEIIUVU			
Product environmental attributes - Legal requirements Requirement met						

Produc	t environmental attributes - Legal requirements	Require	emen	t met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).			
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	* 🖂		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week	\bowtie		
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
P1./	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\bowtie		
-	•			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\bowtie		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\times		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\square		
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
1 0.2	(see legal reference).			
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	z 🖂		
	hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)		
	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoco) 🛛		
	(see legal reference).	_		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82GL	Logo			
Issue da	ite *	2020-8-17	•	Len	ovo	
Produc		mental attributes - Market requirements (See General NOTE GN				
		onmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.				<u> </u>
-		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.4*	•		<u> </u>	<u> </u>		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					<u> </u>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
D7 7 *	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives					
P7.7*					ᆜ	<u> </u>
P7.8*		ng can be done using commonly available tools		\bowtie		
P7.9		arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
D7 4 4 *		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type:				
P7.12		type: PC+ABS Material type: n materials of external electrical cables are PVC free.			\square	
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romino and 0 1°	%	<u> </u>	
F7.14	weight (polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	d		
P7.15	Printed of as define	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🧮 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	\boxtimes	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		\boxtimes		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without ((additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	components):			\boxtimes
	<u>Alt. 2:</u> Cl accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	\boxtimes		
P7.18	concentr 1. Che 2. Chem	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: mical name: CAS #: ical name: CAS #:	s/preparations i	n		
	Alt. 2 Chemica	al specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR	(40)			
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): <i>European Coun</i> <i>EEC</i> , (See note B5)				
P7.20*	Postcons If YES; a a) Of t a po or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82GL	Logo	
Issue date *	2020-8-17		Lenovo
Product environm		Requirement met	

Item

Requirement met

Yes No n.a.

	Material and su	bstance requirements	(continued)		
P7.21*	Biobased plastic	material content is use	d in the product (See N	NOTE B7):	
P7.22*	0	e free from mercury, i.e d specify: Number of la	, , ,	o. num mercury content p	er lamp: mg
P8	Batteries				
P8.1*	Battery chemica	I composition: LI-ION P	olymer battery and lit	thium-metal battery	
P9		ption (See NOTE B8)			
P9.1		the following power leve			
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-	max)	95 W	95 W	95 W	Full load
Categor	<u>y 2</u>				
Short Idle Enabled	State - WOL	6.42W	6.52W	6.62 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Long Idle Enabled	State - WOL	4.60W	4.60 W	4.92 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.53 W	0.54W	0.56 W	Use for ENERGY STAR V8.0 registration(P _{sleep})
Off (S5) - I	WOL Disabled	0.31W	0.31W	0.33 W	Use for ENERGY STAR V8.0 registration(Poff) Use for ErP
EPS No-lo (External power s wall outlet but dis	ad supply / charger plugged in th connected from the product.	0.113 W	0.114 W	0.115W	
PTEC *	ergy Consumption	W	W	W	
ETEC * Annual End	ergy Consumption	23.21kWh/year	23.50 kWh/year	24.15 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$
					led; P _{idle} : Idle State - WOL Enabled
External P	ower Supply Effici	ency Level (Internationa	al Efficiency Marking Pi	rotocol) * : VI	
Display res	solution * : 2.07 me	egapixels			
Default tim	e to enter energy	save mode: 10 minutes	i		
P9.2*	Information about	ut the energy save funct	tion is provided with the	e product.	
P9.3	Energy efficiency	y class (monitors only):			
P10	Emissions				
		- Declared according t	to ISO 9296 (See NOT		
P10.1	Mode	Mode description			nit A-weighted sound power level, <i>L_{WA,c}</i> (B)
	Idle	* Idle(Operating)		* 3.0	
	Operation	* HDD:Operation CPU:Operation		* 3.0 4.8	
	Other mode		nd pressure level (dB) $L_{p{ m All}}$		ition desktop – idle)
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m All}}$	m 37.2 (operator pos	ition desktop – operating)
	Measured accor	ding to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered b	y ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	ımber *	82GL			Logo				
Issue dat	te *	2020-8-20				Leno	Lenovo		
Product	environ	nental attribut	tes - Market requirements (continued)		Require	ment	met	
Item						Yes	No	n.a.	
		magnetic emiss							
P10.4	program	(s): MPR-II(3 pir	the requirement for low frequent AC adapter only)	cy electromagnetic field	s of the following volun	tary 🔀			
P12	Ergono	mics for compu	ting products						
P12.1*			gonomic requirements of ISO 92						
P12.2*	The phy	sical input device	e meets the requirements of ISO	9995 and ISO 9241-41	0.	\square			
P13	Packag	ing and docume	entation						
P13.1*	Product Product	Product packaging material type(s): CARTON weight (kg): 0.35 Product packaging material type(s): paper(manual) weight (kg): 0.05 Product packaging material type(s): corner paper weight (kg): 0.046 Product packaging material type(s): EPE weight (kg): 0.086							
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\square			
P13.3*			rugated fiberboard packaging, r content: 100 %	specify the contained	percentage of minimur	n post-			
P13.4*		media for user a ic 🔀, Paper 🔀	nd product documentation (tick b , Other	pox):					
P13.5	Ùser an		is item if paper documentation u entation on paper media is chlor						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the re	equirements of the following volu	intary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2019/7/15 Date: Date:	Product category: 2 Product category: Product category:				
P15			(See NOTE B10)						
P9			f specific configuration may v						
	informat knowled	ion contained in ge available at th here is approxir	o representations, guarantees, a this document. All information pr ne time of completion, and suppl nate and provided for informatio	ovided by supplier in th ier shall have no obliga	is document is provided tion to update such info	d based on supp rmation. The inf	olier's formati	ion	
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Compute ps://www.energystar.gov/produc	rs for the latest informat ts/office_equipment/cor	iion: nputers				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad S550-15 AMD/XiaoXinAir 15ARE 2021	Logo	
Model number *	82GL		
Issue date *	2020-8-17	Lenovo	
Additional information			

P7.1.1	Product environmental attributes					
(d)	Year of manufacture:				2020	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	16				
lents sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	<mark>No</mark> (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.15				
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);	·	·	·	A : 4.92 B : NA	
(h)	Sleep mode power demand (Watts);				A : 0.56 B : NA	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A : 0.56 B : NA	
(j)	Off mode power demand (Watts);				A : 0.33 B : NA	
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : 0.33 B : NA	
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	ge			
(m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 88.15% 88.2	0%				
()	*internal note: show values for all available external po			· · · · · · · · · · · · · · · · · · ·		
(o)	Minimum number of loading cycles that t	ne batteries can withs	and (applies only to n	OTEDOOK COMPUTERS):	300CYCLES	
(p-1)	Measurement methodology used to dete	rmine information mer NA	tioned in points (I) – ii	nternal PSU efficiency:		
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology					

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology						
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode				
		EN 62623:2013 measurement methodo	ology				
(q)	Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology					
(r)	Description of how s	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology					
(-)	Commence of owneds						
(s)	off mode:	required to reach the mode where the equipment au er to power management, 30mins automatically reactions and the second sec					
(t)	condition which does	te condition before the computer automatically resolutions of the applicable power demand requirements of the	ents for sleep mode (in minutes):	10			
(u)		r a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir		NA			
(v)	Length of time befo	ore the display sleep mode is set to activate after	user inactivity (in minutes):	10			
(w)	Information on the e	nergy-saving potential of power management functio	nality:				
		refer to user manual					
(x)	User information on	how to enable the power management functionality:					
		refer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits				
Additio	nal Notebook Batter	ry Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)}$					
Internal	/built-in Battery						
Externa	l/detachable Battery						
Bios Ba	ckup Battery						
Other:							
Addition	al information						
		asily replaced by users themselves.					
		родукт не може да се замени[ят] лесно от самите потребите. ser sustituidas fácilmente por los propios usuarios.	пи.				
		neměli provádět sami uživatelé. tteriet/batterierne i dette produkt.					
	Akkus dieses Produkts kann/ saa selle toote akut/akusid ise	können nicht ohne weiteres vom Benutzer selbst ausgetauscht v e hõlpsasti asendada.	verden.				
		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες iit ne peuvent être facilement remplacée(s) par les utilisateurs eu	ux-mêmes.				
orisnik ne m	nože lako zamijeniti Bateriju sa						
etotāji paši	nevar nomainīt šā ražojuma a paterijos [bateriju] pats vartoto	ikumulatoru(-us).					
termék akk	umulátorát/akkumulátorait a f	elhasználó nem tudja egyedül egyszerűen kicserélni.					
atteriet [ene] i dette produktet kan ikke let						
		e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.					
ou as bater	ias deste produto não podem	ser facilmente substituídas pelos próprios utilizadores. e (pot) fi usor înlocuită (înlocuite) de utilizatorii însisi.					
	tomto výrobku nemôže vymie						

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] el[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.