

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		
e-mail address	Alvin L Carter		Lenovo
	<u>alcarter@lenovo.com</u>		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook					
Commercial name *	Lenovo Legion 5-15/Lenovo Legion 5-15P					
Model number *	82B1, 82GU					
Issue date *	2020-07-16					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82B1, 82GU Logo			
Issue da	ite *	2020-07-16	Leng		D _{re}
Produc	t environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1	Hazardo	bus substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro concenti	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie	S			
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)	\boxtimes		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\times		
P3	Conforr	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/compliance/eu-doc</i>			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product	t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and enternation of these together.	K K		
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(s ee legal reference).			
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protocc al reference). nt: Legal reference has no maximum concentration values.			
P6		Int information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82B1, 82GU	Logo			
Issue da	te *	2020-07-16		Len	ovc)
Product		mental attributes - Market requirements (See General NOTE GN				
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3*						
-		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	<u> </u>
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	is available after end of production for: 3 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7 40		type: PC+ABS Material type:				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u> </u>
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i an 25% post-consumer recycled content.	e retardants, and	d L		
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	\boxtimes	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17		chemical specifications of flame retardants in printed circuit boards > 25 g (with (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components)			\square
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	\square		
P7.18	concentr 1. Chem	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #: ical name: CAS #:	s/preparations in	ר ז		
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR	(40)			
P7.19	assigned	<pre>c parts > 25 g, flame retardant substances/preparations above 0,1% are used which d the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): European Count EEC , (See note B5)</pre>				
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 0%.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82B1, 82GU	Logo	
Issue date *	2020-07-16		LEIIOVO

Product environmental attributes - Market requirements (continued)

Item

Requirement met Yes No n.a.

	Material and subs	stance requirements	(continued)			
P7.21*	Biobased plastic m	aterial content is used	in the product (See No	OTE B7):		
P7.22*	Light sources are f	ree from mercury, i.e.	less than 0,1 mg/lamp.			\boxtimes
		specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg	
P8	Batteries					
P8.1*	Battery chemical c	omposition: LI-ION Po	lymer battery and lith	nium-metal battery		
P9		tion (See NOTE B8)				
P9.1			s or energy consumption			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	\boxtimes
Peak (On-	max)	230 W	230 W	230W	Full load	-
EPS No-loa	ad	0.113 W	0.114 W	0.115W		
wall outlet but dis	supply / charger plugged in the connected from the product.)					
PTEC *		W	W	W		\boxtimes
Typical Energy Consumption						
ETEC * Annual Energy Consumption		61.93kWh/year	63.40kWh/year	65.54 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
Annual Ene	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short Idle} x 0.30)	
		Poff: Off Mode(S5) - WO	DL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	d; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficien		Efficiency Marking Pro			
Display res	solution * :2.07 mega	apixels				
Default tim	e to enter energy sa	ve mode: 10 minutes				
P9.2*	Information about 1	the energy save function	on is provided with the	product.		
P9.3	Energy efficiency of	class (monitors only):				
P10	Emissions	,				
		Declared according to	ISO 9296 (See NOTE	B9)		
P10.1		lode description	, ,		t A-weighted sound power level, L_{WA}	_{.c} (B)
	Idle *	Idle (Operating)		* 2.5		
		HDD:Operation		* 2.7		
	C	PU:Operation		5		
	Other mode	eclared A-weighted soun	d pressure level (dB) L _p Am	20.2 (operator posit	ion desktop – idle)	
	Other mode	eclared A-weighted sound	42.2 (operator posit	ion desktop – operating)		
	Measured accordin	ng to: 🔀 ISO 7779 🗌	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	82B1, 82GU				Logo			
Issue date *		2020-07-16					Leno	OVC	тн
Product	environ	nental attribu	tes - Market requirement	ts (continued)			Requir	ement	met
Item							Yes	No	n.a
		magnetic emiss							
P10.4	program	(s): MPR-II(3 pi	the requirement for low frequence of the requirement for low frequence of the requirement	ency electromagneti	c fields of the foll	lowing volun	tary 🔀		
P12		mics for compu							
P12.1*	•		rgonomic requirements of ISC			gies.	\square		
P12.2*	The phy	sical input devic	e meets the requirements of I	SO 9995 and ISO 92	41-410.		\boxtimes		
P13	Packag	ing and docum	entation						
P13.1*	Product Product	Product packaging material type(s): CARTON weight (kg): 0.35 Product packaging material type(s): paper(manual) weight (kg): 0.05 Product packaging material type(s): corner paper weight (kg): 0.046 Product packaging material type(s): EPE weight (kg): 0.086							
P13.2*			backaging is free from PVC.				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-								
P13.4*	Specify	media for user a ic 🔀, Paper 🏼	nd product documentation (tid	ck box):					
P13.5	Úser an		nis item if paper documentation nentation on paper media is cl						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1			equirements of the following v	oluntary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15			(See NOTE B10)						
P9			f specific configuration ma						
	informat knowled	ion contained in ge available at t I here is approxi	no representations, guarantee this document. All information he time of completion, and su mate and provided for informa	n provided by supplie pplier shall have no c	r in this documer	nt is provided ate such info	d based on sup ormation. The i	oplier's nformat	tion
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Comp ps://www.energystar.gov/proc	uters for the latest inf lucts/office_equipme	ormation: nt/computers				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion 5P 15ARH05H;Lenovo Legion 5 15ARH05H	Logo	
Model number *	82B1, 82GU		
Issue date *	2020-07-16		Lenovo.
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration		

(d)	Year of m	anufacture:					2019
e)					stments applied when mode with UMA driving		cards (dGfx) are
f)	Etec valu <mark>enable</mark>	e (kWh) per Er	P Lot 3 Catego	ory and capability adjus	stments applied when a	all discrete graphics	cards (dGfx) are
				Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory ove	er base [GB]				32	
ents sting	Additional in	iternal storage		(Yes / No)	(Yes / No)	<mark>yes</mark> (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete tele	evision tuner		(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a	Discrete Au			(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cap; app	Discrete gra	phics Card(s)	[number / #]	#: (Yes / No)	# <u>:</u> (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of	discrete graph	ics Card(s)				
sults	all discrete graphi UMA is active for	e (kWh) - dG ics cards (dGfx) are di switchable graphics/ raphics cards (dGfx)	fx disabled				
Test results	Etec Value	e (kWh) - dG ics cards (dGfx) are er				37.55	
(g)	Idle state	power demand	(Watts);	ł			12.94
(h)	Sleep mod	de power dema	and (Watts);				1.59
(i)	Sleep mod	de with WOL e	nabled power of	demand (Watts) (where	e enabled);		1.59
j)	Off mode	power demand	(Watts);				0.41
(k)	Off mode	with WOL enal	oled power der	mand (Watts) (where e	nabled);		0.41
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10%	20%	50%	100% Aver	age		
m)	External p	ower supply ef	ficiency (if app	licable)*:			
	Average a	active efficiency	v: 88.15% 88.	20%			
(0)		show values for al number of load			stand (applies only to r	otebook computers):	300CYCLE
(p-1)	M			and the factor of the second	ntioned in points (I) – i		

(p-2)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo							
(p-3)	Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology							
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: <i>EN</i> 62623:2013 measurement methodology							
(q)	Sequence of steps for	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology							
(r)	Description of how s	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology							
(s)	off mode:	required to reach the mode where the equipment au er to power management, 30mins automatically re							
(t)		te condition before the computer automatically re-		30					
(u)	 condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): 								
(v)		user inactivity (in minutes):	10						
(w)		nergy-saving potential of power management functio refer to user manual							
(x)	User information on	how to enable the power management functionality: refer to user manual							
(Z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits						
Additio	nal Notebook Batter	y Information:							
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾							
Internal/	built-in Battery	\boxtimes							
	/detachable Battery								
	ckup Battery								
Other:									
Addition	al information								
ne battery[ie: кумулаторна as baterías d	ата[ите] батерия[и] в този п le este producto no pueden s	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	пи.						
		neměli provádět sami uživatelé. teriet/batterierne i dette produkt.							

- Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.
- Καντιά μαι εί saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.
- Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non puó/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátoráti a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji fdan il-prodott ma listax/jistgħux tiği/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.