

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	ODOV/O				
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com	and the second second second second second second				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statements given in this declaration.							
Type of product *	Notebook						
Commercial name *	Legion 5 17ACH6H						
Model number *	82JY						
Issue date *	2021-2-1						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82JY L	.ogo	one		
Issue dat	e *	2021-2-1		lenc		2
Product	environ	mental attributes - Legal requirements	F	Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B	1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloi ethane, methyl bromide (see legal reference). Comment: Legal reference has no max	, , ,			
		ation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlor ا (PCT) in preparations (see legal reference).		\square		
P1.5*		odo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbol ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	n atoms in the	\boxtimes		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	µg/cm²/week	\boxtimes		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail co www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	ntact):	\square		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	disposal	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmiu	m. (See legal	\boxtimes		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)			<u> </u>	
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal eclaration of Conformity can be requested at (add link or e-ma www.lenovo.com/us/en/compliance/eu-doc	,			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	· 0	d information is; available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, ent chromium by weight of these together.				
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	the material(s)	\square		
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the Mo al reference).	ntreal Protocol	\boxtimes		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82JY	Logo	1.000		
Issue dat	te *	2021-2-1		Len	ovo) _
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		Ē		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Π	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Π	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Π	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 3 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type:				
P7.12		n materials of external electrical cables are PVC free.			\square	
P7.13	Insulatio					
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1	%		
	weight (polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride o 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, ai	nd 🗖		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all	-	en 🗌	\boxtimes	
P7.16	Marking:			\square		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (with	out components	s):		\bowtie
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	\square		
P7.18	Alt. 1					\boxtimes
	concentr	etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%:	s/preparations	in		
		ent: No legal limits exist, this is a market requirement.				
		ical name: CAS #: ical name: CAS #:				
		ical name: CAS #: ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2			\boxtimes		
	Chemica FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been	\square		
1 1.10	assigned	If the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>H411; H4</i> rce(s) for these classifications is/are found at (add URL(s)): <i>European Court</i>	13			
	67/548/E					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered;			\bowtie	\Box
	a) Of t	in least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 0% .	nt (calculated as	i		
	or _					
	b) The	e weight of recycled material is 0 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	82JY					Logo	Longitz
Issue date	*	2021-2-1						Lenovo
Product	environn	nental at	tributes -	Market r	equirements (conti	nued)		Requirement met
Item					• •	,		Yes No n.a.
-								
	Material	and subs	stance req	uirements	(continued)			
P7.21*					in the product (See No	DTE B7):		
	If YES: a	t least one	of the two	alternative	es below shall be answe	ared.		
					the biobased plastic m		ited as a percenta	ge of
		l plastic b	y weight) is	0%.				-
	or b) The	weight of	the biobas	ed plastic i	material is a			
P7.22*					naterial is g. less than 0,1 mg/lamp.			
	0			mber of lar	, 0 1	um mercury content pe	er lamp: mg	
P8	Batteries							
P8.1*					olymer battery and lith	nium-metal battery		
P9			tion (See N			and the second		
P9.1 Energy mo		roduct the		level at	s or energy consumption Power level at	Power level at	Reference/Star	idard for energy
Linergy 110	uc			V AC	115 V AC	230 V AC	modes and test	
Peak (On-I	nax)		300 W		300 W	300W	Full load	
Categor								
Caleyon	<u>/ </u>							
Short Idle Enabled	State - W	OL	19.46 W		19.47 W	19.63 W	Reference	
Long Idle S Enabled	State - WO	DL	5.41 W		5.69 W	5.66 W	Reference	
Sleep (S3)	- WOL Er	abled	0.61 W		0.6 W	0.63 W	Reference	
Sleep (S3)	- WOL Di	sabled	0.61 W		0.6 W	0.63 W	Reference	
Off (S5) - V Disabled	VOL Enat	oled /	0.37 W		0.37 W	0.38 W	Use for ErP	
EPS No-loa			0.113 W		0.114 W	0.115W		
(External power s wall outlet but disc	upply / charger p connected from 1	blugged in the						
PTEC *			W		W	W		\square
Typical Ene	ergy Consi	umption	50 50 1 14	. /	50.00114//	50.04134# /		
ETEC * Annual Ene	ergy Const	umption	58.56 kW	n/year	58.80 kWh/year	59.31 kWh/year	$E_{TEC} = (8760/10)$ + $P_{sleep} \times 0.35$ + $P_{short_{Idle}} \times 0.30$	000) x (P _{off} x 0.25
					OL Enabled; Psleep: Sleep		ed; Pidle: Idle State	- WOL Enabled
		5	, (nternationa	Efficiency Marking Pro	otocol) * : VI		
Display res		v						
Default time								
P9.2*	Informati	on about t	the energy	save functi	on is provided with the	product.		
P9.3	Energy e	fficiency o	class (moni	tors only):				\square
P10	Emissio				10.0.0000 (0.0.000	201		
D10.4	1		Declared a lode descri		ISO 9296 (See NOTE		it A woighted a	ad nower level 1 (D)
P10.1	Mode Idle		Idle (Ope			* 2.6	n A-weightea soul	nd power level, <i>L_{WA,c}</i> (B)
	Operation		HDD:Ope			* NA(No HDD)		
	Speration	C	PU:Opera	tion		3.5		
	Other mo	ode 🛛	eclared A-wo	eighted soun	d pressure level (dB) _{L_pAm}		sition desktop – id	le)
	Other mo				d pressure level (dB) L _{pAm}	(operator po	sition desktop – op	perating)
	Measure	d accordir		SO 7779	ECMA-74			
	wicasule		~ =	ther	only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	nber *	82JY			L	.ogo	Long		
ssue date)*	2021-2-1					Leno	vo	
Product	environr	mental attribut	es - Market requirement	s (continued)			Require	ment	me
ltem							Yes	No	n.a
	Electro	magnetic emissi	ons				·		
P10.4			the requirement for low freque AC adapter only)	ency electromagnetic	fields of the follow	ving voluntary			
P12		mics for compu							
P12.1*		-	gonomic requirements of ISC			es.	\boxtimes		
P12.2*	The phy	sical input device	meets the requirements of I	SO 9995 and ISO 924	41-410.		\boxtimes		
P13	Packagi	ing and docume	ntation						
P13.1*	Product Product Product	packaging mater packaging mater	ial type(s): <i>paper(manual)</i> ial type(s): <i>PP</i> weight (kg): (ial type(s): <i>PE</i> weight (kg): (.014				
P13.2*	Product	plastic primary p	ackaging is free from PVC.						
P13.3*	For proc		ugated fiberboard packagin	g, specify the contai	ned percentage o	f minimum p			
P13.4*		media for user ar ic 🔀, Paper 🔀	nd product documentation (tio	ck box):					
P13.5	Ùser an		s item if paper documentatio entation on paper media is cl				\boxtimes		
	Totally c	hlorine-free					\boxtimes		
		al chlorine-free							
	Process	ed chlorine-free					H		
P14	Volunta	ry programs							
P14.1			quirements of the following v	oluntary program(s):					
	ENERG Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product ca Product ca Product ca	tegory:			
P15	Additio	nal information	See NOTE B10)		·	<u> </u>			
P9	Energy	consumption of	specific configuration ma	y vary; description o	of the tested prod	uct configur	ation:		
	informat knowled	ion contained in t ge available at th there is approxin	o representations, guarantee his document. All information e time of completion, and su nate and provided for informa	n provided by supplier pplier shall have no o	in this document bligation to update	s provided ba	ased on supp ation. The inf	olier's format	ion
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Comp s://www.energystar.gov/proc						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 17ACH6H	Logo
Model number *	82JY	Lonovo
Issue date *	2021-2-1	Lenovo
Additional information		

(d)	Year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			16	
results capability adjustments applied during testing	Additional internal storage	(Yes / No)	(Yes / No)	<mark>yes</mark> (Yes / No)	(Yes / No)
	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G7	
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test re	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			17.42	
(g)	Idle state power demand (Watts);				5.66
(h)	Sleep mode power demand (Watts);				0.63
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.63
j)	Off mode power demand (Watts);				0.38
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.38
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output powe	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 93.33% 92.9	7%			
o)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300CYCLE
(p-1)	Measurement methodology used to dete	rmine information mer	tioned in points (1) – ir	nternal PSI Lefficiency	

(p-2)	ENERGY STAR® P	odology used to determine information mentioned in rogram Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)	al Ac-Dc and Ac-Ac Power Supplies							
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin									
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: <i>IEC 62623</i>								
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::							
		Power on -> Wait 5 minutes ->Stable co	ndition							
(r)	Description of how s	leep and/or off mode was selected or programmed:								
		Begin menu -> Power -> Select sleep or o	off mode							
(s)	Sequence of events off mode: See User	required to reach the mode where the equipment au Guide	tomatically changes to sleep and/or							
(t)		te condition before the computer automatically r s not exceed the applicable power demand requirem		30min						
(u)		r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in		NA						
(v)		ore the display sleep mode is set to activate after		10min						
(w)		nergy-saving potential of power management function								
(x)	User information on	how to enable the power management functionality:	Refer to User Guide							
(z)		measurements: — test voltage in V and frequency ir system, — information and documentation on the ir sting:								
		230V50HZ-2%-Edition 2.0, 2011-01, Section	4, IEC62301							
Additio	onal Notebook Batter									
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a						
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾								
Interna	I/built-in Battery									
	al/detachable Battery									
	ackup Battery									
Other:										
Additio	nal information		•							
) The better/li	ical in this product cannot be a	asily replaced by users themselves.								
кумулатор	ната[ите] батерия[и] в този п	родукт не може да се замени[ят] лесно от самите потребите	ли.							
/ýměnu bate	erie/baterií v tomto výrobku by	ser sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.								
		tteriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht v	werden.							
	saa selle toote akut/akusid ise -εc] στο προϊόν αυτό δεν μπορ	e hõlpsasti asendada. ρούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες								
a/les batter		uit ne peuvent être facilement remplacée(s) par les utilisateurs e	ux-mêmes.							
a batteria/le		on può/possono essere facilmente sostituita/e dall'utente.								
Sio gaminio	baterijos [baterijų] pats vartoto	jas negali lengvai pakeisti.								
l-batterija/ba	atteriji f'dan il-prodott ma tistax	elhasználó nem tudja egyedül egyszerűen kicserélni. /jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.								
	e] i dette produktet kan ikke le n) in dit product is (zijn) door d	t erstattes av brukerne selv. Ie gebruiker niet gemakkelijk vervangbaar.								
Jżytkownik i	nie może sam w łatwy sposób	wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.								
		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.								
Batériu(-ie) v Baterij/bateri	v tomto výrobku nemôže vymie	iňať používateľ. mi ne morejo zlahka zamenjati.								

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.