



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo C32qc-20/D32qc-20			
Model number *	66A5/66A6			
Issue date *	2019/11/15			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	66A6/66A5	Logo	Lanava
Issue date *	2019/11/15		LEI IOVO"

Product	Requirement met			
Item	·	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference).			
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):		$\overline{}$	_
F 1.7	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes	Ш	
DO	· · · · · · · · · · · · · · · · · · ·			
P2	Batteries (It is a little of the little of t		_	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		Ш	
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
1 3.2	used (see legal reference).	"	ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information	<u></u> _		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66A6/66A5	Logo	Lanava
Issue date *	2019/11/15		Lei Iovo"

Product	t environmental attributes - Market requirements (See General NOTE GN below)				
	- Environmental conscious design	Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			Ī	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\Box	Ī	
	Product lifetime	_			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes			
P7.9	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40	Material type: ABS Material type: PC Material type: Insulation materials of external electrical cables are PVC free.				
P7.12					
P7.13	Insulation materials of internal electrical cables are PVC free.				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	1			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	,			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:				
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:				
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "				
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes	
	assigned the following Risk phrases; and Hazard statements:				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)				
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\bowtie			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 8.4%. (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is 179.2 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Issue date * 2019/11/15	VO						
	ТН						
Product environmental attributes - Market requirements (continued) Requirements	nent met						
Item Yes N	o n.a.						
Material and substance requirements (continued)							
	Biobased plastic material content is used in the product (See NOTE B7):						
 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of the biobased plastic material is 0 g. 							
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8 Batteries							
P8.1* Battery chemical composition:							
P9 Energy consumption (See NOTE B8)							
P9.1 For the product the following power levels or energy consumptions are reported:							
Energy mode * Power level at Power level at Power level at Power level at Reference/Standard for energy mode * 100 V AC 115 V AC 230 V AC modes and test method *	ЭУ						
ENERGY STAR® On Mode*							
(System Idle)							
ENERGY STAR® Low Power							
Sleep Mode*							
ENERGY STAR® Off /							
Apparent Off Mode*							
PTEC *	\boxtimes						
Typical Energy Consumption							
ETEC * Annual Energy Consumption $E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.6) + P_{\text{sleep}} \times 0.1 + P_{\text{idle}} \times 0.3)$	+						
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *:	\boxtimes						
Display resolution*: 2560*1440 megapixels							
Default time to enter energy save mode: 15 seconds							
9.2* Information about the energy save function is provided with the product.							
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Product category:.							
P10 Emissions							
Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA c} (B)							
Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)							
Idle * HDD: Idle *							
Operation * HDD: Operating *	\boxtimes						
Other mode $egin{array}{lll} {\it Declared A-weighted sound pressure level (dB)} & {\it L_{pAm}} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} & {\it (operator position desktop-idle)} \\ {\it (operator position desktop-idle)} \\$							
Other mode $\frac{\text{Declared A-weighted sound pressure level (dB)}}{\text{Declared A-weighted sound pressure level (dB)}} L_{p\text{Am}}$ (operator position desktop – operating)							
Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		61F0/61F4					Logo	La	1000		
Issue date *		2019/11/15						Le		VO.	
Product	environr	nental attributes	- Market requiren	nents (con	tinued)			Re	quire	ment	met
Item			-	-	•				Yes	No	n.a.
	Electron	nagnetic emission	s								
P10.4	Compute program		requirement for low f	frequency el	ectromagnet	tic fields of the fol	lowing volun	itary			
P12		nics for computing									
P12.1*	The disp	lay meets the ergor	nomic requirements of	of ISO 9241-3	307 for visua	ıl display technolo	gies.		\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	5 and ISO 9	241-410.					\boxtimes
P13		ng and documenta									
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): Bag type(s):	weight (kg weight (kg weight (kg): 0.625): 54						
P13.2*			kaging is free from PV						\boxtimes		
P13.3*		luct primary corruger recovered fiber co	ated fiberboard pack ontent: 80 %	kaging, spec	cify the conta	ained percentage	of minimur	m post-			
P13.4*		media for user and ∣ ronic, ⊠Paper, ☐	product documentatio Other	on (tick box):							
P13.5	Ùser and		tem if paper documen ation on paper media								
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free										
P14									<u> </u>		
P14 P14.1		ry programs	irements of the follow	ving voluntar	v program(s)	١٠					
	ENERG' Eco-labe	Y STAR® el: el:	Criteria version: Criteria version: Criteria version:	virig voluntary	Date: Date: Date:	Product Product	category: category: category:				
P15		nal information (Se									
P9			pecific configuration								
	informati knowled	on contained in this ge available at the t here is approximat	epresentations, guara document. All inform time of completion, an de and provided for inf	nation provided and supplier sl	ed by suppli hall have no	er in this docume obligation to upd	nt is provide ate such info	d based of ormation.	n supp The int	olier's formati	on
P9	See Ene	rgy Star Qualified N	Monitors & Displays fo products/office_equip								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1