

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter				
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo G27-20				
Model number *	66C2				
Issue date *	2020/09/25				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		66C2 Logo				
Issue dat	Issue date * 2020/09/25			Lend	JVC	Этн
Product environmental attributes - Legal requirements						met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*	2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	K 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\boxtimes
P2.2*						\boxtimes
P2.3*						\times
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg daration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar		\square		
P3.2*		duct complies with the Eco design requirements for energy-related products,		\boxtimes		
	• •	al reference). d information is;				
	Required	a mormation is, given in term r to or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5	Product	packaging	co-deciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.	-			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature to legal reference).	,	, ,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal I Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	66C2	Logo						
Issue date *		2020/09/25		Len	ovc	Тм			
Product		mental attributes - Market requirements (See General NOTE GN							
lite and	Environmental conscious design Requirement met *=mandatory to fill in Additional information regarding each item may be found under P14 Xee No								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design								
F /		mbly, recycling							
P7.1*		t have to be treated separately are easily separable		\square					
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\square					
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\overline{\times}$					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square					
	Product	lifetime							
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes			
P7.8*	Upgradir	ng can be done using commonly available tools				\times			
P7.9	Spare pa	arts are available after end of production for: 5 years							
P7.10	Service i	s available after end of production for: 5 years							
		and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type:						
P7.12		n materials of external electrical cables are PVC free.	artypo.						
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				Ħ			
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	e retardants, and						
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are Iow	·	\square				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):	\boxtimes					
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			\square			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations ir						
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\square			
P7.19	•	: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	h have been			\square			
			See note B5)						
P7.20*	lf YES; a	sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered;							
	a pe or	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <i>31%</i> . (<i>EPEAT calculation</i>) / <i>0% (TCO calcu</i> e weight of recycled material is <i>333.6</i> g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model num	el number * 66C2				Logo Lenovo.				
Issue date * 2020/09/25						Leno	VO	TH	
Product e	Product environmental attributes - Market requirements (continued) Requirement me								t met
Item	Item Yes No n.a								n.a.
Material and substance requirements (continued)									
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	of total plastic by weight) is 0%.								
	or b) The weight of the biobased plastic material is <i>0</i> g.								
P7.22*	Light sou	irces are f	free from mercury, i.e.	less than 0,1 mg/lamp.			\boxtimes		
P8	Batterie:		specify: Number of lan	nps: and maxim	um mercury content per	lamp: mg			
P8.1*			omposition:						
P9			-						
P9.1			tion (See NOTE B8)	s or energy consumption	ons are reported:				
Energy mo			Power level at	Power level at	Power level at	Reference/Standa	ard for ene	rav	\square
Energy me	40		100 V AC	115 V AC	230 V AC	modes and test m		.9)	
ENERGY S (System Id		n Mode*	14.61	14.54	14.55				
(System lu									
ENERGY S		w Power	0.23	0.24	0.34				
ENERGY S		f /	0.13	0.14	0.25				
Apparent C	off Mode*								
PTEC *			5.26 W	5.60 W	5.31 W	PTEC = Pon x ($1.25 \pm Doloo$		
Typical Ene	ergy Cons	umption	5.20 W	5.00 W	0.07 00	0.65	7.55 T P SIEE		
ETEC *			39.28 kWh/year	41.79 kWh/year	39.85 kWh/year	Етес = (8760/100		ĵ +	
Annual Ene			 	L Efficiency Marking Pro	tocol) * :	Psleep x 0.1 + Pidle	x 0.3)		\square
			,						
			80 megapixels ive mode: 15 seconds						
P9.2*				on is provided with the	product.				
P9.3*	The proc	luct meets	s the energy requireme	ents of the following vol					
P10	ENERGY STAR® version: N/A Product category:								
PIU	P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1							(B)		
1 10.1	Idle * HDD: Idle *				LVA,C				
	Operation * HDD: Operating *								
	Other mo	ode 🗖	Declared A-weighted soun	d pressure level (dB) L_{pAm}	(operator posi	tion desktop – idle)			
	Other mo	ode 🛛	Declared A-weighted soun	d pressure level (dB) L _{pAm}	(operator posi	tion desktop – oper			
	Measure	d accordir		ECMA-74		-			
			Other	(only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	66C2				Logo			
Issue dat	e *	2020/09/25				-	Leno	VO,	н
Product	environr	nental attribut	es - Market requirem	nents (continued)			Require	ment	met
Item							Yes	No	n.a.
		magnetic emissi							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
P12	Ergono	mics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements of	f ISO 9241-307 for v	isual display technolo	gies.	\square		
P12.2*	The phy	sical input device	e meets the requirements	s of ISO 9995 and IS	SO 9241-410.				
P13	Packagi	ing and docume	entation						
P13.1*	Product Product Product	packaging mater packaging mater packaging mater	ial type(s):	weight (kg): 0.6 weight (kg): 0.04 weight (kg):					
P13.2*	Product	plastic primary p	ackaging is free from PV	/C.			\square		
P13.3*		duct primary con er recovered fibe	rugated fiberboard pack r content: 80 %	aging, specify the o	contained percentage	of minimum	post-		
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Ùser and If Yes, p		is item if paper documen entation on paper media						
	Elemental chlorine-free								
	Process	ed chlorine-free							
P14		ry programs							
P14.1	ENERG Eco-labe Eco-labe	Y STAR® 네: 네:	equirements of the follow Criteria version: Criteria version: Criteria version:	ing voluntary progra Date: Date: Date:	Product Product	category: category: category:			
P15			(See NOTE B10)						
P9	NOTE: S informati knowled	Supplier makes n ion contained in t ge available at th I here is approxin	f specific configuration o representations, guara this document. All inform he time of completion, an nate and provided for inf	ntees, assurances on nation provided by su ad supplier shall have	or warranties whether upplier in this docume e no obligation to upd	express or imp nt is provided t ate such inform	blied, regarding based on supp nation. The inf	lier's ormati	ion
P9	See Ene	ergy Star Qualifie	d Monitors & Displays fo ov/products/office_equip		on:				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1