

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LEI IOVO.				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Ionitor				
Commercial name *	.enovo L22e-30, L22i-30				
Model number *	66CA, 66CB				
Issue date *	2021/02/22				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📄 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	66CA, 66CB	Logo	Lon			
Issue date *		2021/02/22		Len	Lenovo		
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\square			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlu ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.					
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlo yl (PCT) in preparations (see legal reference).		\square			
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbontaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/we	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail c www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	ontact):	\boxtimes			
P2	Batterie						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					\boxtimes	
P3	Confor	mity verification & Eco design (ErP)			_		
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see lega claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	al reference)				
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	Required information is; given in item P15 or added to this document, available at (add URL):						
P5		t packaging					
P5.1*	Packagi	ing and packaging components do not contain more than 0,01% lead, mercury, ent chromium by weight of these together.	, cadmium a	and 🔀			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)						
P5.3*	The pro	The product packaging material is free from ozone depleting substances as specified in the Montreal in the Montreal Comment: Legal reference).					
P6		ent information					
P6.1*	In famme at	ion for recyclers/treatment facilities is available (see legal reference).		\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	66CA, 66CB Logo	-	-			
Issue date *		2021/02/22	len	ovc)		
Product	t environ	mental attributes - Market requirements (See General NOTE GN below)					
			equire		met		
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disasser	nbly, recycling					
P7.1*		t have to be treated separately are easily separable	\square				
P7.2*		aterials in covers/housing have no surface coating.	Ē		Ħ		
P7.3*		arts > 100 g consist of one material or of easily separable materials.			Ħ		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	Ħ		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ		
P7.6*		e easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ħ		
	Product						
P7.7*		g can be done e.g. with processor, memory, cards or drives			\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools					
P7.9	Spare pa	rts are available after end of production for: 5 years			Ħ		
P7.10	Service is	s available after end of production for: 5 years			Ē		
	Material	and substance requirements	÷				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Material type:					
P7.12	Insulation	n materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components): A (additive), XTBBPA (reactive) (See NOTE B3), Other:, CAS #:	\square				
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:						
	2. Chemi	cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "					
		emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes		
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been the following Risk phrases; and Hazard statements:			\square		
		ce(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postcons	umer recycled plastic material content is used in the product (See Note B6):	\boxtimes				
	a) Of te a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 82.5%. (EPEAT calculation) / 85% (TCO calculation)					
	or b) The	weight of recycled material is 607.1 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	66CA, 66	6CB				Logo	Longer		
Issue dat	e *	2021/02/22					Lenov	0		
Product	environn	nental at	tributes -	Market reg	uirements (conti	nued)		Requireme	nt met	
Item									n.a.	
	Material	and subs	stance requ	irements (c	ontinued)					
P7.21*					the product (See N	OTE B7):				
	If VES: a	t least on	of the two	alternatives	below shall be answ	ered.				
	a) Of t	total plasti		ght > 25 g, tl		material content (calcu	llated as a perce	entage		
D7 00*				ed plastic ma						
P7.22*				nber of lamp	ss than 0,1 mg/lamp s: and maxim	ium mercury content pe	er lamp: n	ng		
P8	Batterie	Ś	1 2	<u> </u>		· · ·		0		
P8.1*	Battery c	hemical c	omposition:						\boxtimes	
P9	Energy	consump	tion (See N	OTE B8)				· · · · ·		
P9.1		product the	e following p	ower levels o	or energy consumpti	ons are reported:				
Energy mo	ode *		Power level at 100V 50HzAC	Power level at 100V /60Hz	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
ENERGY (System lo	STAR® Or dle)	n Mode*	11.31	11.07	11.1	11.86	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
ENERGY Sleep Moo	STAR® Lo de*	w Power	0.19	0.2	0.2	0.24	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
ENERGY STAR® Off / Apparent Off Mode*		f /	0.13	0.13	0.13	0.18	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
PTEC *			35.75 W	35.07 W	35.17 W	37.72 W	- <u>r</u>			
	nergy Cons	umption	33.75 VV	35.07 VV	35.17 VV	37.72 VV				
ETEC *	ieigj eene	amption	30.57	29.95kWh	30.03 kWh/year	32.32 kWh/year	$E_{TEC} = (8760)^{-1}$	1000) x (P _{off} x 0.6 +		
Annual En	ergy Cons	umption	kWh/year	/year	-		$P_{sleep} \times 0.1 + 1$	P _{idle} x 0.3)		
External P	ower Supp	ly Efficien	cy Level (Int	ernational E	fficiency Marking Pr	otocol) * :			\boxtimes	
Display re	solution* :	1920*108	30 megapixe	ls			Monitors: Ver	for Computer 8.0		
Default tim	ne to enter	energy sa	ve mode: 15	seconds			ENERGY STA Requirements Monitors: Ver.	for Computer		
P9.2*	Informati	ion about f	the energy s	ave function	is provided with the	product.				
P9.3*	The product meets the energy requirements of the following voluntary program/s:									
P10	Emissio									
D40.4	Noise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (E							(D)		
P10.1	Mode Idle		Mode desc * HDD: Idl			statistical upper lim	in A-weighted so	una power level, <i>L_{WA}</i>		
	Operatio	n	* HDD: Idi			*				
	Other mo				d pressure level		osition desktop – i	idle)		
	Other modeDeclared A-weighted sound pressure level (dB) L_{pAm}					(operator position desktop – operating)				
	Measure	d accordir	× =		ECMA-74 only if not covered by	(ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	nber *	66CA, 66CB					Logo	Tom		
Issue date *		2021/02/22						Lend	ovo	
Product	environr	nental attribute	s - Market requirem	nents (cor	itinued)	•		Require	ement	met
Item								Yes	No	n.a.
		magnetic emissio								
P10.4	program	(s): TCÓ8.0	e requirement for low f	requency e	lectromagnetic field	s of the follo	owing volunta	ary 🔀		
P12	Ergono	mics for computir	ng products							
P12.1*	The disp	lay meets the ergo	nomic requirements of	ISO 9241-	307 for visual displa	ay technolog	gies.			
P12.2*	The phy	sical input device n	neets the requirements	of ISO 999	95 and ISO 9241-41	0.				\boxtimes
P13	Packagi	ing and document	tation							
P13.1*	Product Product	packaging materia packaging materia packaging materia packaging materia	l type(s): Bag	weight (kg weight (kg weight (kg weight (kg): 0.21)): 0.02					
P13.2*	Product	plastic primary pac	kaging is free from PV	C.				\boxtimes		
P13.3*		duct primary corruger recovered fiber of	gated fiberboard pack content: 95 %	aging, spec	cify the contained	percentage	of minimum	post-		
P13.4*			product documentatio	n (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:									
	Totally c	hlorine-free						\boxtimes		
	Element	al chlorine-free						E E		
	Process	ed chlorine-free						H		
P14	Volunta	ry programs								
P14.1	ENERG TCO	duct meets the requ Y STAR® el: EPEAT-Gold	uirements of the follow Criteria version: 8.0 Criteria version: 8.0 Criteria version: 16		y program(s): Date: 2021/02/22 Date: 2021/02/22 Date: 2021/02/22	Product of	category: Dis category: Dis category: Dis	plays		
P15		nal information (S								
P9			pecific configuration	may vary;	description of the	tested pro	duct config	uration:		
	NOTE: S informati knowled	Supplier makes no ion contained in thi ge available at the I here is approxima	representations, guara s document. All inform time of completion, an tte and provided for inf	ntees, assu ation provid d supplier s	rances or warrantie led by supplier in th hall have no obliga	es whether e is documen tion to upda	express or im it is provided ite such infor	plied, regardi based on sup mation. The ir	oplier's nformat	tion
P9	See Ene	ergy Star Qualified	Monitors & Displays fo //products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1