



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information		·				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * Monitor					
Commercial name *	Lenovo L24q-35				
Model number *	66D1				
Issue date *	2021/5/5				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * Issue date *		66D1		Lenovo.			
		2021/5/5		Lenc	JVO _m		
Product environmental attributes - Legal requirements			Require	ment n	net		
Item		•		Yes	No n	ı.a.	
P1	Hazardo	us substances and preparations					
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square			
	hydrobro trichloroe	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes			
		I (PCT) in preparations (see legal reference).			ш		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀			
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🔀			
		al reference).					
P1.7*	COMME	nt: Max limit in legal reference when tested according to EN1811:2011-5.	contact):			_	
F 1.7	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure						
P2	Batterie	S					
P2.1*		iduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			\boxtimes	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					\boxtimes	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					\boxtimes	
P3	Conforn	nity verification & Eco design (ErP)					
P3.1*	The proc The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).				
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products,					
	, ,	al reference).				_	
	Required information is; given in item P15 or added to this document,					┙╽	
	⊠available at (add URL):						
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.					
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀			
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified	in the Montre	eal 🔀			
		(see legal reference). nt: Legal reference has no maximum concentration values.					
P6	Treatment information						
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					
· •	emidu						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date *		2021/5/5	Len	OVC	тм	
Product			equire	ment i	met	
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.					
P7	Design Disasse	mbly, recycling				
P7.1*	Parts tha	at have to be treated separately are easily separable	\square			
P7.2*	Plastic materials in covers/housing have no surface coating.					
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		Ħ	Ħ	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	Ħ	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		\Box	\Box	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\Box	\Box	
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			\boxtimes	
P7.8*	Upgradir	ng can be done using commonly available tools			\boxtimes	
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: PC Material type: n materials of external electrical cables are PVC free.				
			_#		╬	
P7.13 P7.14		n materials of internal electrical cables are PVC free.			╬	
F7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.					
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🔲 are low as defined in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), STBBPA (reactive) (See NOTE B3), Other:, CAS #:	\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in				
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				
		ical name: , CAS #: " ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		\boxtimes		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\boxtimes	
	assigned	I the following Risk phrases; and Hazard statements:				
		rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	\boxtimes			
	a) Of t	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 66.6%. (EPEAT calculation) Weight of recycled material is 541.37 g.				

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 66D1

Model number * 66D1						Logo	Lenovo				
Issue date	Issue date * 2021/5/5				Len		Ти				
Product environmental attributes - Market requirements (continued)					Requir	emen	t met				
Item					Yes	No	n.a.				
	Material and substance requirements (continued)										
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							\boxtimes			
	If YES; at least one of the two alternatives below shall be answered;										
					he biobased plastic r	material content (calcula	ted as a percentag	е			
	of to	otal plastic	by weight)	is <mark>0</mark> %.							
		weiaht of	the biobase	ed plastic ma	iterial is 0a.						
P7.22*	Light sou	irces are f	ree from me	rcury, i.e. le	ss than 0,1 mg/lamp.						
D 0			specify: Nun	nber of lamp	s: and maxim	um mercury content per	lamp: mg				
P8 P8.1*	Batteries		omposition:								
P9				OTE DO							
P9.1			tion (See No		or energy consumption	ons are reported:					
Energy mod		roduot tric	Power	Power	Power level at	Power level at	Reference/Standar	rd for er	nerav		
3,			level at	level at	115 V AC	230 V AC	modes and test me		37		
			100V	100V							
ENERGY S	ST∆R® Or	Mode*	50HzAC 16.68	/60Hz	16.46	16.60					
(System Idl		i wodc	10.00		10.40	10.00	For reference				
` -		u Dower	0.00		0.00	0.04					
ENERGY S		w Power	0.28		0.28	0.31	For reference				
							- ·				
ENERGY STAR® Off / Apparent Off Mode*		0.18		0.18	0.23	For reference					
7 (pparent o	iii wodo										
PTEC *			16.68 W	l w	16.46 W	16.60 W					
Typical Ene	ergy Cons	umption	70.00 VV	V V	70.40 VV	70.00 **				Ш	
ETEC *		•	kWh/year	kWh/year	kWh/year	<i>k</i> Wh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 +$		\boxtimes		
Annual Energy Consumption							$P_{\text{sleep}} \times 0.1 + P_{\text{idle}} \times 0.3)$				
External Po	wer Supp	ly Efficien	cy Level (Int	ternational E	fficiency Marking Pro	otocol) * :				\boxtimes	
Diaplay roo	alution* :	2560*444	10 maganiya	lo.			ENERGY STAR® Program				
Display les	olution .	2300 144	negapixe megapixe	15			Requirements for Computer Monitors: Ver. 8.0				
							ENERGY STAR® Program				
Default time	e to enter	energy sa	ve mode: 15	seconds			Requirements for Computer				
P9.2*	Informati	on about t	he energy o	ave function	is provided with the	product	Monitors: Ver. 8.0				
P9.3*						product.	EDDIO			- - -	
	Energy efficiency class (Monitor only) : F										
P10	Noise emission – Declared according to ISO 9296 (See NOTE B9)										
P10.1 Mode Mode description Statistical upper limit A-weighted sound power lev					ower leve	I. LWA c	(B)				
	Idle		* HDD: Idle			*	······································		-, -,,,,,		
Operation		n	* HDD: Operating							X	
	Other mo		Declared A-v	•	d pressure level	(operator posi	tion desktop – idle)			<u>~~\</u>	
			(dB) L _p Am			1					
	Other mo	ode		veighted soun	d pressure level	(operator position desktop – operating)					
			(dB) L _{pAm}								
	Measure	d accordir	ng to: 🔀 IS		ECMA-74						
	Other (only if not covered by ECMA-74)										

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	66D1 Logo	ono	V/0				
Issue date *		2021/5/5	_eno	VO.				
Product 6	environn	nental attributes - Market requirements (continued)	Requirer	nent	met			
Item			Yes	No	n.a.			
	Electron	nagnetic emissions						
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):							
P12		mics for computing products						
P12.1*	-	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes					
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes			
P13		ng and documentation						
P13.1*	Product Product	packaging material type(s): Corrugated packaging material type(s): EPS weight (kg): 0.26 packaging material type(s): Bag weight (kg): 0.312 packaging material type(s): weight (kg):						
P13.2*	Product	plastic primary packaging is free from PVC.	\boxtimes					
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage of minimum poster recovered fiber content: 90%	÷					
P13.4*		media for user and product documentation (tick box): ronic, ⊠Paper, ⊡Other						
P13.5	Ùser and	only complete this item if paper documentation used) I product documentation on paper media is chlorine-free: lease specify:						
	Totally chlorine-free Elemental chlorine-free							
	Processe	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	ENERGY TCO Eco-labe	5 7						
P15		nal information (See NOTE B10)						
P9		consumption of specific configuration may vary; description of the tested product configurati						
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether express or implied ion contained in this document. All information provided by supplier in this document is provided base ge available at the time of completion, and supplier shall have no obligation to update such informatic here is approximate and provided for informational purposes only. See a Lenovo Account Represention.	d on supp on. The info	lier's ormati	on			
P9		rgy Star Qualified Monitors & Displays for the latest information: ww.energystar.gov/products/office_equipment/displays						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1