

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	the second second second second
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEI IOVO.
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	Computer					
Commercial name *	ThinkCentre M60e Tiny					
Model number *	11LU,11LV,11LW,11LX,11LY,11M0,11M1,11M2					
Issue date *	2020/9/29					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information	TCO,ES,					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	11LU,11LV,11LW,11LX,11LY,11M0,11M1,11M2	Logo	Long	-		
Issue dat	e *	2020/9/29		Lene	Lenovo		
	environ	mental attributes - Legal requirements		Require			
Item				Yes	No	n.a.	
P1		ous substances and preparations	<u> </u>				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE $% \mathcal{A}$	B1)	$\mathbf{X}$			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$			
P1.3*	Products hydrobro trichloro concent						
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl /l (PCT) in preparations (see legal reference).					
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/we	ek 🔀			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail c <a href="http://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure">www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</a>	ontact):	$\square$			
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	ne disposal	$\square$			
P2.2*	referenc		ium. (See le	gal 🔀			
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)		$\square$			
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) (see legal s	al reference)	. 🛛			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$			
	· ·	d information is; available at (add URL):					
	https://	www.lenovo.com/us/en/compliance/eco-declaration,					
P5		t packaging					
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	, cadmium	and 🔀			
P5.2*	The pac used (se	kaging materials are marked with abbreviations and numbers indicating the nature o ee legal reference).					
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified in the M al reference).	ontreal Proto	ocol 🔀			
DA		nt: Legal reference has no maximum concentration values.			_		
P6		nt information					
P6.1*	mormat	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	11LU,11LV,11LW,11LX,11LY,11M0,11M1,11M2	Logo	Lon	01/0	
Issue date *		2020/9/29		Len	ove	2
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
Trouuo		onmental conscious design	bolow)	Require	ment	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		$\boxtimes$		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				$\boxtimes$
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				$\boxtimes$
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			П	
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradin	g can be done using commonly available tools			Π	
P7.9	Spare pa	rts are available after end of production for: 5 years				Ē
P7.10	Service i	s available after end of production for: <b>5</b> years				Ħ
-		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: ABS PCR65 Material type: ABS+PC Materia	al type: <b>PC</b>			
P7.12		n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13		n materials of internal electrical cables are PVC free.		<u> </u>		⊢⊢
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1	%	<u> </u>	<u> </u>
r 7.1 <del>4</del>	weight (´ polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, ar	nd 🗖		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🧮 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	$\square$	
P7.16	Marking:					$\boxtimes$
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):	_	_	_
	TBBP	A (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1: Fl	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations	in		
	concentr	ations above 0,1%:				$\boxtimes$
		ical name: , CAS #: (See NOTE B4)		_		
		ical name: , CAS #: "				
		ical name: , CAS #: "	<b>.</b> .	_	_	_
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been		$\Box$	$\bowtie$
	0	the following Risk phrases; and Hazard statements:				
D7 00+			See note B5)	<b>K</b>		
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		$\bowtie$		
	a) Óft	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is %.	t (calculated as	i		
		weight of recycled material is 5.1 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11LU,11LV,11LW,11LX,11LY,11M0,11M1,11M2	Logo	Lenovo			
Issue date *	2020/9/29		LEHOVO			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

Requirement met Yes No n.a.

Mater	ial and subs	stance requirements	(continued)			
			in the product (See NC	DTE B7):		
				-		
			s below shall be answe the biobased plastic ma		tod on a narraentage of	
	otal plastic b		the biobased plastic ma	aterial content (calcula	ned as a percentage of	
or		y weight) 13 70.				
	The weight of	the biobased plastic n	naterial is g.			
			less than 0,1 mg/lamp.			
		specify: Number of lan		um mercury content pe	er lamp: mg	
P8 Batter						
			se dioxide,Lithium Co	balt Dioxide (LiCoO2	2)	
P9 Energ	y consump	tion (See NOTE B8)				
	e product the		s or energy consumptio			
Energy mode *		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-max)		65 W	65 W	65 W	Full load	
Category I1						
<u>Sategory II</u>						
Short Idle State -	WOL	3.7 W	4.6 W	3.8 W	Use for ENERGY STAR V8.0	
Enabled					registration (Pidle)	
Long Idle State -	WOI	2.6 W	3.4 W	2.7 W	Use for ENERGY STAR V8.0	
Enabled	WOL .	2.0 VV	3.4 VV	2.7 VV	registration (P <sub>idle</sub> )	
2.1.0.0.00						
Sleep (S3) - WOL	Enabled	1.7 W	2.4 W	1.6 W	Use for ENERGY STAR V8.0	
					registration(P <sub>s/eep</sub> )	
		0.514	0.714/	0.014/		
Off (S5) - WOL Er	nabled	0.5 W	0.7 W	0.6 W	Use for ENERGY STAR V8.0	
					registration(P <sub>off</sub> )	
EPS No-load		0.0384 W	0.0445 W	0.0897 W		
(External power supply / char wall outlet but disconnected fit	rger plugged in the rom the product.)					
PTEC *		W	W	W		$\boxtimes$
Typical Energy Co	onsumption					
ETEC *		19.4 kWh/year	25.4 kWh/year	19.3 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	
Annual Energy Co	nsumption		kWh/year	kWh/year	+ $P_{sleep} \times 0.05$ + $P_{long_{ldle}} \times 0.15$ +	
		D + Off Mada/S	E) WOL Enchlody D	( Sleep Mede(S2) - MOL	P <sub>short_Idle</sub> x 0.35) Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	
External Power St	Innly Efficien		Efficiency Marking Pro		Enabled, Fidle. Idle State - WOL ENabled	
Display resolution			Linoionoy Marking FT0			
		egapixels				
	0,	ve mode: 25 minutes				
		0,	on is provided with the p	product.		
P9.3 Energ	y efficiency o	class (monitors only):				$\times$
P10 Emiss	sions				•	
	emission -	Declared according to	ISO 9296 (See NOTE	B9)		
P10.1 Mode	Ν	lode description		Statistical upper limi	it A-weighted sound power level, $L_{WA,c}$	(B)
Idle	*	HDD:Idle		* 3.4		
Opera	tion *	HDD: Operating		* 4.0		Π
		· · ·	d pressure level (dB) L <sub>pAm</sub>		sition desktop – idle)	
			r			
Other	mode D	eclared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator position desktop – operating)		
Measu	ured accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74	•		
		Other	(only if not covered by	FCMA-74)		
			(only if not covered by			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	11LU	J,11LV,11	LW,11LX,11LY,11M0,	,11M1,11M2	2			Logo	Low		
Issue date	*	2020	/9/29							Lend	ovo	-
Product	environi	nenta	attribut	tes - Market require	ements (c	ontinu	ed)			Require	ement	met
Item										Yes	No	n.a.
			etic emiss									
P10.4	program	(s):		the requirement for lo	w frequency	electro	magneti	ic fields c	of the following volunta	iry		$\square$
P12				ting products	(100.00)	1 0 0 7 6						
P12.1*				gonomic requirements					technologies.			$\square$
P12.2*			·	e meets the requireme	ents of ISO 9	9995 and	I ISO 92	241-410.				
P13			d docume									
P13.1*	Product packaging material type(s): Corrugated Double wall       weight (kg): 0.337         Product packaging material type(s): Corrugated single wall       weight (kg): 0.155         Product packaging material type(s): LEPE       weight (kg): 0.083         Product packaging material type(s): PS       weight (kg): 0.015											
P13.2*	Product	plastic	; primary p	ackaging is free from I	PVC.					$\boxtimes$		
P13.3*				rugated fiberboard pa r content: <b>70</b> %	ackaging, sp	pecify th	e conta	ained per	rcentage of minimum	post-		
P13.4*			for user an	nd product documenta	ation (tick bo	x):						
P13.5	Úser an If Yes, p Totally c Element	d produ lease s chlorine al chlo	uct docum specify:	is item if paper docum entation on paper med								
P14	Volunta											
P14.1				equirements of the follo	owing volun	tary proę	gram(s)	:				
	ENERG Eco-labe Eco-labe	el: <b>TCC</b> el:	כ כ	Criteria version: Criteria version: Criteria version:		Date Date Date		I	Product category: <b>Des</b> Product category: <b>Des</b> Product category:			
P15				(See NOTE B10)								
P9	Energy Project	CONSU Test		<b>f specific configurati</b>  CPU	on may var Memory	<b>y; desc</b> HDD	ription SSD		External power supply	Sleep mod		
	Project	item	Category		wemory	HUU	550	Graphics	External power supply	Sleep mod	Э	
	M60 <b>e</b>	ES	11	Intel ICL-U i5-1035G1 1.0G/4C/6M/13W	32GB	2TB	512GB	GPU	Delta / ADP-65ME BA	modern star	idby	
	informat knowled provided informat	ion cor lge ava l here i ion.	ntained in ailable at th is approxir	this document. All info the time of completion, mate and provided for	rmation pro and supplie information	vided by r shall h al purpo:	supplie ave no ses only	er in this obligation /. See a l	document is provided n to update such inforr Lenovo Account Repre	based on sup mation. The in	plier's format	ion
P9				d Notebooks & Tablet w/index.cfm?fuseactio								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Personal Computer	Logo
Model Number	ThinkCentre M60e Tiny	Longua
Issue Date	11LU,11LV,11LW,11LX,11LY,11M0,11M1,11M2	Lenovo
Additional information	2020/9/29	

(d)	year of manufacture:				2020			
(e)	Etec value (kWh) per ErP Lot 3 Categorian disabled and if the system is tested with				cards (dGfx) are			
f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGf enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]		32		32			
ents sting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	yes (Yes / No)			
idjustm ring tes	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
capa app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	No #: (Yes / No)			
	Category of discrete graphics Card(s)							
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		28.58		24.29			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);	4	1	Cat	B:7.031, Cat D: 5.85			
h)	Sleep mode power demand (Watts);			Ca	t B:1.032, Cat D:1.03			
i)	Sleep mode with WOL enabled power d	emand (Watts) (wher	e enabled);	Cat	B:1.037, Cat D: 1.03			
j)	Off mode power demand (Watts);			Cat	B:0.7243, Cat D: 0.6			
k)	Off mode with WOL enabled power dem	and (Watts) (where e	nabled);	(	Cat B: 0.7246, Cat D: 0.693			
I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	ver (if applicable):	0.000			
	10% 20% 50%	100% Ave	rage					
m)	External power supply efficiency (if appl	icable)*:						
	Average active efficiency: 85%							
o)	*internal note: show values for all available external p Minimum number of loading cycles that		stand (applies only to r	notebook computers):	N/A			
p-1)	Measurement methodology used to dete	ermine information me NA	entioned in points (I) – i	nternal PSU efficiency				
p-2)	Measurement methodology used to dete		entioned in points (m) – and a.ca.c. power s		cy:			

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A							
(p-4)		ogy used to determine information nt P9.1 in the Product IT Eco Decl	n mentioned in maximum, idle, sleep, off mode aration:					
	refer to IEC62623:2	2013-Desktop and notebook con	nputers-Measurement of energy consumption					
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
	Base	ed on user manual/Power on->W	ait 5 minutes->Stable condition					
(r)	Description of how sleep	p and/or off mode was selected or	programmed:					
			Power -> Select sleep or off mode					
(s)	Sequence of events req off mode:	uired to reach the mode where the	e equipment automatically changes to sleep and/or					
		for this p						
(t)	condition which does no	ot exceed the applicable power der	utomatically reaches sleep mode, or another mand requirements for sleep mode (in minutes):	5 minutes				
(u)		period of user inactivity in whic power demand requirement than	h the computer automatically reaches a power sleep mode (in minutes):	25 minutes				
(v)	Length of time before	the display sleep mode is set to	activate after user inactivity (in minutes):	10 minutes				
(w)	Information on the energy	gy-saving potential of power mana	gement functionality:					
		N/A						
(x)	User information on hov	v to enable the power managemer	nt functionality:					
	Please Lenovo confiri	m where or which document wil power managemen	I show user information about how to enable the the the the the the the the the th					
(z)		stem, — information and documen	nd frequency in Hz, — total harmonic distortion of tation on the instrumentation, set-up and circuits					
	Test voltage in V and frequency in Hz: 230V/50Hz Total harmonic distortion of the electricity supply system: ≦2%							
	Instrument	Range Used						
	Туре	Or	Make and Model					
	AC Power Source	1~280VAC; 1~550Hz; 1000VA	Chroma;61504; SN:615040001117					
	Digital Watch	Full range	CASIO; HS-70W; SN:208Q08R					
	Power Meter	0~600V; 0~20A	YOKOGAWA; WT310E; SN:C3SJ16035E	_				
	Hygrothermograph	15~35℃/ 15~90%	TESTO; 608-H1; SN:1034895602					
	Thermal anemometer	0~20m/s, -20~70℃ TESTO; 425; SN:02591883						

Additional Notebook Battery Information:						
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{\mbox{\tiny 1)}}$					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information	•	•	<b>A</b>			

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (baterile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Bateria (baterile) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.