

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LEIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statements given in this declaration.						
Type of product *	Desktop					
Commercial name *	ThinkCentre M80 Tower					
Model number *	11CS,11CT,11EK,11EL					
Issue date *	2020-3-11					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	11CS,11CT,11EK,11	EL		Logo			
Issue date *		2020-3-11				Lenovo		
Product	environ	mental attributes -	Legal requirements			Require		met
ltem						Yes	No	n.a.
P1		ous substances and p						
P1.1*			t European RoHS Directive. (See I	egal reference and NOTE	E B1)	\bowtie		
P1.2*	Comme	nt: Legal reference has	os (see legal reference). no maximum concentration value.			\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.							
P1.4*	terphen	I (PCT) in preparations				\square		
P1.5*			nan 0,1% short chain chloroparaffir er mass of chlorine in the SCCP(bon atoms in t	he 🔀		
P1.6*	(see leg	al reference).	skin contact do not release nickel i erence when tested according to E),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information a	bout substances in articles is avail cs/sustainability/ww-disclosure-Ler	able at (add URL or mail				
P2	Batterie	s						
P2.1*			or an accumulator, the battery/acc disposal is provided in user manual		the disposal	\square		
P2.2*	Batterie: referenc		ot contain more than 0,0005% of m	ercury or 0,002% of cadn	nium. (See leg	al 🔀		
P2.3*	Batterie	and accumulators are	readily removable. (See legal refe	rence)		\boxtimes		
P3	Conform	nity verification & Eco	design (ErP)					
P3.1*	The pro	Juct is CE-marked to sl	now conformance with applicable le can be requested at: https://www.le			\boxtimes		
P3.2*		duct complies with the lal reference).	Eco design requirements for energy	related products,		\boxtimes		
	Require	d information is;	given in item P15 or added to th		aco-declaratio			
P5	Product	packaging				,		
P5.1*	Packagi		nponents do not contain more th	an 0,01% lead, mercur	y, cadmium a	nd 🔀		
P5.2*	The pac		arked with abbreviations and numb	ers indicating the nature	of the material	(s) 🔀		
P5.3*	The pro	luct packaging materia al reference).	is free from ozone depleting substant		Montreal Proto	col 🔀		
P6		nt information						
		on for recyclers/treatm						_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		11CS,11CT,11EK,11EL	Logo			
Issue dat	te *	2020-3-11		Len	ovc	Эти
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		nmental conscious design		Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling				
		t have to be treated separately are easily separable			_님_	⊢⊢
P7.2*		aterials in covers/housing have no surface coating.			ㅡ	_ᆜ_
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools		\square		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service is	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: ABS Material type: SGCC Materia n materials of external electrical cables are PVC free.	al type:			
P7.12 P7.13				<u> </u>		<u> </u>
		n materials of internal electrical cables are PVC free.				<u> </u>
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, ar	nd 🔼		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 d in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n	\square	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square	
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive), TBBPA (reactive) (See NOTE B3), Other: <i>chemical name</i> , CA		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "	s/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (S	have been see note B5)			
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 47.2% . weight of recycled material is 188.6 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11CS,11CT,11EK,11EL	Logo	Lenovo
Issue date *	2020-3-11		
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

	Material and sub	stance requirements	(continued)				
P7.21*		naterial content is used		NOTE B7):			
	a) Of total plast total plastic b				ated as a percentage of		
	or b) The weight o	f the biobased plastic	material is g.				
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.						
P8	Batteries						
P8.1*	Battery chemical of	composition: <i>Lithium I</i>	Manganese Dioxide				
P9		tion (See NOTE B8)					
P9.1		e following power leve					
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	·max)	W	W	W	Full load		
Categor	<u>'y 1</u>						
Short Idle Enabled	State - WOL	12.6 W	12.6 W	12.5 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	11.4 W	11.5 W	11.4 W	Use for ENERGY STAR V8 registration (P _{idle})		
Sleep (S3)) - WOL Enabled	1.7 W	1.7 W	1.7 W	Use for ENERGY STAR V8 registration(P _{sleep})		
Off (S5) -	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration(Poff)		
Off (S5) -	WOL Disabled	W	W	0.74 W	Use for ErP lot3		
Categor	<u>'y I2</u>						
Short Idle Enabled	State - WOL	13.5 W	14.8 W	13.2 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	13 W	13 W	12.5 W	Use for ENERGY STAR V8 registration (P _{idle})		
Sleep (S3)) - WOL Enabled	2.1 W	2.1 W	2.1 W	Use for ENERGY STAR V8 registration(P _{sleep})		
Off (S5) -	WOL Enabled	0.8 W	0.8 W	0.8 W	Use for ENERGY STAR V8 registration(P _{off})		
Off (S5) -	WOL Disabled	W	W	0.73 W	Use for ErP lot3		
Categor	<u>y D1</u>						
Short Idle Enabled	State - WOL	20.6 W	20.6 W	20.1 W	Use for ENERGY STAR V8 registration (P _{idle})		
Long Idle Enabled	State - WOL	19.6 W	19.7 W	19.2 W	Use for ENERGY STAR V8 registration (P _{idle})		
) - WOL Enabled	2.1 W	2.1 W	2.1 W	Use for ENERGY STAR V8 registration(P _{sleep})		
Off (S5) -	WOL Enabled	0.8 W	0.8 W	0.8 W	Use for ENERGY STAR V8 registration(Poff)		
Off (S5) -	WOL Disabled	W	W	0.74 W	Use for ErP lot3		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Catego	ory D2					
Short Idle State - WOL Enabled		20.8 W	21.2 W	21.3 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle Enabled	e State - WOL	19.9 W	20.1 W	19.4 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S	3) - WOL Enabled	2.1 W	2.1 W	2.1 W	Use for ENERGY STAR V8 registration(P _{sleep})	
Off (S5) -	- WOL Enabled	0.8 W	0.8 W	0.8 W	Use for ENERGY STAR V8 registration(Port)	
Off (S5) -	WOL Disabled	W	W	0.74 W	Use for ErP lot3	
EPS No-I	oad	W	W	W		
(External power wall outlet but of	er supply / charger plugged in t disconnected from the product	the .)				
PTEC *		W	W	W		
	nergy Consumption					
ETEC *		50.6 kWh/year	50.8 kWh/year	50.4 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$	
Annual Energy Consumption		n 56.3 kWh/year 80.7 kWh/year	59.51 kWh/year 80.7 kWh/year	55 kWh/year 79 kWh/year	+ P _{sleep} x 0.05 + P _{long_ldle} x 0.15+ P _{short Idle} x 0.35)	
		81.3 kWh/year	82.57 kWh/year	82.3 kWh/year	F short_Idle X 0.33)	
					OL Enabled; Pidle: Idle State - WOL Enabled	
External I	Power Supply Effic		al Efficiency Marking F			
Display re	esolution * :	megapixels				
Default ti	me to enter energy	save mode: 25 minute	s			
P9.2*	Information abo	ut the energy save fund	ction is provided with th	e product.		
P9.3	Energy efficience	cy class (monitors only)	:	•		
P10	Emissions					
		n – Declared according	to ISO 9296 (See NOT	ГЕ В9)		
P10.1	Mode	Mode description			imit A-weighted sound power level, L _{WA,c} (B)	
	Idle	* HDD:Idle		* 3.1		
	Operation	* HDD: Operating		* 3.5		
	Other mode		und pressure level (dB) L_p		ition desktop – idle – HDD)	
Other mode		Declared A-weighted so	und pressure level (dB) L_p	Am 26 (operator pos	ition desktop – operating - HDD)	
Idle * SSD: Idle		* SSD: Idle		* 2.4		
Operation *		* SSD: Operating		* 2.5		
	Other mode		und pressure level (dB) L_p		ition desktop – idle - SSD)	
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} 18 (operator position desktop – operating – SSD)					
	Measured accord	rding to: X ISO 7779 Other	ECMA-74 (only if not covered l	$ECMA_74)$		
			(only if not covered i			

Model nu	mber *	11CS,11CT,11EK,11EL					Logo			
Issue date *		2020-3-11					Len	Lenovo		
Product	environr	nental attributes - Mark	et requirem	nents (cor	ntinued)			Requi	iremen	t me
ltem								Ye	s No	n.a
		nagnetic emissions								
P10.4	Compute program	r display meets the require s):	ment for low f	frequency e	lectromagnet	tic fields of the fol	lowing volunta	ry		\boxtimes
P12	Ergono	nics for computing produ	cts							
P12.1*	The disp	ay meets the ergonomic re	quirements of	f ISO 9241-	307 for visua	l display technolo	ogies.	\geq	1 🗆	
P12.2*	The phy	ical input device meets the	requirements	s of ISO 999	95 and ISO 9	241-410.		$\left \right>$	1 🗆	
P13	Packagi	ng and documentation								
P13.1*	Product	backaging material type(s): backaging material type(s): backaging material type(s):	LDPE	weight (kg weight (kg weight (kg	j): 0.316					
P13.2*	Product	plastic primary packaging is	s free from PV	/C.				\mathbf{X}	1 🗆	
P13.3*	For proc	uct primary corrugated fib r recovered fiber content:	erboard pack	aging, spec	cify the conta	ained percentage	e of minimum	post-		
P13.4*		nedia for user and product onic, XPaper, Other	documentatio	n (tick box):						
P13.5	Ùser an	only complete this item if pa product documentation on ease specify:								
	Totally c	nlorine-free						$\mathbf{\nabla}$	1	
		al chlorine-free							1้	
	Process	ed chlorine-free						- F	i	
P14	Volunta	y programs							_	
P14.1		uct meets the requirements	s of the follow	ing voluntar	y program(s)):				
	Eco-labe	I: TCO Criteri	ia version: <mark>8.0</mark> ia version: <mark>8.0</mark>		Date: Date:	Product	category: Des category: Des			
545	Eco-labe		ia version:		Date:	Product	category:			
P15		al information (See NOTE	/							
P9	NOTE: S informat knowled	consumption of specific of upplier makes no represen on contained in this docum- ge available at the time of c here is approximate and p	tations, guara ent. All inform ompletion, an	antees, assu ation provid id supplier s	irances or wa led by suppli hall have no	arranties whether er in this docume obligation to upd	express or imp nt is provided t ate such inforn	olied, regar based on si nation. The	upplier's informa	
P9	See Ene	rgy Star Qualified Notebool w.energystar.gov/index.cfm					_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M80 Tower	Logo	
Model Number	11CS,11CT,11EK,11EL		
Issue Date	2020-3-11		Lenovo
Additional information	Energy Star, EPEAT, TCO		

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2020			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	II discrete graphics	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]		126		124			
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)			
	Category of discrete graphics Card(s)		G5		G5			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		59.34		56.97			
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		111.75		103.57			
(g)	Idle state power demand (Watts);		•	•	30.46 28.12			
(h)	Sleep mode power demand (Watts);				2.09 2.05			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		2.11 2.14			
(j)	Off mode power demand (Watts);				0.74			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		<u> </u>			
• •	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
(I)				,				
(ma)	PA-2181-3 10% 82.88% 20% 87.33% 50% 88.65% 100% 85.57% Average 87.19%							
(m)	External power supply efficiency (if applicable)*:							
	Average active efficiency: *internal note: show values for all available external pr							
(0)	Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	NA			
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program							

(p-2)) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: NA						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA						
	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:						
			IEC 62623 Ed. 1.0, 2012-10				
(q)	Sequence of steps for	or achieving a sta	able condition with respect to power	demand::			
	Based on Ener	rgy Star Compu	ter V7.1I/Power on->Wait 5 minute	es->Stable condition(long idle)			
(r)	Description of how sl	eep and/or off m	node was selected or programmed:				
		Start m	enu -> Power -> Select sleep or o	ff mode			
	Sequence of events off mode:	required to reacl	h the mode where the equipment au	tomatically changes to sleep and/or			
	Control Pane	el->Power Optic	ons-> Change Settings-> Restore (default settings for this plan			
			fore the computer automatically re applicable power demand requirement		25		
(u)	Length of time after	r a period of us	er inactivity in which the compute and requirement than sleep mode (in	r automatically reaches a power			
(v)	Length of time befo	ore the display s	sleep mode is set to activate after	user inactivity (in minutes):	10		
(w)	Information on the er	nergy-saving pot	ential of power management function	nality:			
			NA				
(x)	User information on h	how to enable th	e power management functionality:				
			Refer to User Guide				
		system, - infor	 test voltage in V and frequency in mation and documentation on the in- 				
			Itage in V and frequency in Hz: 23 onic distortion of the electricity supply system				
	Instrument		Range Used or ******	Make and Model**			
	AC Power S		1~300VAC;1~550Hz; 1000VA	NF; EC1000S			
	Power M	eter	1~500V;0~20A	YOKOGAWA; WT310			
	Digital W	atch	Full Range	CASIO; HS-70W			
	Ambient M	lonitor	-10~60 ℃; 0~100&RH	Testo; 622			
	Anemom	eter	0~20m/s	Testo; 425			
Additiona	I Notebook Batter			Detter fielder verslere ekte			
		The battery[ies	not user replaceable s] in this product cannot be easily ers themselves. ¹⁾	Battery[ies] user replaceable	n/a		
Internal/built-in Battery							
External/detachable Battery							
Bios Back	Bios Backup Battery						
Other:	ther:						
Additional	information	1			<u> </u>		

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Konutried i can cella totat pakufakusid i pagenadu.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. La batteria/le batterie in questo prodotto non puo/possono essere facimente sostituita/e daii ute Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gamino baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteria (bateria) i tan il-product ma tistax/jistgnux tig/jigt sostitivita/ mil-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Bateriu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/Setrije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.