

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.			
Internet site *	https://www.lenovo.com/us/en/about/sustainability				
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook					
Commercial name *	mercial name * Lenovo ThinkPad C13 Yoga Chromebook					
Model number *	20UY, 20UX					
Issue date *	2020-10-16					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20UY, 20UX Logo						
Issue date *		2020-10-16	Lenovo.					
Produc	t environ	mental attributes - Legal requirements	Require	ment	t me			
Item			Yes	No	n.a			
P1		ous substances and preparations						
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\bowtie					
P1.2*	Comme	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
P1.3*	hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes					
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/about/sustainability	\boxtimes					
P2	Batterie							
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square					
P2.2*	Batterie referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	I 🔀					
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\square					
P3	Confor	nity verification & Eco design (ErP)						
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes					
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\boxtimes					
P5	Produce							
P5.1*		t packaging ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔽					
	hexaval	ent chromium by weight of these together.						
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(e legal reference).						
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀					
P6		nt information						
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).	\square					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20UY, 20UX	Logo			
Issue dat	te *	2020-10-16		Len	ovc	Тм
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling thave to be treated separately are easily separable				
P7.2*		haterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			⊢⊢	<u> </u>
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╶┝┥	<u> </u>
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	wailable toole		<u> </u>	<u> </u>
P7.6*			<u> </u>	<u> </u>		
P7.0		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product	ig can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			⊢⊢	<u> </u>
P7.9		Ints are available after end of production for: 5 years				⊢⊢
P7.10		s available after end of production for: 5 years				╞
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type:			
)15FR(40)<				
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	e retardants, ar	nd 💆		
P7.15	Printed c as define	ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🔀		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-(TD+MD)15FR(40)<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c A (additive),TBBPA (reactive) (See NOTE B3),Other: _ <i>DOPO</i> , CAS #: 3594		\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			\square
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104		\boxtimes		
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; confidential and Hazard statements: confide (a) for these classifications is (are found at (add URI (c)));				
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 6.1%.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	20UY, 20	OUX			Logo
Issue date	*	2020-10-				Lenovo.
	Material	and subs	stance requirements	(continued)		
P7.21*				d in the product (See N	OTE B7):	
P7.22*			ree from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp mps: and maxim	um mercury content pe	er lamp: mg
P8	Batterie			•	· ·	
P8.1*	-		omposition: <i>Lithium</i> I	on		
P9	Energy	consump	tion (See NOTE B8)			
P9.1 Energy mo		product the	e following power leve Power level at	ls or energy consumption	ons are reported: Power level at	Deference/Standard for energy
0.			100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *
Peak (On-ı	nax)		230 W	230 W	23065 W	Full load
Category 1	L					
Short Idle Enabled	State - W	OL	3.88 W	3.93 W	4.35 W	Use for ENERGY STAR V8 registration (P _{idle})
Long Idle Enabled	State - W	OL	2.97 W	2.62 W	2.71 W	Use for ENERGY STAR V8 registration (Pidle)
Sleep (S3)	- WOL D	isabled	0.46 W	0.45 W	0.49 W	Use for ENERGY STAR V8 registration (P _{sleep})
Off (S5) - V	VOL Disa	bled	0.3 W	0.3 W	0.33 W	Use for ErP
Category 2	2					
Short Idle Enabled	Short Idle State - WOL Enabled		8.71 W	8.71 W	8.98 W	Use for ENERGY STAR V8 registration (P _{idle})
Long Idle State - WOL Enabled		OL	4.07 W	4.11 W	4.19 W	Use for ENERGY STAR V8 registration (P _{idle})
Sleep (S3)	Sleep (S3) - WOL Disabled		0.56 W	0.56 W	0.61 W	Use for ENERGY STAR V8 registration (P _{sleep})
Off (S5) - V	VOL Disa	bled	0.3 W	0.3 W	0.34 W	Use for ErP
EPS No-loa (External power s wall outlet but disc		plugged in the	0.098 W	0.03 W	0.071 W	
PTEC * Typical Ene			3.29 W	3.3 W	3.41 W	
ETEC * Annual Ene			28.8 kWh/year	28.9 kWh/year	29.9 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)
						ed; P _{idle} : Idle State - WOL Enabled
		-		I Efficiency Marking Pro	otocol) * : VI	
			160 megapixels			
		÷.	ve mode: 8 minutes			
P9.2*				ion is provided with the	product.	
P9.3			class (monitors only):			
P10	Emissio		Dubud to the	100 0000 (0 1107	- DO)	
P10.1	Noise en Mode		Declared according t lode description	o ISO 9296 (See NOTE		it A-weighted sound power level, $L_{WA,c}$ (B)
1 10.1	Idle		Idle		* 2.7	
	Operatio		CPU Operating		* 3.2	
	Other m			nd pressure level (dB) L_{pAr}		sition desktop – idle)
	Other m			ad pressure level (dB) L_{pAr}		sition desktop – operating)
		ed accordir		i	n (()
			Other	(only if not covered by	ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	20UY, 20UX				Logo			
Issue dat	e *	2020-10-16					Len	OVC	Тм
Product	environ	nental attribut	tes - Market requirements (co	ontinued)			Requi	iremen	t met
Item							Ye	s No	n.a
		nagnetic emiss							
P10.4	program	(s): MPR-II(3 pi	the requirement for low frequency AC adapter only)	electromagnetic fields	s of the follo	wing volunt	ary		
P12		mics for compu							
P12.1*	•		gonomic requirements of ISO 924	•	, ,	ies.			
P12.2*	The phy	sical input device	e meets the requirements of ISO 9	995 and ISO 9241-41	0.		\geq		
P13		ing and docume							
P13.1*	Product Product	packaging mater packaging mater	rial type(s): Corrugated carton rial type(s): paper(manuel) rial type(s): EPE cushion rial type(s): PE bag weight (weight (kg): 0.303 weight (kg): 0.066 weight (kg): 0.1 kg): 0.01					
P13.2*			ackaging is free from PVC.				\succ	1 []	
P13.3*			rugated fiberboard packaging, sp r content: 70 %	ecify the contained p	ercentage	of minimum	n post-	<u> </u>	
P13.4*	Specify		nd product documentation (tick bo	<):					
P13.5	Ùser an		is item if paper documentation use entation on paper media is chlorin				\boxtimes		
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs						-	
P14.1			equirements of the following volunt	ary program(s):					
D 45	Eco-labe Eco-labe	el: PCGL	Criteria version: 8.0 Criteria version: 8.0 Criteria version: V13	Date: 2020/10/15 Date: 2020/10/30 Date: 2020/10/15	Product ca	ategory: no ategory: no ategory: no	tebook		
P15			(See NOTE B10)	u description of the	to a to d my a	duct confic			
<u>79</u>	NOTE: S informat knowled	Supplier makes r ion contained in ge available at th I here is approxir	f specific configuration may var to representations, guarantees, as this document. All information prov- the time of completion, and supplied mate and provided for informational	surances or warrantie rided by supplier in thi shall have no obligat	s whether e is document ion to updat	xpress or in is provided e such info	nplied, regar I based on si rmation. The	upplier's informa	; ation
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Computers v/index.cfm?fuseaction=find_a_pr	for the latest informati oduct.showProductGr	ion: oup&pgw_c	ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Product scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ThinkPad C13 Yoga Chromebook	Logo		
Model Number	20UY, 20UX	-		
Issue Date	2020-10-16		Lenovo	
Additional information				

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:				2020			
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]				16			
lents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)			
	Category of discrete graphics Card(s)				N/A			
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				29.9			
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);		·		7.33			
(h)	Sleep mode power demand (Watts);				0.61			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.668			
(j)	Off mode power demand (Watts);				0.34			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.409			
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output powe	er (if applicable):				
	10% 20% 50%	100% Avera	ige					
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 65W: 89,41%,88,62%,88,96%							
(-)	*internal note: show values for all available external po		hand (analise such to a					
(o)	Minimum number of loading cycles that t	ne datteries can withs	tand (applies only to n	otebook computers):	500 cycle			
(p-1)	Measurement methodology used to dete	rmine information mer N/A	tioned in points (I) – ir	nternal PSU efficiency:				
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology							

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodolog							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology								
(q)	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology								
(r)	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
	on mode.	Settings-> Restore default settings for the settings for the settings for the setting setting the setting sett	his plan						
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		8 mins					
(u)	mode that has a lov	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in the time lange begins and the activity of the	minutes):	NA					
(v) (w)		re the display sleep mode is set to activate after a nergy-saving potential of power management function		8 mins					
. ,		Refer to User Guide							
(x)	User information on h	now to enable the power management functionality: <i>Refer to User Guide</i>							
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V/50Hz							
A al al iti a u	al Notabaak Dattar								
Addition	nal Notebook Batter	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		1.04					
Internal/	built-in Battery								
External	/detachable Battery								
Bios Bac	ckup Battery			\square					
Other:									
Addition	al information								
kyyynatopha as baterias d ýměnu bateri ler Akku/die A iasutajad ei s μπαταρία[-ε al/les batteria/le ietotāji paši n io gaminio ba termék akku batterija/batt atteriet [ene] le batterij(en) lžytkownik nie ou as bateria atetria (bateri atetria (bateri	ara[μτe] δατeρμя[μ] в този η le este producto no pueden si ic/baterií v tomto výrobku by ikke uden videre udskifte bati Akkus dieses Produkts kann/k aa selle toote akut/akusi e g oro προίόν αυτό δεν μπορ (s présente(s) dans ce produ ože lako zamijeniti Bateriju sa batterie in questo prodotto no evar nomainīt šā ražojuma al aterijos [bateriju] pats vartotoj imulátorát/akkumulátorait a fe crijí fdan i.prodott ma tistax/ i dette produktet kan ikke lett in dit product is (zijn) door de e može sam w latwy sposób v as deste produto não podem	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu m u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). as negali lengvai pakeisti. Ihasználó nem tudja egyedül egyszerűen kicserélni. jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. ňať používateľ.	verden.						