

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.		
Internet site *	https://www.lenovo.com/us/en/about/sustainability			
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	NOTEBOOK				
Commercial name *	ThinkPad P14s				
Model number *	20Y1, 20Y2				
Issue date *	2020/9/1				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *	20Y1, 20Y2	Logo	
Issue date *	2020/9/1		Leiiovo

Produc	t environmental attributes - Legal requirements F	Require	ement	: met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μ g/cm ² /week (see legal reference).	\square		
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/about/sustainability			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\square		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\boxtimes		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	\square		
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20Y1, 20Y2	Logo			
Issue da	te *	2020/9/1		Len	enovo.	
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		nmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			H	┢
P7.3*		arts > 100 g consist of one material or of easily separable materials.			H	Ħ
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Ē	Ē
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
-	Product	lifetime				
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ig can be done using commonly available tools		\square		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*	Material		al type: PA+50 %	6GF		
P7.12		n materials of external electrical cables are PVC free.			\boxtimes	
P7.13		n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	e retardants, ar	nd 🔼		
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🔀		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)		\boxtimes		
P7.17	TBBF	nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Phosphorus Modific</i> confidential		n, 🔀		
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			\square
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> ((See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in 🔀		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>confidential</i> and Hazard statements: <i>confidential</i>	n have been	\boxtimes		
			See note B5)	<u> </u>		
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 2.40% .	it (calculated as			
	b) The weight of recycled material is 16.5 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20Y1, 20Y2	Logo	
Issue date *	2020/9/1		Lenovo.

Product environmental attributes - Market requirements (continued)

Item

Requirement met Yes No n.a.

	Material and sul	bstance requirements	s (continued)		
P7.21*			ed in the product (See I	NOTE B7):	
55.001					
P7.22*		e free from mercury, i.e d specify: Number of la	less than 0,1 mg/lam	o. num mercury content	
P8	Batteries	a specify. Number of it	anu maxii		per lamp: mg
P8.1*		composition: Li-ion			
P9		ption (See NOTE B8)			
P9.1	For the product t	he following power leve	els or energy consump	tions are reported:	
Energy m		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On	-max)	65 W	65 W	65 W	Full load
Catego	<u>ry 2</u>				
Short Idle Enabled	e State - WOL	7.34 W	7.34 W	7.62 W	Use for ENERGY STAR V8 registration (P _{idle})
Long Idle Enabled	e State - WOL	4.19 W	4.14 W	4.25 W	Use for ENERGY STAR V8 registration (P _{idle})
Sleep (S3	3) - WOL Enabled	1.17 W	1.17 W	1.21 W	Use for ENERGY STAR V8 registration (P _{sleep})
Off (S5) -	WOL Enabled	0.34 W	0.34 W	0.39 W	Use for ENERGY STAR V8 registration (P _{off})
Off (S5) -	WOL Disabled	0.34 W	0.34 W	0.39 W	Use for ErP
EPS No-Ic (External power wall outlet but d	Dad r supply / charger plugged in th lisconnected from the product.)	e 0.07 W	0.06 W	0.11 W	
PTEC * Typical Er	nergy Consumption	2.65 W	2.65 W	2.76 W	
ETEC * Annual Er	nergy Consumption	23.23 kWh/year	23.23 kWh/year	24.17 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.45 + P _{long_Idle} x 0.05+ P _{short_Idle} x 0.25) (Full Capability Mode)
		Poff: Off Mode(S5) - V	/OL Enabled; P _{sleep} : Slee	p Mode(S3) - WOL Enal	bled; P _{idle} : Idle State - WOL Enabled
External F	Power Supply Efficie	ency Level (Internation	al Efficiency Marking P	rotocol) * : ٧	
Display re	esolution * : 2.07 (1	920*1080) megapixels			
Default tin	ne to enter energy s	ave mode: 10 minutes			
P9.2*			tion is provided with the	e product.	
P9.3		v class (monitors only):	-		
P10	Emissions				
	Noise emission		to ISO 9296 (See NOT		
P10.1		Mode description			mit A-weighted sound power level, <i>L_{WA,c}</i> (B)
	Idle	* HDD idle		* 2.5	
	Operation	* Operating (HDD) * Operating (CPU)		* NA * 3.3	
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_{pl}	m 16 (operator posit	tion desktop – idle)
	Other mode	Declared A-weighted sou	nd pressure level (dB) L_{pk}	MA (operator position 22 (operator position positi position position position positi	ition desktop – operating HDD) tion desktop – operating CPU)
	Measured accord	ling to: 🔀 ISO 7779 🕻	ECMA-74 (only if not covered b	v FCMA-74)	
	1			, _ •	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

.enova	D				
Requiremer	nt me				
Yes No	o n.a				
] [
Product packaging material type(s): <i>LDPE</i> weight (kg): <i>0.335</i> Product packaging material type(s): <i>Recycled LDPE</i> weight (kg): <i>0.075</i>					
\boxtimes					
	L				
]				
\boxtimes					
k					
k					
k					
on:					
regarding the					
d on supplier's n. The informa					
ative for more					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	ThinkPad P14s	Logo
Model number *	20Y1, 20Y2	Lenovo
Issue date *	2020/9/1	Lehovo.
Additional information		

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:				2020			
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
	Category A (according to ErP Lot 3)Category B (according to ErP Lot 3)Category C (according to ErP Lot 3)Category D (according to ErP Lot 3)							
	Memory over base [GB]	28						
lents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capa app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)	NA						
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.03						
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
(g)	Idle state power demand (Watts);				4.17			
(h)	Sleep mode power demand (Watts);				1.19			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.19			
(j)	Off mode power demand (Watts);				0.39			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.39			
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 %	% of rated output powe	er (if applicable):				
	10% 20% 50%	100% Avera	ge					
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 89,41%,88,62	2%,88,96%						
	*internal note: show values for all available external p							
(0)	Minimum number of loading cycles that t	the batteries can withs	and (applies only to n	otebook computers):	500 cycles			
(p-1)	Measurement methodology used to dete	rmine information men NA	tioned in points (I) – ir	nternal PSU efficiency:				
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology							

(p-3)	Measurement metho	dology used to determine information mentioned in p IEC 61960 measurement methodology					
(p-4)		dology used to determine information mentioned in a Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodo					
(q)	Sequence of steps for	or achieving a stable condition with respect to power EN 62623:2013 measurement methodo					
(r)	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology						
(s)	off mode:	required to reach the mode where the equipment au o power management, 10mins automatically read					
(t)	condition which does	te condition before the computer automatically reprint the applicable power demand requirem	ents for sleep mode (in minutes):	10			
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir		NA			
(v)		bre the display sleep mode is set to activate after		10			
(w)	Information on the er	nergy-saving potential of power management functio refer to user manual	nality:				
(x)	User information on	how to enable the power management functionality: refer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:					
		230V/50HZ, Total Harmonic Distortion	1<2%				
Additio	nal Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\mbox{\tiny 1)}}$					
Internal	/built-in Battery						
Externa	al/detachable Battery			\square			
Bios Ba	ackup Battery	\boxtimes					
Other:							
Addition	nal information						
Akymynatopi- as baterias Yýměnu bate Brugeren kar Der Akku/die Kasutajad ei H μπαταρία[- a/les batteria/le Lietotāji paši Sio gamino b A termék akk I-batterija/ba Batteria/le De batterija/ba Batteria (bate Bateria (bate Bateria (bate Bateria (bater) Bateria (bater)	Hara[μτe] δατερμя[μ] в τοзи η de este producto no pueden s prie/baterií v tomto výrobku by i ikke uden videre udskifte bat Akkus dieses Produkts kann/ saa selle toote akut/akusid ise ες] στο προϊόν αυτό δεν μπορ e(s présente(s) dans ce produ nože lako zamijeniti Bateriju sa batterie in questo prodotto no nevar nomainīt šā ražojuma a batterijs [bateriju] pats vartoto sumulátorát/akkumulátorait a fe tteriji f dan il-prodott ma tistax, a) i dette produktet kan ikke let n) in dit product is (zijn) door d ie može sam w łatwy sposób rias deste produto não podem riile) din acest produs nu poat	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). jas negali lengvai pakeisti. Jihasználó nem tudja egyedül egyszerűen kicserélni. jistghux tiģi/jiĝu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. ňať pouzívateľ. mi ne morejo zlahka zamenjati.	verden.				

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.