



### Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with \* are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		_			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	ation The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Server			
Commercial name *	Lenovo ThinkSystem SR850 V2			
Model number *	7D31, 7D32, 7D33			
Issue date *	Nov 12, 2020			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	Error! Reference source not found.	Logo	Long		
Issue date	e *	Nov 12, 2020		Lend	DVC	) <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	N/A
P1	Hazardo	ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychol (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in th	he 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail atic.lenovo.com/ww/docs/sustainability/lenovo-disclosure-reach-svhc-202004.pdf	contact):			
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See le	egal reference	:)		
P2.5*	user", the	ternal batteries of a notebook computer cannot be "accessed and replaced by a nor e related text is present and legible on the external packaging (see legal reference)				
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				

given in item P15 or added to this document,

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol

available at: https://www.lenovo.com/us/en/compliance/eco-declaration

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Required information is;

used (see legal reference).

hexavalent chromium by weight of these together.

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

Product packaging

(see legal reference).

Treatment information

P5

P5.1\*

P5.2\*

P5.3\*

P6

P6.1\*

Model number *	Error! Reference source not found.Error! Reference source not found.	Logo	Lonovo	
Issue date *	Nov 12, 2020		LEI IOVO"	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	· · · · · · · · · · · · · · · · · · ·	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$	Щ	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			$\boxtimes$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: SGCC Material type: SGC400			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	<u>L</u> _	<u> </u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			$\bowtie$
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g 🔀 are low halogen	n 🖂		
	as defined in IEC 61249-2-21. (See <sup>5</sup> NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #: 35948-			
	25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			$\boxtimes$
P7.18	according ISO 1043-4: <u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
F1.10	concentrations above 0.1%:	' n		
	1. Chemical name: , CAS #: (See NOTE B4)	ш		
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$	
1	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	Error! Reference source not found.	Logo	Lonovo
Issue date *	Nov 12, 2020		Leilovo

Product environmental attributes - Market requirements (continued)		Requirement me		
Item	Yes	No	N/A	

	Material and sub	stance requirements (	continued)				
P7.21*		material content is used	· ·	TE B7):			
	a) Of total plas total plastic	ne of the two alternatives tic parts' weight > 25 g, t by weight) is %.		,	ted as a percentage of		
	or b) The weight	of the biobased plastic m	naterial is g.				
P7.22*	Light sources are	free from mercury, i.e. I	ess than 0,1 mg/lamp.				
P7.23*		d specify: Number of lam s an integral display, the		m mercury content pe			
P8	Batteries	s an integral display, the	total mercury content i	in the integrated displa	ay: mg		
P8.1*	Battery chemical composition: Manganese Dioxide (MnO 2), Propylene Carbonate (C 4 H 6 O 3), 1,2- Dimethoxyethane (C 4 H 10 O 2), Lithium Perchlorate (LiClO 4), Lithium or Lithium Alloy (Li), Carbon (C).						
P9	<b>Energy consum</b>	ption (See NOTE B8)					
P9.1	For the product the	ne following power levels	or energy consumption	ns are reported:			
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-n	nax)	W	W	W	Full load		
Category	/						
EPS No-loa		W	W	W			
(External po	ower supply /						
• •	gged in the wall						
	sconnected from						
the product	.)	10/	144	147			
PTEC *	may Canaumantian	W	W	W			
FTFC *	rgy Consumption	kWh/year	kWh/year	kWh/year			
	rgy Consumption	Kvvii/ycai	KVVII/yCai	KVVIII yCai			
		ncy Level (International	Efficiency Marking Prot	ocol) * :			
Display reso	olution * : r	negapixels					
Default time	e to enter energy s	ave mode: minut	es				
P9.2*	Information abou	t the energy save function	on is provided with the p	roduct.			
P9.3	Energy efficiency	class (monitors only):					
P10	Emissions						
		<ul> <li>Declared according to</li> </ul>	ISO 9296 (See NOTE)	T '			
P10.1		Mode description			t A-weighted sound power level, L <sub>WA,c</sub> (B)		
		* Indicates idle conditi powered on, but no dis		* 6.2			
		other devices idling).	, ,				
	Operation	* Indicates CPU, Memo	ory or GPU operating	* 7.4			
		condition(run PTU to s TDP, or run NVQual to					
		Declared A-weighted s		46 (operator posi	tion desktop – idle)		
	Other mode	(dB) $L_{pAm}$	ound pressure level	40 (operator positi	non desktop – rale)		
ŀ		Declared A-weighted s	sound pressure level	58 (operator posit	tion desktop – operating)		
		(dB) $L_{pAm}$	•	, , , , , , , , ,			
	Measured accord		ECMA-74				
		_	(only if not covered by E	ECMA-74)			
	Electromagnetic						
P10.4		meets the requirement	for low frequency electronic	romagnetic fields of th	ne following voluntary		
	program(s):						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$ 

Model number *	Error! Reference source not found.		Lonovo
Issue date *	Nov 12, 2020		LEHOVO

Product	environmental attribu	utes - Market requirements	(continued)	F	Require	ment	met
Item		•	,		Yes	No	N/A
P12	Ergonomics for comp	uting products					
P12.1*	The display meets the e	ergonomic requirements of ISO 9	241-307 for visual disp	olay technologies.			X
P12.2*	The physical input device	ce meets the requirements of ISC	O 9995 and ISO 9241-4	410.		$\overline{\Box}$	
P13	Packaging and docum	nentation					
P13.1*	Product packaging mate Product packaging mate	erial type(s): <i>Polyethylene</i> weiglerial type(s): weigl	ht (kg): <b>3.9</b> ht (kg): <b>2.2</b> ht (kg):				
P13.2*	Product plastic primary	packaging is free from PVC.			$\boxtimes$		
P13.3*	consumer recovered fib			I percentage of minimum post-			
P13.4*	Specify media for user a Electronic, Paper	and product documentation (tick , Other	box):				
P13.5		his item if paper documentation on the mentation on paper media is chlo					
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free	)					
P14	Voluntary programs						
P14.1	The product meets the	requirements of the following vol	untary program(s):				
	ENERGY STAR®	Criteria version: 3.0	Date: 12.Nov.2020	Product category: Server			
	Eco-label:	Criteria version:	Date:	Product category:			
	Eco-label:	Criteria version:	Date:	Product category:			
<b>P15</b>	Additional information		C C (b )	d of a confirmation			
P9		of computer products; descrip			!!!		
		s no representations, guarante ined in this document. All infol					
		available at the time of comple					i on
		mation provided here is appro-					ovo
		ve for more information.		, , , , , , , , , , , , , , , , , , ,	•		
P9		ified Enterprise Servers for the					
	https://www.energysta	ar.gov/products/data_center_e	quipment/enterprise	servers			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

# Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)*  * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

# **Lenovo ErP Lot9 Information Sheet**- Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

#### Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

#### **SERVERS**

#### General information

Commercial name (3.1 (b))	Lenovo ThinkSystem SR850 V2	Logo	
Contact Address (3.1 (b) )	7001 Development Dr. Building 7, Morrisville, NC 27560, United		
	States		Lonovo
Model Number (3.1 (c) )	7D31, 7D32, 7D33		Lenovo.
Issue Date	Nov 12, 2020		
Additional information	The latest version of this document can be found at:		
Additional information	http://www.lenovo.com/ecodeclaration		

Dradust	any incompanied attributes (FU) 2040/404 Annoy II asists 2.4 and 2.2								
	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3								
1.a	Is the product consider to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:								
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section								
1.c (3.1 (d))	Year of manufacture: 2020								
1.d (3.1 (p))	Product model part of a server product family?  No Yes List of all model configurations that are represented by the model: https://lenovopress.com/lp1301-thinksystem-sr850-v2-server https://dcsc.lenovo.com/#/categories/STG%40Servers%40Mission-Critical%40ThinkSystem%20SR850%20V2								
1.e (3.1 (n))	Information on the secure data deletion functionality  (a) instructions on how to use the functionality:  2 methods are provided to use the functionality.  1) Use a command line tool to do the secure data deletion on the remote target system via boot up a customized Linux OS on it.  Eg: OneCli.exe serase -bmc USERID:PASSWORD@xx.xx.xx.xxsftp root:password@xx.xxx.xx.xx:/home -log 5  2) Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu  (b) techniques used:  OS tools under Linux -> Standard Linux Open Source tool  (c) supported secure data deletion standard (if any):  Secure Erase/block Erase/Crypto Erase, Sanitize  OR - Reference to other information:  Hdparm: https://en.wikipedia.org/wiki/Hdparm								
	Nvme-format: https://www.mankier.com/1/nvme-format								
	sg_sanitize: <a href="https://www.systutorials.com/docs/linux/man/8-sg_sanitize/">https://www.systutorials.com/docs/linux/man/8-sg_sanitize/</a>								
	scrub: <a href="https://www.systutorials.com/docs/linux/man/1-scrub/">https://www.systutorials.com/docs/linux/man/1-scrub/</a>								
	storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI_RefMan_revf.pd								
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:								
Recyclin	ng Data								
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials:  (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g less than 5 g between 5 g and 25 g above 25 g above 25 g								
2.b (3.3 (b))	Instructions on the disassembly operations  (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.  OR - Reference to other information: https://datacentersupport.lenovo.com/us/en/								
2.c	Firmware Reference to information on last available firmware: https://datacentersupport.lenovo.com/us/en/products/servers/thinksystem/sr850v2/downloads/driver-list/								
Additiona	al information								

# Server family specific information Family 1

Family no. / name		☐ 1 - 2 CPU populated family					
Model r	number(s) / Description	Standard or low-end performance configuration: Processor(Minimum result of core count *					
(3.1 (c))		frequency in family): Intel / F	Platinum 8356H, Storage: 2.4T	B HDD * 2, Memory: 16GB(lowest capacity			
		in family) * 12, PSU: 750W * 2, NIC: 10/25G SFP28 4-port Ethernet * 4					
				n result of core count * frequency in			
		family): Intel(R) Xeon(R) Plan	tinum 8380H, Storage: 240GB	SSD * 2, Memory: 64GB* 24, PSU: 2400W			
		* 2, NIC: 10/25G SFP28 4-poi	rt Ethernet * 4	· · · · · · · · · · · · · · · · · · ·			
		You can refer to					
			https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type=1 along with				
Additio	nal information	https://lenovopress.com/lp1	301-thinksystem-sr850-v2-ser	rver &			
		https://dcsc.lenovo.com/#/ca	ategories/STG%40Servers%40	OMission-			
		Critical%40ThinkSystem%20	OSR850%20V2 for the PSU eff	iciency details.			
Produc		<b>butes</b> (EU) 2019/424 – Annex					
F1.a	PSU efficiency at 10	% (if applicable), 20 %, 50 % au	nd 100 % of rated output power				
(3.1 (e))	(expressed in % and	rounded to the first decimal pla	ce): Multi-output Singl	le-output			
	(		3	· · · · · ·			
	Standard or low-end	performance configuration(s):					
	10% <b>93.16</b> 20% <b>95</b>	5.23 50% 96.07 100% 94.79	Average 95.36%				
			3				
	High-end performand	ce configuration(s):					
	10% <b>92.67</b> 20% <b>94</b>	<b>4.56</b> 50% <b>95.12</b> 100% <b>92.93</b>	Average 94.20%				
F1.b	Power factor at 50 %	6 of the rated load level	standard or low-end performa	ince high-end performance			
(3.1 (f))	(rounded to three de-	cimal places)	configuration: 0.99	configuration: 1.00			
F1.c	PSU rated power out	tput	standard or low-end performa	ince high-end performance			
(3.1 (g))	(in Watts rounded to	the nearest integer)	configuration: <b>750W</b>	configuration: 2400W			
	internal note:			-			
		erver product family, all PSUs offered in a server with the information specified in (e) and (f)					
F1.d	idle state power	with the information specified in (e) and (f)	standard or low-end performa	ince high-end performance			
(3.1 (h))		ed to the first decimal place)	configuration: 220.3	configuration: 274.4			
F1.e		its for additional idle power allow		Cornigulation. 274.4			
(3.1 (i))	List of all component	its for additional fulle power allow	varices				
(* (//		standard o	r low-end performance	high-end performance			
		configuration		configuration:			
	CPU Performance	1 Sock	ket (10 × PerfCPU W)	1 Socket			
			ket (7 × PerfCPU W)	2 Socket			
ts t	Additional PSU	Yes (Yes / N	,	Yes (Yes / No) #: 1			
nəc	HDD		,	, ,			
stru	SDD	Yes (Yes / No (Yes / No	,	No (Yes / No) #: Yes (Yes / No) #: 2			
ll ig			n) #. no) #: <b>188GB</b>	` '			
idle power allowances adjustments during testing	Additional memory  Additional buffered DDF			Yes (Yes / No) #: 1528GB Yes (Yes / No) #: 4			
nce		,	10) #.: 4				
wan	Additional I/O devices	none		none			
e de la		< 1 Gb/s:	No Allowance	< 1 Gb/s: No Allowance			
e e		= 1 Gb/s:	2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port			
No.		> 1 Gb/s	and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port			
<u>e</u>			•	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port			
. <u>□</u>			s and < 25Gb/s: 15,0 W/Active Port				
		≥ 25 Gb/s	s and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port			
		≥ 50 Gb/s	s 26,0 W/Active Port	≥ 50 Gb/s 26,0 W/Active Port			
F1.f	maximum power		standard or low-end performa	ince high-end performance			
(3.1 (j))	(in Watts and rounde	ed to the first decimal place)	configuration: 651.8	configuration: 934.8			
F1.g	operating condition of		standard or low-end performa				
(3.1 (k))	(as defined in Table	6 or ErP lot 9)	configuration:	configuration:			
			□A1 ⊠A2 □A3 □A4	□A1 ⊠A2 □A3 □A4			
			Exception comments	Exception comments			
				•			
F1.h idle state power at the higher boundary temperature standard or low-end performance high-end performance							
(3.1 (I))		ating condition class (in Watts)	configuration: 259.8	configuration: 310.9			
F1.i	the active state effici	iency and the performance in	standard or low-end performa				
(3.1 (m))	active state of the se		configuration: 15.5	configuration: 28.5			

# Server family specific information Family 2

Family no. / name		2 - 4 CPU populated family				
Model number(s) / Description (3.1 (c) )		High-end perform		ance configuration: N/A guration: N/A		
Additional information		You can refer to https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type=1 along with https://lenovopress.com/lp1301-thinksystem-sr850-v2-server & https://dcsc.lenovo.com/#/categories/STG%40Servers%40Mission-Critical%40ThinkSystem%20SR850%20V2 for the PSU efficiency details.				
	t environmental attri	butes (EU) 2019/4	24 – Annex I	I points 3.1 and 3.3		
F2.a (3.1 (e))	See family 1 Or specific to this far PSU efficiency at 10	nily: % (if applicable), 2 rounded to the first performance config 50% se configuration(s): 50% of the rated load lecimal places)	0 %, 50 % an t decimal plac uration(s): 100%	ad 100 % of rated output power ce):  Multi-output Sing Average  Average  See family 1 Or specific to this family: standard or low-end performal configuration:	gle-output	_
(3.1 (g))	(in Watts rounded to		)	See family 1 Or specific to this family:		
F2.d (3.1 (h))	internal note: If a product model is part of a ser product family shall be reported widle state power (in Watts and rounde			standard or low-end performation: standard or low-end performation: configuration:	configuration:	
F2.e	List of all componen					_
(3.1 (i))			standard or configuration	low-end performance	high-end performance configuration:	
	CPU Performance		1 Socket (10 × PerfCPU W)		1 Socket	
ıts	Additional PSU		2 Socket (7 × PerfCPU W) (Yes / No) #:		(Yes / No) #:	-
nen	HDD		(Yes / No) #. (Yes / No) #:		(Yes / No) #:	$\dashv$
ustr	SDD		(Yes / No) #:		(Yes / No) #:	-
adj ng	Additional memory		(Yes / No) #:		(Yes / No) #:	
ces	Additional buffered DDR channel		(Yes / No) #:		(Yes / No) #:	
idle power allowances adjustments during testing	Additional I/O devices		= 1 Gb/s: > 1 Gb/s a ≥ 10 Gb/s ≥ 25 Gb/s	No Allowance 2,0 W/Active Port and < 10 Gb/s: 4,0 W/Active Port and < 25Gb/s: 15,0 W/Active Port and < 50Gb/s: 20,0 W/Active Port 26,0 W/Active Port	none  < 1 Gb/s: No Allowance = 1 Gb/s: 2,0 W/Active Port  > 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port  ≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port  ≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port  ≥ 50 Gb/s 26,0 W/Active Port	
F2.f	Maximum power		-1 -1 \	standard or low-end performan	• .	
(3.1 (j)) (3.1 (k))	(in Watts and rounde Operating condition		ai piace)	configuration:  See family 1	configuration:	
	(as defined in Table			Or specific to this family: standard or low-end performation:  A1  A2  A3  A4  Exception comments	high-end performance configuration:  A1  A2  A3  A4  Exception comments	
F2.h (3.1 (l))	idle state power at th of the declared opera (in Watts)	ating condition class	5	See family 1 Or specific to this family: standard or low-end performation:	ance high-end performance configuration:	
F2.i (3.1 (m))	the active state effici active state of the se		mance in	See family 1 Or specific to this family: standard or low-end performation:	ance high-end performance configuration:	