



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs	Lenovo					
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	Lenovo ThinkVision C27-30, Lenovo C27-35, D27-30				
Model number *	66B8, 62AA, 66BA				
Issue date *	2020/8/3				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		66B8, 62AA, 66BA		Lenovo.		
Issue date * 2020/08/03		2020/08/03		Len	DVC	<b>J</b> <sub>th</sub>
Product	roduct environmental attributes - Legal requirements			Require	ment	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail atic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disc				
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*						
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				$\boxtimes$
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliar">https://www.lenovo.com/us/en/compliar</a>				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
	Required information is; given in item P15 or added to this document, available at: <a href="https://www.lenovo.com/us/en/compliance/eco-declaration">https://www.lenovo.com/us/en/compliance/eco-declaration</a>					
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).	of the material	(s) 🔀		
P5.3*				eal 🔀		
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference)				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66B8, 62AA, 66BA		Lonovo
Issue date *	2020/08/03		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable							
P7.2*	Plastic materials in covers/housing have no surface coating.		X					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\square$						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X	+					
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	$\blacksquare$				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{X}$	+	$\blacksquare$				
1 7.0	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives							
P7.8*	Upgrading can be done using commonly available tools	$\overline{}$	Ħ	X				
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years			Ħ				
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
	Material type: PC Material type: PC							
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$					
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$					
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	$\boxtimes$						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts							
	containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen							
P7.16	as defined in IEC 61249-2-21. (See 1NOTE B2)  Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:							
	Marking:		Ш					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin, CAS #:	$\boxtimes$	Ш					
	68928-70-1							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in							
	concentrations above 0,1%:			$\boxtimes$				
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "							
	3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\square$				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{}$	Ħ	$\overline{X}$				
	assigned the following Risk phrases; and Hazard statements:		ш					
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$						
	If VEO, at least one of the true alternatives helevished by a very dealer.							
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as							
	a percentage of total plastic by weight) is15.5% (EPEAT calculation) / 85% (TCO calculation)							
	Or							
	b) The weight of recycled material is 151.7g							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	number * 66B8, 62AA, 66BA						Lonov		
Issue date	ssue date * 2020/08/03						Lenov	<b>O</b> <sub>TM</sub>	
Product environmental attributes - Market requirements (continued) Requirement me								ent met	
Item	Item Yes No n.a.							n.a.	
	Material and substance requirements (continued)								
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg									
P8									
P8.1*			omposition:					$\boxtimes$	
P9			tion (See NOTE B8)						
P9.1		roduct the		s or energy consumption		I = 6 (0)			
Energy mo	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	modes and te	andard for energ st method *	у	
Categor	<u>y</u>								
CEC® On	Mode* (S	ystem	16.99 W @ 50Hz	16.89 W @ 60Hz	<b>16.87</b> W @ 50Hz		Public Utilities		
Idle)			<b>17.01</b> W @ 60Hz			and Energy@Section 1605.3(v)(4)			
CEC® Low	v Power S	leep	0.16 W @ 50Hz	0.16 W @ 60Hz	0.20 W @ 50Hz		Public Utilities		
Mode*			<b>0.16</b> W @ 60Hz			and Energy@Section 1605.3(v)(4)			
CEC® Off	/ Apparer	t Off	0.12 W @ 50Hz	0.12 W @ 60Hz	0.16 W @ 50Hz	CEC-Title 20.	Public Utilities		
Mode*			0.12 W @ 60Hz			and Energy@Section 1605.3(v)(4)			
PTEC * Typical Ene	ergy Cons	umption	6.06 W	6.02 W	6.03 W	0.65	x 0.35 + Psleep .	x	
ETEC * Annual Energy Consumption		<b>53.06</b> kWh/year	<b>52.70</b> kWh/year	<b>52.86</b> kWh/year	ETEC = 8.76 : Psleep x 0.65	x (Pon x 0.35 + i)			
			<u> </u>			1			
			` `	Efficiency Marking Pro	tocol) * :				
Display res		•	•						
			ve mode: 0.25 minute						
P9.2*	Informati	on about t	the energy save function	on is provided with the	oroduct.				
P9.3	P9.3 Energy efficiency class (monitors only): A+ Erp lot5								
P10	) Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
			Mode description		Statistical upper limit	A-weighted so	und power level, Lห	<sub>/A,c</sub> (B)	
	Idle	,			^			<u>X</u>	
	Operatio	n *			*				
	Other mo	ode D	Peclared A-weighted sound	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	ition desktop – i			
	Other mo			d pressure level (dB) $L_{p{\sf Am}}$	(operator pos	ition desktop – d	operating)		
	Measure	d accordir	ng to: SO 7779 Other	ECMA-74 (only if not covered by	ECMΔ-74)				
Collect (only it not covered by Edwin-14)									

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	ımber *	66B8, 62AA, 66B	A			Logo	Long	1/0		
Issue dat	te *	2020/08/03					Leno	Lenovo		
Product	environr	nental attributes	- Market requirement	ts (continued)			Require	ment	met	
Item							Yes	No	n.a	
		nagnetic emissior								
P10.4	program	(s):	e requirement for low frequ	iency electromagnetic	fields of the follo	owing voluntary				
P12		nics for computin								
P12.1*	The disp	lay meets the ergo	nomic requirements of ISC	9241-307 for visual o	display technolog	jies.	$\boxtimes$			
P12.2*	The phys	sical input device m	eets the requirements of I	SO 9995 and ISO 924	41-410.				$\boxtimes$	
P13		ng and document								
P13.1*	Product	packaging material packaging material packaging material	type(s): <b>Carton Box</b> we type(s): <b>EPS Cushion</b> type(s): <b>EPE Bag</b> we	ight (kg): <b>997</b> weight (kg): <b>4:</b> ight (kg): <b>18</b>	36					
P13.2*	Product	plastic primary pac	kaging is free from PVC.				$\boxtimes$			
P13.3*		luct primary corruger recovered fiber c	ated fiberboard packagin ontent: <mark>90</mark> %	g, specify the contain	ned percentage	of minimum po	ost-			
P13.4*		media for user and ronic, Paper,	product documentation (tide) Other	ck box):					$\boxtimes$	
P13.5										
	Element	hlorine-free al chlorine-free								
		ed chlorine-free								
P14		ry programs	to a contract the fall of the	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
P14.1	ine prod	luct meets the requ	irements of the following v	oluntary program(s):						
	ENERG` Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product o Product o Product o	ategory:				
P15	Addition	nal information (Se	ee NOTE B10)							
P9			pecific configuration ma							
	informati knowled	on contained in this ge available at the here is approxima	epresentations, guarantees document. All information time of completion, and subte and provided for information.	n provided by supplier pplier shall have no o	in this documen bligation to upda	it is provided ba ite such informa	ased on suppation. The inf	olier's format	ion	
P9			Notebooks & Tablet Comprodex.cfm?fuseaction=find_			code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1