



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information		·					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	hinkVision E24q-20 / T24qs-20					
Model number *	62CF,62DE					
Issue date *	2021/5/5					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * Issue date *		62CF,62DE		Lonovo				
		2021/5/5		Lenovo				
Product environmental attributes - Legal requirements				Require	ment	met		
Item		·		Yes	No	n.a.		
P1	Hazardo	ous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)							
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.							
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$				
	hydrobro trichloroe	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no material reference has no material reference.						
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\boxtimes$				
• • • • •		Position of the property of th			ш			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀				
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🔀				
		al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	DEACH	Article 33 information about substances in articles is available at (add LIPL or mail	contact):		$\overline{}$			
- 1.7	REACH Article 33 information about substances in articles is available at (add URL or mail contact):  https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure							
P2	Batterie	S						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	he disposal					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conforn	nity verification & Eco design (ErP)						
P3.1*								
P3.2*		duct complies with the Eco design requirements for energy-related products,		X	П	П		
	(see legal reference).							
	Required information is; given in item P15 or added to this document,							
	⊠available at (add URL):							
		vww.lenovo.com/us/en/compliance/eco-declaration						
P5		packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).							
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal							
	Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.							
P6								
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\square$				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	62CF,62DE	Logo	Lon	00010			
Issue date *		2021/5/5		Len	-enovo			
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met								
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design	mbly, recycling						
P7.1*		at have to be treated separately are easily separable		X				
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*								
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	$\overline{\Box}$		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		一一	Ħ		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	$\overline{}$		
	Product	<u> </u>						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			П	$\overline{\boxtimes}$		
P7.8*	Upgradir	ng can be done using commonly available tools			币	$\overline{\boxtimes}$		
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years				Ħ		
	Material	and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
D7.40		type: ABS Material type: PC Materia	al type:					
P7.12		n materials of external electrical cables are PVC free.				Щ.		
P7.13		n materials of internal electrical cables are PVC free.				Щ.		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15								
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17								
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	7.18 Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "							
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)							
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	•					
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 67.32%. (EPEAT calculation) / 85% (TCO calculation) or  b) The weight of recycled material is 608.6 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 62CF,62		DE				Lenovo.						
Issue date * 2021/5/5					Len	DVC	) <sub>IM</sub>					
Product environmental attributes - Market requirements (continued) Requirement me									t met			
Item					•	•		Yes	No	n.a.		
	Material	and subs	tance requi	irements (c	ontinued)							
P7.21*												
	If YES; at least one of the two alternatives below shall be answered;											
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage											
	of total plastic by weight) is <i>0</i> %.											
	b) The weight of the biobased plastic material is 0g.											
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg											
P8	Batteries		<u> </u>									
P8.1*	Battery c	hemical c	omposition:							$\boxtimes$		
P9			tion (See NO									
P9.1		roduct the	following po	ower levels	or energy consumption							
Energy mod	de *		Power	Power	Power level at	Power level at	Reference/Standar		ergy			
			level at 100V	level at 100V	115 V AC	230 V AC	modes and test me	etnoa "				
			50HzAC	/60Hz								
ENERGY S	STAR® On	Mode*	16.68		16.46	16.60	ENERGY STAR®	Program				
(System Idl	e)						Requirements for 0	Computer				
ENEDOV 0	TABOL		0.00		0.00	0.04	Monitors: Ver. 8.0 ENERGY STAR® Program					
ENERGY S		w Power	0.28		0.28	0.31	Requirements for Computer					
Sieep Mout	-						Monitors: Ver. 8.0					
ENERGY S	STAR® Off	1						ERGY STAR® Program				
Apparent O		•					Requirements for 0 Monitors: Ver. 8.0	Computer				
							Monitors. ver. 6.0					
DTE 0 +					L 40 40 W							
PTEC * Typical Ene	aray Consi	ımntion	16.68 W	W	16.46 W	16.60 W						
ETEC *	rgy Const	иприоп	kWh/year	kWh/vear	kWh/year	<i>k</i> Wh/year	$E_{TEC} = (8760/1000)$	) x (P <sub>eff</sub> x (	).6 +			
Annual Ene	ergy Consu	umption	, ,		, 5		$P_{\text{sleep}} \times 0.1 + P_{\text{idle}} \times$					
External Po	wer Supp	ly Efficien	cy Level (Int	ernational E	fficiency Marking Pro	tocol) *:				$\boxtimes$		
							ENERGY STAR®					
Display res	olution* :	2560*144	negapixe	ls			Requirements for C	Computer				
							Monitors: Ver. 8.0 ENERGY STAR®	Drogram				
Default time	e to enter e	energy sa	ve mode: 15	seconds			Requirements for 0					
							Monitors: Ver. 8.0	•				
P9.2*	Information	on about t	he energy s	ave function	is provided with the	product.						
P9.3*	Energy e	fficiency c	lass (Monit	or only):			ERP Lot	:5				
P10	Emissions											
D40.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)         Mode       Mode description       Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)								(D)			
P10.1	Mode Idle		* HDD: Idle			Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)						
	Operation	n	* HDD: Idio			*				$\square$		
				•	d pressure level	(	sition doubters (I-III.)			$\boxtimes$		
	Other mo	oae	(dB) $L_{pAm}$	_	•	(operator pos	sition desktop – idle)					
	Other mo	ode	Declared A-w (dB) L <sub>pAm</sub>	veighted soun	d pressure level	(operator pos	sition desktop – opera	ting)				
	Measure	d accordir	ng to: X IS	O 7779 🔲 E	ECMA-74	•						
					only if not covered by	ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>
NOTE B9 A Guidance document on Acoustic Noise is available;
see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		62CF,62DE				L	ogo	one	V/0	
Issue date *		2021/5/5						Leno	VO <sub>m</sub>	
Product 6	environn	nental attributes	- Market requirem	ents (con	tinued)			Requirer	nent	met
Item								Yes	No	n.a.
	Electron	nagnetic emissions								
P10.4	Compute	' '	requirement for low fr	requency el	ectromagnetic fields	s of the follow	ing voluntary			
P12	Ergonor	nics for computing	products							
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.									
P12.2*			ets the requirements	of ISO 999	5 and ISO 9241-41	0.				$\boxtimes$
P13		ng and documenta								
P13.1*	Product packaging material type(s): Corrugated weight (kg): 1.2 Product packaging material type(s): EPS weight (kg): 0.32 Product packaging material type(s): Bag weight (kg): 0.382 Product packaging material type(s): weight (kg):									
P13.2*	Product	plastic primary packa	aging is free from PV	C.						
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90%									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally chlorine-free									
	Processed chlorine-free									
P14		ry programs								
P14.1	ENERGY TCO Eco-labe	Y STAR®	rements of the following Criteria version: 8.0 Criteria version: 8 Criteria version:		y program(s): Date: Date: <b>2021/4/21</b> Date:	Product cat Product cat Product cat	egory:			
P15		nal information (See						-		
P9			ecific configuration							
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.									
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1