

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter		LEIIOVO		
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	ThinkVision P24h-20/ThinkVision T24h-20					
Model number *	61F4/61F0					
Issue date *	2019/11/15					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	61F4/61F0 Logo					
Issue date *		2019/11/15	Leng	JVC	D _{TH}		
Produc	t environ	mental attributes - Legal requirements	Require	ment	met		
Item			Yes	No	n.a.		
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square				
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes				
P1.3*	hydrobro trichloro concent	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.					
P1.4*	terphen	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\square				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Contact of the substance of the substan						
P2	Batterie						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc					
P3.2*	The pro (see leg	\square					
	Required information is; given in item P15 or added to this document,						
D5	Dradue	available at: https://www.lenovo.com/us/en/compliance/eco-declaration					
P5.1*		<mark>t packaging</mark> ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔽				
_	hexaval	ent chromium by weight of these together.					
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) X I L L L L L L L L L L L L L L L L L L						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal 🛛 🗌 🗌 Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		ent information					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		61F4/61F0	Logo					
Issue date *		2019/11/15	-	Len	ovo			
Product		mental attributes - Market requirements (See General NOTE GN	below)					
11	Environmental conscious design Requirement met *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a							
Item	Design	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
F /		mbly, recycling						
P7.1*		t have to be treated separately are easily separable		\square				
P7.2*								
P7.3*								
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square				
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square				
P7.8*		ng can be done using commonly available tools		\square				
P7.9		arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type:					
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes			
P7.13		n materials of internal electrical cables are PVC free.			\boxtimes			
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) og more than 25% post-consumer recycled content.	e retardants, a	nd 🗖				
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🛛 PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lo	w	\square			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):	\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g					
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		\boxtimes		
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\square		
P7.19	•	: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	h have been			\square		
			See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes				
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 71.1% . (<i>EPEAT calculation</i>) / 85% (TCO ca weight of recycled material is 747.7 g.		;				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

		61F4/61	4/61F0			Logo	Lenovo.			
Issue date * 2019/11/			15				Len		ти	
Product environmental attributes - Market requirements (continued)							Requi	remer	nt met	
Item							Yes	No	n.a.	
			stance requirements							
P7.21*	Biobased	l plastic m	aterial content is used	d in the product (See N	OTE B7):			\boxtimes		
				es below shall be answe						
				, the biobased plastic i	material content (calcul	ated as a percenta	age			
	orto	otal plastic	by weight) is <mark>0</mark> %.							
		weight of	the biobased plastic i	material is <i>0</i> g.						
P7.22*										
D0	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg									
P8.1*	Batteries		omposition:							
P9			tion (See NOTE B8)							
P9.1				ls or energy consumption	ons are reported:					
Energy mod			Power level at	Power level at	Power level at	Reference/Stand	ard for e	nergy		
			100 V AC	115 V AC	230 V AC	modes and test n				
ENERGY S		Mode*	18.12	18.1	17.93	ENERGY STAR®				
(System Idl	e)					Requirements for Monitors: Ver. 8.0				
ENERGY S	TAR® Lo	w Power	0.32	0.32	0.33	ENERGY STAR®				
Sleep Mode					R	Requirements for				
					0.05	Monitors: Ver. 8.0				
ENERGY S		1	0.24	0.24	0.25	ENERGY STAR® Requirements for				
Apparent O	off Mode*					Monitors: Ver. 8.0				
PTEC *			18.12 W	18.1 W	17.93 W					
Typical Ene	ergy Consi	umption								
ETEC *		mation	49.16 kWh/year	49.11 kWh/year	48.72 kWh/year	$E_{TEC} = (8760/100)$, ,	0.6 +		
Annual Ene			cy Level (Internationa	I Efficiency Marking Pro	htocol) * :	Psleep x 0.1 + Pidle	• X U.3)			
External 1 o	mer oupp		by Lever (internationa			ENERGY STAR®	R Program			
Display res	olution* :	2560*144	0 megapixels			Requirements for				
						Monitors: Ver. 8.0				
Dofoult time	o to optor	oporav ca	ve mode: 15 seconds			ENERGY STAR® Requirements for				
		energy sa	ve mode. 15 seconds			Monitors: Ver. 8.0				
P9.2*	Informati	on about t	the energy save functi	on is provided with the	product.	1				
P9.3*	The prod	uct meets	the energy requireme	ents of the following vol	untary program/s:					
	ENERGY STAR® version: Ver.8.0 Product category: Display.									
P10	Emissio	ne								
1 10			Declared according to	DISO 9296 (See NOTE	B9)					
P10.1	Mode		lode description	X	Statistical upper limit	A-weighted sound	l power leve	el, <i>Lw</i> a,c	ь (В)	
	Idle	*	HDD: Idle		*			\boxtimes		
	Operation * HDD: Operating *		*				\boxtimes			
	Other mo	de D	eclared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	tor position desktop – idle)				
					(operator pos	(operator position desktop – operating)				
	Measure		ng to: 🔀 ISO 7779	ECMA-74						
	measure		Other	(only if not covered by	FCMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	61F4/61F0					Logo			
Issue date *		2019/11/15					Lenc	Lenovo.		
Product	environ	mental attribu	tes - Market requirem	nents (cont	inued)			Require	ement	met
Item								Yes	No	n.a
		magnetic emiss								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12		mics for compu								
P12.1*	The disp	play meets the er	rgonomic requirements of	f ISO 9241-30)7 for visual disp	lay technolog	gies.	\boxtimes		
P12.2*	The phy	sical input device	e meets the requirements	of ISO 9995	and ISO 9241-4	10.				\square
P13	Packag	ing and docum	entation							
P13.1*	Product Product			weight (kg) weight (kg) weight (kg) weight (kg)	0.375 0.02					
P13.2*	Product	plastic primary p	ackaging is free from PV	′С.				\boxtimes		
P13.3*		duct primary con er recovered fibe	rugated fiberboard pack er content: 80 %	aging, specil	y the contained	percentage	of minimum			
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	Ùser an		nis item if paper documen nentation on paper media		ee:					
	Totally o	hlorine-free								
	Element	al chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1		Y STAR® el:	equirements of the followi Criteria version: 8.0 Criteria version: Criteria version:)	program(s): Date: 2019/12 Date: Date:	Product o Product o Product o	0,	D Monitor		
P15	Additio	nal information	(See NOTE B10)							
P9			f specific configuration	may vary; o	escription of th	e tested pro	oduct config	uration:		
	NOTE: S informat knowled	Supplier makes r ion contained in ge available at t here is approxi	no representations, guara this document. All inform he time of completion, an mate and provided for info	ntees, assura ation provide d supplier sh	ances or warranti d by supplier in t all have no obliga	ies whether e his documer ation to upda	express or in it is provided ate such info	nplied, regardiı I based on sup rmation. The ir	plier's format	tion
P9	See Ene	ergy Star Qualifie	ed Monitors & Displays for gov/products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1