



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	A CANADA CONTRACTOR OF THE PARTY OF THE PART
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	Lei Iovo.
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	<u>.html</u>
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	ThinkVison S22e-20				
Model number *	62C6				
Issue date *	2021/02/22				
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		62C6	Logo	Lon				
Issue date *		2021/02/22		Lenovo				
Product environmental attributes - Legal requirements				Require	ment	met		
Item		•		Yes	No	n.a.		
P1		ous substances and preparations						
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$				
P1.2*	Products do not contain Asbestos (see legal reference).							
D4.0*	Comment: Legal reference has no maximum concentration value.							
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	I	$\boxtimes$				
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m						
		ernane, metryr bronnide (see legar reference). Comment. Legar reference has no m ration values.	laximum					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated					
		Position of the property of th			ш			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in t	he 🔀				
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above C	),5 μg/cm²/wee	ek 🔀				
		al reference).						
D 4 = *		nt: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	$\boxtimes$	Ш	ш		
		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure						
P2	Batterie				_			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal							
P2.2*	symbol. Information on proper disposal is provided in user manual. (See legal reference)							
P2.2	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					$\boxtimes$		
P3		nity verification & Eco design (ErP)						
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).					
	The Declaration of Conformity can be requested at (add link or e-mail address):							
D0.04		www.lenovo.com/us/en/compliance/eu-doc						
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).				Ш	Ш		
	Required information is; given in item P15 or added to this document,							
	•	available at (add URL):						
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration						
P5		packaging						
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium a	nd 🔀				
		ent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)							
DE O*	used (see legal reference).							
P5.3*		duct packaging material is free from ozone depleting substances as specified	in the Montre	eal 🔀		Ш		
	Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.							
P6		nt information						
P6.1*		on for recyclers/treatment facilities is available (see legal reference).						
1 0.1	ioiiiiati	on to roof distant admitted to available (occ logal relation).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Janua da	· · ·	0200		en	OVC			
Issue date * 2021/02/22		2021/02/22		•				
Product	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design    tem							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes							
P7	Design Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable							
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic materials in covers/housing have no surface coating.							
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available to	ols.	$\boxtimes$				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools		Ħ	T			
P7.9	Spare pa	arts are available after end of production for: 5 years				Ħ		
P7.10	Service i	is available after end of production for: 5 years				Ħ		
	Material	and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):						
	Material	type: ABS Material type: PC Material type:						
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\boxtimes$			
P7.14	P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15								
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without components PA (additive), ☑TBBPA (reactive) (See NOTE B3), ☑Other:, CAS #:	;):	$\boxtimes$	П	П		
	Alt. 2: Ch	hemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:	g					
P7.18	concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "							
		ical name: , CAS #: " hemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		П		$\boxtimes$		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	n	Ħ				
	assigned the following Risk phrases; and Hazard statements:							
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):						
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 82.5%. (EPEAT calculation) / 85% (TCO calculation)</li> <li>or</li> <li>b) The weight of recycled material is 607.1 g.</li> </ul>							

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number \* 62C6

Model num	nber * 62C6			Logo	Lon	21/6				
Issue date	* 2021/02/22				Lend	JVC	,			
Product e	roduct environmental attributes - Market requirements (continued)							Requir	emen	t met
Item	act changing attributed market requirements (continues)							Yes	No	n.a.
	Material and substance requirements (continued)									
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):									
	If YES; at least one of the two alternatives below shall be answered;									
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage									
	of total plastic by weight) is %.									
	or b) The weight of the biobased plastic material is g.									
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.									
D0			specify: Nun	nber of lamp	s: and maxim	um mercury content per	· lamp: mg			
P8.1*	Batteries		omposition:							
P9			tion (See No	TE BO						
P9.1					or energy consumption	ons are reported:				
Energy mod			Power	Power	Power level at	Power level at	Reference/Standa	ard for er	ergy	
0,			level at	level at	115 V AC	230 V AC	modes and test m		0,	
			100V	100V /60Hz						
ENERGY S	TAPO On	Modo*	50HzAC 11.31	11.07	11.1	11.86	ENERGY STAR®	Program		
(System Idle		i wode	11.51	11.07	11.1	11.00	Requirements for	Computer		
` ,							Monitors: Ver. 8.0			
ENERGY S		w Power	0.19	0.2	0.2	0.24	ENERGY STAR® Requirements for			
Sleep Mode	<b>e</b> *						Monitors: Ver. 8.0			
ENERGY S	TAR® Off	F /	0.13	0.13	0.13	0.18	<b>ENERGY STAR®</b>	Program		
Apparent O		,					Requirements for Monitors: Ver. 8.0			
							Worldors. ver. 6.0			
PTEC *			05.75.14/	05.07.14/	05.4714	107.70.14	1			
Typical Ene	rav Consi	ımption	35.75 W	35.07 W	35.17 W	37.72 W				Ш
ETEC *	. <u> </u>		30.57	<b>29.95</b> kWh	<b>30.03</b> kWh/year	<b>32.32</b> kWh/year	$E_{TEC} = (8760/1000)$	0) x (P <sub>off</sub> x 0	0.6 +	
Annual Ene			kWh/year	/year			P <sub>sleep</sub> x 0.1 + P <sub>idle</sub>	x 0.3)		
External Po	wer Supp	ly Efficien	cy Level (Int	ernational E	fficiency Marking Pro	otocol) * :				
Display res	olution* :	1020*100	00 maganiya	lo			ENERGY STAR® Requirements for			
Display lest	Jiulion .	1920 100	педаріхе	15			Monitors: Ver. 8.0	Computer		
							ENERGY STAR®	Program		
Default time	e to enter	energy sa	ve mode: 15	seconds			Requirements for			
P9.2*	Informati	on about t	he eneray s	ave function	is provided with the	product	Monitors: Ver. 8.0			
P9.3*			0,		•	•	1		₩	╫
1 3.5	The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 8.0 Product category: <b>Display</b> .									
P10	Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)									
P10.1					Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)					
	Idle * HDD: Idle				1					
	Operation		* HDD: Op			*				
	Other mo	ode	(dB) $L_{pAm}$		d pressure level	(operator position desktop – idle)				
	Other mode					(operator position desktop – operating)				
	Measure	d accordir	ng to: XIS	O 7779 E	ECMA-74	1				
					only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		62C6					Logo	Lana		
Issue date *		2021/02/22						Leno	VO.	
Product 6	environn	nental attributes	- Market requirem	ents (con	tinued)			Require	ment	met
Item					•			Yes	No	n.a.
	Electron	nagnetic emissions	3							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary									
P12	program(s): TCO8.0  Ergonomics for computing products									
P12.1*	The disn	lay meets the ergon	omic requirements of	ISO 9241-3	807 for visual display	v technolog	ijes		$\overline{}$	
P12.2*			ets the requirements				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		+	
P13	. ,	ng and documenta	<u>'</u>	7 01 10 0 000	0 4114 10 0 02 11 111	J.				
P13.1*	Product Product Product	packaging material t packaging material t packaging material t	ype(s): Carton Box ype(s): Cusion ype(s): Bag	weight (kg weight (kg weight (kg	): <b>0.21</b> ): <b>0.02</b>					
P13.2*		packaging material t	ype(s): aging is free from PV	weight (kg	):				_	
			~ ~		if, the contained m		of maining			-
P13.3*		luct primary corruga er recovered fiber co	ated fiberboard pack ntent: <b>95</b> %	aging, spec	iry the contained p	ercentage	or minimum po	SI-		Ш
P13.4*			roduct documentation Other	n (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:  If Yes, please specify:									
	Totally chlorine-free Elemental chlorine-free									
	Processe	ed chlorine-free								
P14		ry programs								
P14.1	ENERGY TCO Eco-labe	Y STAR® el: <b>EPEAT-Gold</b>	rements of the following Criteria version: 8.0 Criteria version: 160 Criteria version: 1	)	y program(s): Date: 2021/02/22 Date: 2021/02/22 Date: 2021/02/22	Product of	ategory: <i>Displa</i> ategory: <i>Displa</i> ategory: <i>Displa</i>	ys		
P15		nal information (Sec			-1	441	-l4 <b>6</b> :	41		
P9			ecific configuration presentations, guara						n tho	
	informati knowled	on contained in this ge available at the ti here is approximate	document. All informations, guaranteed document. All information, and and provided for informations.	ation provid d supplier s	ed by supplier in this hall have no obligati	s documen on to upda	t is provided ba te such informa	sed on supp tion. The inf	lier's ormatio	on
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1