



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	1			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.				
Type of product *	Monitor				
Commercial name *	ThinkVision T24t-20				
Model number *	62C5				
Issue date *	2021/3/14				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * Issue date *		62C5	Logo	Lenovo		
		2021/3/14				
Product	oduct environmental attributes - Legal requirements				ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	ne 🔀		
P1.6*	(see lega Commer	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.		ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			X
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					X
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required information is;					
P5		www.lenovo.com/us/en/compliance/eco-declaration packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).		()	<u> Ц</u>	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Issue date *		2021/3/14	Len	OVO) _H		
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.				n.a.		
P7	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic m		\boxtimes				
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.						
P7.4*	.4* Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.						
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available too	ls. 🔀				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes				
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgradir	ng can be done using commonly available tools			\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC</i> Material type:					
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulation materials of internal electrical cables are PVC free.						
P7.14	P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin, CAS #:						
		nemical specifications of flame retardants in printed circuit boards (without components) $> 25 \mathrm{g}$ g ISO 1043-4:					
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparationations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " ical name: , CAS #: "	ns in				
	<u>Alt. 2:</u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:					
P7.19	assigned	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been in the following Risk phrases; and Hazard statements:					
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6):					
7.20	If YES; a a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated ercentage of total plastic by weight) is 82.1%. (EPEAT calculation) / 85% (TCO calculation) weight of recycled material is 755.1 g.					

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 62C5

Model nun	nber *	62C5				Logo	1	
Issue date	*	2021/3/1	021/3/14 Lenovo)
Product environmental attributes - Market requirements (continued)						Requiremen	t met	
Item							n.a.	
	Material	and subs	stance requirements	(continued)				
P7.21*								
	If YES; at least one of the two alternatives below shall be answered;							
	,				ereu; material content (calcul	lated as a nercent	200	
			by weight) is		material content (calcu	iateu as a percent	aye	
	or	rui piuotio	, and the lightly lie	•				
			the biobased plastic r					
P7.22*				less than 0,1 mg/lamp				
Do			specify: Number of lan	nps: and maxim	um mercury content pe	er lamp: mg		
P8 P8.1*	Battery		omposition:					
			•					
P9 P9.1			tion (See NOTE B8)	s or energy consumpti	one are reported:			
Energy mod		TOUUCL INE	Power level at	s or energy consumpti	ons are reported: Power level at	Reference/Stan	dard for energy	
Lifeigy illo	ue		100 V AC	115 V AC	230 V AC	modes and test		
ENERGY S	STAR® Or	Mode*	15.74W	15.73 W	15.5 W	ENERGY STAR		
(System Idl		i wodo				Requirements for		
` '	,					Monitors: Ver. 8		
ENERGY S		w Power	0.66W	0.66 W	0.66 W	ENERGY STAR		
Sleep Mode	e*				Requirements for Computer			
			0.33W	0.32 W	0.33 W	Monitors: Ver. 8.0 ENERGY STAR® Program		
ENERGY S		f /	0.3377	0.32 VV	0.33 VV	Requirements for Computer		
Apparent Off Mode*						Monitors: Ver. 8		
PTEC *			5.938 W	5.935 W	5.854 W	PTFC = Pon v	0.35 + Psleep x	
Typical Ene	erav Cons	umption	3.330 W	0.330 VV	0.004 W	0.65	0.00 · T Sieep X	ш
ETEC *			52.02 kWh/year	51.99 kWh/year	51.28 kWh/year	ETEC = 8.76 x	Pon x 0.35 +	
Annual Ene					,	Psleep x 0.65)	'	
External Po	ower Supp	ly Efficien	cy Level (International	Efficiency Marking Pr	otocol) *:			\boxtimes
Display res	olution* :	1920*108	80 megapixels					
			ve mode: 15 seconds					
P9.2*	Informati	on about t	the energy save functi	on is provided with the	product.			
P9.3*	8* Energy efficiency class (monitors only): F ERP Lot 5							
P10	P10 Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)					(B)		
	Idle							<u>X</u>
	Operatio				*			
	Other mode							
	(dB) $L_{p ext{Am}}$							
	Other mode							
		(0	L_{pAm}					
	Measured according to: ISO 7779 ECMA-74							
	Other (only if not covered by ECMA-74)							
Canal (cany a reconstruct of particular of p								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number * 62C5		Logo	Long						
Issue date	ssue date * 2020/3/14		Lenovo						
Product 6	environn	nental attributes -	Market requirem	ents (con	tinued)		Require	ment	met
Item							Yes	No	n.a.
	Electron	nagnetic emissions							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO8.0								
P12		nics for computing							
P12.1*	The disp	lay meets the ergono	mic requirements of	ISO 9241-3	307 for visua	al display technologies.			
P12.2*	The phys	sical input device me	ets the requirements	of ISO 999	5 and ISO 9	241-410.			\boxtimes
P13	Packagi	ng and documentati	ion						
P13.1*									
P13.2*	Product	olastic primary packa	ging is free from PV	Э.			\square		
P13.3*		uct primary corrugater recovered fiber con		aging, spec	ify the cont	ained percentage of minimum	post-		
P13.4*		nedia for user and pr onic, ⊠Paper, □C		tick box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:								
	Totally chlorine-free								
	Processed chlorine-free				l				
P14		ry programs							
P14.1		luct meets the require / STAR®	ements of the following Criteria version: Con Monitors 8.0		/ program(s Date:): Product category: LCD	Monitor		
	Eco-labe	l:	Criteria version:		Date:	Product category:			
	Eco-labe		Criteria version:		Date:	Product category:			
P15		al information (See							
P9						of the tested product configu			
	informati knowledo provided informati	on contained in this on ge available at the tin here is approximate on.	locument. All information of completion, and and provided for info	ation provided supplier slormational p	ed by suppli hall have no ourposes onl	arranties whether express or imper in this document is provided be obligation to update such inform by. See a Lenovo Account Representation	pased on supp nation. The inf	olier's formati	on
P9		rgy Star Qualified Mo ww.energystar.gov/pr							
	•			•					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1