

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	NB				
Commercial name *	Lenovo IdeaPad S340-14 Series				
Model number *	81N9, 81QN, 81VV, 81VX				
Issue date *	2019/08/20				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P40.2 – P40.2 Comparing from printing products

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	81N9, 81QN, 81VV,	81VX		Logo			
Issue da	ite *	2019/08/20				Leno	OVC	
	t environ	mental attributes	Legal requirements			Require		
Item						Yes	No	n.a.
P1		ous substances and						
P1.1*	Products	s do comply with curre	nt European RoHS Directive. (S	See legal reference and NOTE	E B1)			
P1.2*	Comme	nt: Legal reference ha	stos (see legal reference). s no maximum concentration va			\square		
P1.3*	hydrobro trichloro	omofluorocarbons (HE	e Depleting Substances: Chloro FC), hydrochlorofluorcarbons (ł e (see legal reference). Comm	HCFC), Halons, carbontetrach				
P1.4*			than; 0,005% polychlorinated bi is (see legal reference).	iphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
P1.5*	Products	s do not contain more	than 0,1% short chain chloropa per mass of chlorine in the SCC		bon atoms in	the 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in contrations above 0,5 μ g/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*	REACH	Article 33 information	about substances in articles is a /Lenovo-REACH-SVHC-Disclos	available at (add URL or mail	contact):	\square		
P2	Batterie	S						
P2.1*			y or an accumulator, the batter disposal is provided in user ma		the disposal	\boxtimes		
P2.2*	Batteries		not contain more than 0,0005%	of mercury or 0,002% of cadn	nium. (See le	gal 🔀		
P2.3*	Batteries	s and accumulators ar	e readily removable. (See legal	reference)		\square		
P3	Conforr	nity verification & Ec	o design (ErP)					
P3.1*	The pro	duct is CE-marked to	show conformance with application can be requested at: https://www.can.be.com/can.be/linearity.com/can.be/lin	ole legal requirements (see leg	gal reference nce/eu-doc).		
P3.2*		duct complies with the al reference).	Eco design requirements for er	nergy-related products,		\boxtimes		
	Require	d information is;	given in item P15 or added	to this document, enovo.com/us/en/compliance/e	non doclarati			
P5	Product	packaging		novo.com/us/en/compilance/e				
P5.1*			mponents do not contain mo	re than 0.01% lead moreur	v cadmium	and 🔽		
10.1	hexaval	ent chromium by weig	nt of these together.		-			
P5.2*		kaging materials are r e legal reference).	narked with abbreviations and n	umbers indicating the nature	of the materi	al(s) 🔀		
P5.3*	The prod (see leg	duct packaging materi al reference).	al is free from ozone depleting su s no maximum concentration va	•	Montreal Prot	ocol 🔀		
P6		nt information						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		81N9, 81QN, 81VV, 81VX	Logo			
Issue dat	te *	2019/08/20		Len		D _{TM}
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable				<u> </u>
P7.2*		aterials in covers/housing have no surface coating. arts > 100 g consist of one material or of easily separable materials.				Ц_
P7.3*						
P7.4*						
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			\boxtimes	
	Product					
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	ig can be done using commonly available tools		\square		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: <i>plastics</i> Material type: <i>aluminum</i> Materia	al type:			
P7.12		n materials of external electrical cables are PVC free.				Ц_
P7.13		n materials of internal electrical cables are PVC free.		\square		
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	id 🔤		
P7.15		ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g d in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en	\square	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: 79-94-		\square		
	<u>Alt. 2: </u> Ch accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: FR(16)	ents) > 25 g	\boxtimes		
P7.18	concentr 1. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: Confidential , CAS #: Confidential (See NOTE B4)	s/preparations	in 🔀		
	3. Chemi	ical name: , CAS #: " ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104:	3-4·			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which			\exists	
1 1.10	assigned	the following Risk phrases; and Hazard statements:				
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	ee note B5)			
	lfYES;a a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 2.5%.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81N9, 81QN, 81VV, 81VX	Logo				
Issue date *	2019/08/20		Lenovo			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

Requirement met Yes No n.a.

	Material and su	ubstance requirements	continued)		
P7.21*	Biobased plasti	c material content is used	in the product (See N	NOTE B7):	
	If YES; at least	one of the two alternative	s below shall be answ	vered;	
		stic parts' weight > 25 g,	the biobased plastic r	naterial content (calcul	ated as a percentage of
		c by weight) is %.			
	or b) The weigh	t of the biobased plastic n	naterial is g.		
P7.22*		re free from mercury, i.e.).	
		ed specify: Number of lan	ips: and maxin	num mercury content p	
P8	Batteries	1			
P8.1*	-	al composition: Li-polym	er		
P9 P9.1		nption (See NOTE B8)	or operation opportunit	iono oro roportad:	
Energy mo		the following power level Power level at	Power level at	Power level at	Reference/Standard for energy
		100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	-max)	W	W	65 W	Full load
<u>Catego</u>	ry NB1				
Short Idle	e State - WOL	W	W	7.50 W	(Pidle)
Enabled					
Long Idle	State - WOL	W	W	2.72 W	(Pidle)
Enabled					
Sleep (S3	3) - WOL Enabled	W	W	0.85 W	(Psleep)
Off (S5) -	WOL Disabled	W	W	0.20 W	Use for ErP
EPS No-lo	bad	W	W	0.088 W	
(External power	r supply / charger plugged in	the			
PTEC *	isconnected from the product	W	W	W	
-	nergy Consumption	n			
ETEC *		kWh/year	kWh/year	25.12 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25
Annual En	nergy Consumption	ו			+ $P_{sleep} \times 0.35$ + $P_{long_{ldle}} \times 0.10$ +
		Poff: Off Mode(S5) - WC	L Enabled: Psleen: Slee	p Mode(S3) - WOL Enab	P _{short_Idle} x 0.30) Ied; P _{idle} : Idle State - WOL Enabled
External P	Power Supply Effic	iency Level (International			
Display re	solution * : 1366*	768 megapixels		,	
		save mode: minutes			
P9.2*		ut the energy save function	on is provided with the	e product.	
P9.3		cy class (monitors only):			
P10	Emissions	,,),			
		n – Declared according to	ISO 9296 (See NOT	E B9)	
P10.1	Mode	Mode description			nit A-weighted sound power level, <i>L_{WA,c}</i> (B)
	Idle	* Idle		* 2.6	
	Operation	* CPU Operating		* 3.5	
	Other mode	Declared A-weighted sound	l pressure level (dB) L_{pA}	m 18.1 (operator pos	sition desktop – idle)
	Other mode	Declared A-weighted sound	I pressure level (dB) L_{pA}	m 28.5 (operator pos	ition desktop – operating)
	Measured acco	rding to: 🔀 ISO 7779 🔀			
		Other	(only if not covered b	y ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	81N9, 81QN, 8	1VV, 81VX			Logo			
ssue dat	e *	2019/08/20					Leno		тн
Product	environr	nental attribu	tes - Market requirer	ments (continued)			Requir	ement	t met
ltem							Yes	No	n.a.
		nagnetic emiss							
P10.4	Compute program		the requirement for low	frequency electromag	netic fields of the foll	owing volun	tary		\square
P12	Ergono	mics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements o	of ISO 9241-307 for vis	sual display technolo	gies.			\boxtimes
P12.2*	The phy	sical input device	e meets the requirement	s of ISO 9995 and IS	O 9241-410.			\square	
P13	Packagi	ng and docum	entation						
P13.1*	Product	packaging mate	rial type(s): <i>paper pad</i> rial type(s): <i>pe bag</i> rial type(s): <i>carton</i>	weight (kg): 0.032 weight (kg): 0.013 weight (kg): 0.281					
P13.2*	Product	plastic primary p	ackaging is free from P\	/C.			\boxtimes		
P13.3*		luct primary cor	rugated fiberboard pack r content: 80 %	kaging, specify the c	ontained percentage	of minimun	n post-		
P13.4*		media for user a ronic, ⊠Paper,	nd product documentatio	on (tick box):					
P13.5	Ùser and		is item if paper documer entation on paper media					\boxtimes	
	Totally c	hlorine-free							
	Element	al chlorine-free					E E		
	Process	ed chlorine-free					H		
P14	Volunta	ry programs							
P14.1			equirements of the follow	ving voluntary progran	ו(s):				
	ENERG` Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product o Product o Product o	category:			
P15	Addition	nal information	(See NOTE B10)			0 ,			
P9	Energy	consumption o	f specific configuration	n may vary; descript	ion of the tested pro	oduct config	guration:		
	informati knowled	ion contained in ge available at t l here is approxi	to representations, guara this document. All inform the time of completion, ar mate and provided for in	nation provided by sup nd supplier shall have	pplier in this documer no obligation to upda	nt is provided ate such info	based on sup rmation. The i	plier's format	tion
P9	See Ene	rgy Star Qualifie	d Notebooks & Tablet C v/index.cfm?fuseaction=			code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad S340-14IIL, Lenovo IdeaPad S340L-14IIL, Lenovo IdeaPad S340R-14IIL, Lenovo IdeaPad S340E-14IILLenovo IdeaPad S340-14IILTouch, Lenovo 小新 IIL-14 2019	Logo
Model Number	81N9, 81QN, 81VV, 81VX	
Issue Date	2019/08/20	Lenovo
Additional information		

(d)	Year of manufacture:				2018				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGf2 enable									
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	8							
ents ting			(Yes / No)	(Yes / No)					
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capa app	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)	NA							
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.14							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);	1	I		A: 4.62				
(h)	Sleep mode power demand (Watts);				A: 0.89				
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		A: 0.89				
(j)	Off mode power demand (Watts);				A: 0.23				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.23				
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	ige						
(m)	External power supply efficiency (if appli	icable)*:							
	Average active efficiency: 89.242%,89.	03%,88.93%,89.04%,8	9.92%,89.18%,88.45%	%,88.53%,88.64%					
	*internal note: show values for all available external p								
(0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300				
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:	:				

(p-2)		dology used to determine information mentioned in p rogram Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)			
(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:		
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode		
(q)	Sequence of steps for	or achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable con			
(r)	Description of how s	leep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	off mode		
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
(t)		te condition before the computer automatically re		30min	
(u)		not exceed the applicable power demand requirement r a period of user inactivity in which the compute		NA	
	mode that has a lower power demand requirement than sleep mode (in minutes):				
(v) (w)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: Refer to User Guide				
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>			
(Z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits		
Additio	nal Notebook Batter	y Information:			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$			
Internal/	built-in Battery				
	l/detachable Battery				
Bios Bao	ckup Battery				
Other:					
Addition	al information				
		asily replaced by users themselves.			
as baterías d	le este producto no pueden s	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.		
ugeren kan	ikke uden videre udskifte bat	neměli provádět sami uživatelé. teriet/batterierne i dette produkt.			
	Akkus dieses Produkts kann/ saa selle toote akut/akusid ise	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w e hõlpsasti asendada.	verden.		
		ιούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες iit ne peuvent être facilement remplacée(s) par les utilisateurs eu	ıx-mêmes.		
	ože lako zamijeniti Bateriju sa batterie in questo prodotto no	am u ovom proizvodu. on può/possono essere facilmente sostituita/e dall'utente.			
etotāji paši n	nevar nomainīt šā ražojuma a aterijos [bateriju] pats vartoto	kumulatoru(-us).			
termék akku	umulátorát/akkumulátorait a fé	/jistynus pungal pungal elhasználó nem tudja egyedül egyszerűen kicserélni. /jistgňux tiģi/jiģu sostitwita/i mill-utenti stess.			
atteriet [ene]	i dette produktet kan ikke let				
żytkownik nie	e może sam w łatwy sposób	wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.			
		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.			

Bateria (baterille) din acest produs nu poate (bot) n usor inioculta (inioculta Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.