

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	ttp://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo IdeaPad U300s				
Model number *	20111, 1080				
Issue date *	2011-09-30				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information	dditional information ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control Req				
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square		

Model number *	Lenovo IdeaPad U300s		
Issue date *	2011-09-30	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ement	met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	Lenovo IdeaPad U300s			
Issue da	ate *	2011-09-30 Logo	lend	DVO	
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design				
		mbly, recycling			
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
P7.3*		arts >100g consist of one material or of easily separable materials.			
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tools	. 🛛		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
		lifetime			
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgradii	ng can be done using commonly available tools			
P7.9.	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type:			
P7.12	Material	type: PC+ABS-FR(40) Material type: Material type: I cable insulation materials of power cables are PVC free. Material type: Material type:			
P7.12		I cable insulation materials of power cables are PVC free	<u> </u>		╶╞┥
P7.13		/housing plastic parts >25g are free from chlorine and bromine.			⊢⊢
					⊢⊢
P7.15	Note B2		ee		
P7.16	Marking	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)			
P7.17	TBBPA Alt. 2	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>Brominated Epoxy Resin See P14</i>	I 🗌		
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌		
	Provide complete 1. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must contra e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	ain		
	Alt. 2	ical name: , CAS #: , Supplier: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes		
P7.20		plastic parts' weight >25g, recycled material content is 4.1%.			
P7.21		plastic parts' weight >25g, biobased material content is 0%.			
P7.22	<u> </u>	urces are free from mercury	\square		
P8	Batterie				
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	^{ber*} Lenovo IdeaPad U300s										
Issue date	*	2011-09-	30			Logo lend			ovo		
	Product environmental attributes - Market requirements (continued) Requirement met										
	Item Yes No n.a. P9 Energy consumption							a.			
			e following power lev	els or energy consu	motions are reporte	d See P14					
	The product is shipped w/ WOL Enabled.										
Energy mod	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / and test meth		d for energy m	odes]	
Peak (On-r	nax)		65 W	65 W	65 W	Full load]	
Category	<u> </u>					1			I		
Idle State -	WOL En	abled	naW	na ₩	na W	Use for Ener	rgy Star	V5 registration(I	P _{idle})		
Sleep (S3)	- WOL E	nabled	na W	na W	naW	Use for Ener	rgy Star	V5 registration(I	P _{sleep})		
Sleep (S3)	- WOL D	isabled	1.338 W	1.323 W	1.366 W	Reference					
Off (S5) - V	VOL Enal	bled	na W	na W	na W	Use for Ener	rgy Star	V5 registration(I	Poff)]	
Off (S5) - V	VOL Disa	bled	0.668W	0.667 W	0.706 W	Use for EuP					
EPS No-loa			0.222 W	0.223 W	0.263 W]	
(External po charger plu outlet but di the product	gged in th	ne wall									
TEC			kWh/week	kWh/week	kWh/week					\triangleleft	
Typical Ene	ergy Cons	umption									
ETEC * Annual Ene	ergy Cons	umption	23.226 kWh/year	24.109 kWh/year	26.791 kWh/year	ar $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			leep X]	
			Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL			Enabled; P _{idle} :	Idle State	- WOL Enabled	I		
Display res	olution :	1280*80	Megapixels							٦	
Print Speed	d :	:	Images per minu	te						_ त	
		enerav sa	ave mode: 25 minutes							- -	
P9.2*			the energy save fund		the product.			\square	╶──╵┝╴	╡	
P9.3*			the energy requiren		-	/s:				_	
	ENERGY	Y STAR®	version: Version 5.0) dated July 1, 2009	Product category:	Α		\boxtimes			
			ergy Star for Exter	nal Power Supplies	Eligibility Criteria	Version 2					
P10	Emissio		Declared according	to ISO 9296							
P10.1	Mode		Mode description		Declared	De	eclared A	-weighted			
					A-weighted sound power	sound pr	ressure le	evel L_{pAm} (dB)			
						Operator positi	ion 🔀	Bystander posi	tions		
					lover E _{WAd} (E)		top 🔀				
						or Desk si	ide 🗌	(only if product i operator atter			
	Idle	*	HDD: Idle		* 2.6	20					
	Operatio		HDD: Operating		* 2.6	20					
	Other mo			_							
	Measure	d accordir	~ = -	ECMA-74							
B10.2	The		Other		ed by ECMA-74 with		ement dis	stance m)	·	7	
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s:										

Model nu	Imper	Lenovo IdeaPad U300s				
Issue date *		2011-09-30	Logo	leno	VO	
		·	•			
	environ	mental attributes - Market requirements (continued)		Require		met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:				\boxtimes
P10.4	Typical	emission rate (print phase) is (mg/h):				\boxtimes
		Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :	_			\boxtimes
		Dust Ozone Styrene Benzene	TVOC			
		magnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the fol //s: <i>MPR-II</i>	lowing voluntary	\boxtimes		
P11		nable materials for printing products				
P11.1*	A Safety	/ Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	uired (see P4.3).			
P11.2*	-	containing post-consumer recycled fibers can be used, provided that it meets the		of	H	
	EN1228					
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\square
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technolo	gies.	\boxtimes		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				一一
P13	Packag	ing and documentation				
P13.1*		packaging material type(s): Corrugated Carton weight (kg): 0.378				
	Product	packaging material type(s): Polyethylene Cushions weight (kg): 0.058				
		packaging material type(s): Others weight (kg):0.230				
P13.2*		plastic packaging is free from PVC.		\square		
P13.3*		media for user and product documentation (tick box):				
		ic 🔀, Paper 🔀, Other 📃				
P13.4*		er user and product documentation, please specify contained percentage of post-co % (Japan only 70%)	onsumer recycle	b		
P14	Additio	nal information (See Note B4)				
		Supplier makes no representations, guarantees, assurances or warranties whethe				
		tion contained in this document. All information provided by supplier in this docume				
		lge available at the time of completion, and supplier shall have no obligation to upd				lion
	informat		Account Represe	mative for i	nore	
P7.17		t does not contain free TBBPA in printed circuit boards(without components)	>25a.			
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest informati				
		ownloads.energystar.gov/bi/gplist/laptops_prod_list.xls				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19