

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook Computer				
Commercial name *	Lenovo IdeaPad V110!%				
Model number *	80TL. 80TD				
Issue date *	2016-04-29				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Quality Control				
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀			

Model number * "	80TL 80TD		
Issue date *	2016-04-29	Logo	Lenovo.

Product	environmental attributes - Legal requirements	Requirement met			
Item		Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as		$\overline{}$	\boxtimes	
1 1.0	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\square			
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes			
	http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is				
	provided in user manual. (See legal reference)				
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes	
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀			
	Comment. Legar reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *			
	80TL. 80TD		
Issue date *	2016-04-29	Logo	Lenovo.

Product	Product environmental attributes - Market requirements - Environmental conscious design				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design Disassambly recycling				
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.			\vdash	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			\vdash	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	\overline{X}	╫	\vdash	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			\blacksquare	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			\blacksquare	
F1.0			<u> </u>		
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgrading can be done using commonly available tools		$\stackrel{\triangle}{\vdash}$	\vdash	
P7.9.					
	Spare parts are available after end of production for: 5 years			\perp	
P7.10	Service is available after end of production for: 5 years				
P7.11*	Material and substance requirements Product cover/housing material type:				
F7.11	Material type: PC+ABS Material type: Material type:				
P7.12	Electrical cable insulation materials of power cables are PVC free.				
P7.13	Electrical cable insulation materials of signal cables are PVC free		Ħ	\dashv	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		∺	\forall	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			\dashv	
	Note B2)	ш			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes			
	Marking: polycarbonatebased				
P7.17	Alt. 1				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: TBBA, CAS #: 79-94-7	\boxtimes	Ш	Ш	
	TBBPA (additive), TBBPA (teactive) , Other, Chemical Hame. TBBA, CAS #. 79-94-7				
	Alt. 2				
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
	ISO 1043-4: <i>FR(16)</i>				
P7.18	Alt. 1				
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	\boxtimes	Ш	Ш	
	Comment: No legal limits exist, this is a market requirement.				
	1. Chemical name: <i>MB1700</i> , CAS #: <i>25971-63-5</i> , Supplier: <i>Mitsubishi</i>				
	2. Chemical name: <i>MB1700</i> , CAS #: <i>9003-56-9</i> , Supplier: <i>Mitsubishi</i>				
	3. Chemical name: <i>MB1700</i> , CAS #: <i>25971-63-5</i> , Supplier: <i>Mitsubishi</i>				
	4. Chemical name: <i>TN-3740B</i> , CAS #: <i>15606-95-8,120-12-7,101-77-9,84-74-2,7646-79-9,1303-28-2,1327-53-3,7789-12-0,10588-01-9,81-15-2,117-81-7,25637-99-4,3194-55-6,85535-84-</i>				
	8,56-35-9,7784-40-9,65-68-7,90640-80-5,91995-17-4,91995-15-2,90640-82-7,90640-81-				
	<i>6,65996-93-2,121-14-2,84-69-5,7758-97-6</i> , Supplier: <i>Teijin</i>				
	5. Chemical name: <i>TN-3740B</i> , CAS #: <i>12656-85-8,1344-37-2,115-96-8,79-06-1,79-06-6,10043-</i>				
	35-3,11113-50-1,1330-43-4,12179-04-3,1303-96-4,12267-73-1,7775-11-3,7789-00-6,7789-				
	<i>09-5,7778-50-9,10124-43-3,10141-05-6,513-79-1,71-48-7,109-86-4,110-80-5,1333-82- 0,7738-94-5,13530-68-2,111-15-9,</i> Supplier: <i>Teijin</i>				
	6. Chemical name: <i>TN-3740B</i> , CAS #: <i>7789-06-2,68515-42-4,7803-57-8,302-01-2,872-50-4,96-</i>				
	18-4,71888-89-6,15245-44-0,13424-46-9,6477-64-1,77-09-8,101-14-4,127-19-5,3887-31-				
	8,7778-44-1,7778-39-4,111-96-6,107-06-2,140-66-9,90-04-0,117-82-8,25214-70-4,49663-				
	84-5,11103-86-9,24613-89-6,112-49-2 , Supplier: Teijin				
	7. Chemical name: <i>TN-3740B</i> , CAS #: <i>110-71-4,1303-86-2,75-12-7,17570-76-2,2451-62-</i>				
	9,59653-74-6,90-94-8,101-61-1,548-62-9,2580-56-5,6786-83-0,561-41-1,69011-06-9,683- 18-1,13814-96-5,68-12-2,12065-90-6,68784-75-8,62229-08-7,60-9-3,101-80-4,12141-20-				
	7,376-06-7,95-53-4,106-94-5,97-56-3,88-85-7, Supplier: Teijin				
	8 Chemical name: TN-37408 CAS #: 1319-46-6.143860-04-2.84777-06-0.838-88-0.12036-76-				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is 3%. P7.21 Of total plastic parts' weight >25g, biobased material content is 0%. P7.22 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide P8.2 Batteries meet the requirements of the following voluntary program/s: US RBRC		9,10099-74-8,75-56-9,12060-00-3,11120-22-2,625-45-6,91031-62-8,77-78-1,1163-19-5,1317-36-8,51404-69-4,110-00-9,78-00-2,120-71-8,2058-94-8,629-14-1,20837-86-9,85-42-7,13149-00-3,14166-21-3,776297-69-9, Supplier: Teijin 9. Chemical name: TN -3740B, CAS #: 95-80-7,1314-41-6,8012-00-8,64-67-5,12202-17-4,605-50-5,25550-51-0,19438-60-9,48122-14-1,57110-29-9,12578-12-0,123-77-3,79-16-3,72629-94-8,92-67-1,307-55-1,12626-81-2,7440-43-9,1306-19-0,3825-26-1,335-67-1,131-18-0,1306-23-6,84-75-3,573-58-0,1937-37-7, Supplier: Teijin 10. Chemical name: TN -3740B, CAS #: 96-45-7,304-04-2,25155-23-1,68515-50-4,7632-04-4,10108-64-2,25973-55-1,3846-71-7,7790-79-6,10124-36-4,31119-53-6,15571-58-1,68515-51-5,68648-93-1,98-95-3,3864-99-1,36437-37-3,1120-71-4,375-95-1,21049-39-8,4149-60-4, Supplier: Teijin Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: >PC+ABS-TD15FR(40)<,>PC+ABS-TD3FR(40)<,>PC+ABS-TD3FR(40)<,>PC+ABS-(TD+MD)12FR(40)<		
P7.21 Of total plastic parts' weight >25g, biobased material content is 0%. P7.22 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide	P7.19			
P7.22 Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide	P7.20	Of total plastic parts' weight >25g, recycled material content is 3%.		
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide	P7.21	1 1 0 0		
P8.1* Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide	P7.22			
	P8	Batteries		
P8.2 Batteries meet the requirements of the following voluntary program/s: <i>US RBRC</i>	P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide	·	
	P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC		

Model number *	. \$H (0€. \$H8					
Issue date *	, 				Logo	Lenovo.	
	<u> 2016-(</u>			(! \)		Di	
Product environment	entai attri	butes - Market	requirements (continuea)		Requirement Yes No	n.a.
	onsumptio	n				100 110	m.a.
		ollowing power leve	els or energy cons	umptions are re	ported: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for el method *	nergy modes and test	
Peak (On-max)		W	W	W	Full load		
Category I1							
Short Idle State - WC	OL Enabled	7.176 W	7.18 W	7.13 W	Use for ENERGY STAR V	6 registration(P _{idle})	
Long Idle State - WO	L Enabled	5.556 W	5.43 W	5.34 W	Use for ENERGY STAR V	6 registration(P _{idle})	
Sleep (S3) - WOL Dis	sabled	0.48 W	0.42 W	0.41 W	Reference		
Off (S5) - WOL Disab	oled	0.50 W	0.47 W	0.47 W	Use for EuP		
EPS No-load		0.071W	0.084 W	0.098 W			
(External power suppl plugged in the wall ou disconnected from the	tlet but						
PTEC * Typical Energy Consu	ımption	W	W	W			
TEC * Typical Energy Consu	ımption	0.5051 kWh/week	0.4988 kWh/week	0.4940 kWh/week	=E _{TEC} /52		
ETEC * Annual Energy Consu	mption	26.34 kWh/year	26.01 kWh/year	25.76 kWh/year	E _{TEC} = (8760/1000) x (P _{off} + P _{long_Idle} x 0.10+ P _{short_Idl}	le x 0.30)	
		P _{off} : Off Mode(S5	5) - WOL Enabled; I	P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle S	State - WOL Enabled	
Category I2				I = 0 (1) (
Short Idle State - WO			7.71 W	7.64 W	Use for ENERGY STAR V		Щ
Long Idle State - WO			5.85 W	5.79 W	Use for ENERGY STAR V	b registration(P _{idle})	뿌
Sleep (S3) - WOL Dis		0.45 W	0.43 W	0.42 W	Reference		Щ
Off (S5) - WOL Disab	oled	0.50 W	0.49 W	0.48 W	Use for EuP		Щ
EPS No-load (External power suppl plugged in the wall ou disconnected from the	tlet but	0.071W	0.084 W	0.098 W			
PTEC * Typical Energy Consu	ımption	W	W	W			
TEC * Typical Energy Consu	ımption	0.5492 kWh/week	0.5365 kWh/week	0.5340 kWh/week	=E _{TE} ⊘/52		
ETEC * Annual Energy Consu	mption	28.56 kWh/year	27.90 kWh/year	27.77 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x + P _{long_idle} x 0.10+ P _{short_idle})		
		Poff: Off Mode(S5	b) - WOL Enabled; I	P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle S	State - WOL Enabled	
Display resolution* :	1.049 Mega	apixels					
Print Speed * :	Print Speed * : Images per minute						
Default time to enter energy save mode: 30 minutes							
P9.2* Informatio	n about the	e energy save funct	tion is provided wi	th the product.	·		
	STAR® ve	ne energy requiremersion: Version 6.1			gram/s: oduct category: [1]		
P10 Emission							
	Noise emission Declared according to ISO 0206						

P10.1	Mode	Mode description	Declared	Declared A-weighted	
			A-weighted sound power	sound pressure level $L_{p{\rm Am}}$ (dB)	
			level L_{WAd} (B)	Operator position Bystander positions	
				Desktop 🛛 📗	
				or Desk side (only if product is not operator attended)	
	Idle	* HDD:Idle	* 2.8	25	
	Operation	* HDD: Operating	* 3.9	30	
	Other mode				
	Measured acco	ording to: 🔀 ISO7779 🔲 ECMA-74			
		Other (only if not covere	d by ECMA-74 wit	th L _{pAm} measurement distance m)	
P10.2	The product me	eets the acoustic noise requirements of the f	ollowing voluntary	program/s:	

Model nun	nbor*					
woder nun	libei	OUT! OUTD				
		80TL, 80TD	Logo	Lono	' 0	
Issue date	*	2016-04-29	Logo	Lenov	70	
Product of	nvironm	ental attributes - Market requirements (continued)		Require	mont	met
Item		ental attributes - market requirements (continued)		Yes	No	n.a.
	Chemica	l emissions from printing products				
P10.3*		ormed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			П	\square
P10.4		mission rate (print phase) is (mg/h):				$\overline{\mathbb{X}}$
	• •	Oust Ozone Styrene Benzene TVOC				
P10.5		emission requirements of the following voluntary program/s are met for :				\boxtimes
	D	ust Ozone Styrene Benzene	TVOC			
		agnetic emissions				
P10.6		r display meets the requirement for low frequency electromagnetic fields of the fo	llowing voluntary	\boxtimes		
P11		s: MPR-II(3 pin AC adapter only) able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally req	uired (see P4 3)			
P11.2*		ntaining post-consumer recycled fibers can be used, provided that it meets t	,	of 🔲	H	
F11.2	EN12281		ne requirements t	<u> </u>		
P11.3*	2-sided (d	duplex) printing/copying is an integrated product function.				\boxtimes
P12		nics for computing products				
P12.1*	The displ	ay meets the ergonomic requirements of ISO 9241-307 for visual display technol	ogies.			\boxtimes
P12.2*	The phys	ical input device meets the requirements of ISO 9995 and ISO 9241-410.				\boxtimes
P13		ng and documentation				
P13.1*		ackaging material type(s): weight (kg):				
		packaging material type(s): weight (kg): packaging material type(s): weight (kg):				
P13.2*		lastic packaging is free from PVC.				
P13.3*		nedia for user and product documentation (tick box):				H
1 10.0		Paper , Other .				ш
P13.4*		user and product documentation, please specify contained percentage of post-c	consumer recycled			
	fiber:	<mark>%</mark>				
P14		al information (See Note B4)		 		
		upplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this docume				
		e available at the time of completion, and supplier shall have no obligation to upo				tion
		here is approximate and provided for informational purposes only. See a Lenovo				
	information		·			
P9		gy Star Qualified Notebooks & Tablet Computers for the latest information:		_		
-	nttp://ww	w.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGrou	ıp&pgw_code=C0)		
<u> </u>						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V110-15	Logo
Model Number	80TL	
Issue Date	2016-04-29	Lenovo
Additional information		

P7.1.1	Product environmental attributes	
(d)	year of manufacture: 2016	
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics disabled and if the system is tested with switchable graphics mode with UMA driving the display: Category (according to ErP Lot 3): A Etec: 14.39	cards (dGfx) are
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cenabled:	ards (dGfx) are
	Category (according to ErP Lot 3): B Etec: 19.25	
(g)	idle state power demand (Watts);	4.32/6.17
h)	sleep mode power demand (Watts);	0.52/0.48
i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.59/0.58
j)	off mode power demand (Watts);	0.48/0.50
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.48/0.50
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable): Average*: 45W:88.51%;65W:88.65% *internal note: show values for all available external power supplies	
(o)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	J
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external PSL efficiency:	J
	Energy-star requirement by EPA 2.0	

Additiona	l informatio	n						
Additiona	l informatio	n n						
A -1 -1:4!	l imf a v··· - t'	-						
		1						
replaceabl	e)	replaceable)		The battery[ies] in this product cannot be easily replact themselves	bed by users			
(Battery	not user	(Battery user			cad by users			
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced			
	lotebook B	attery Information:	1 -					
				230V/50Hz				
	2004 101 01			2201//5011-				
		city supply system, – ectrical testing:	– inform	ation and documentation on the instrumentation, set-up and circuits				
(z)				test voltage in V and frequency in Hz, — total harmonic distortion of				
				Based on user manual				
(x)	user inform	nation on how to ena	ble the	power management functionality:				
		oo.g, oavi	9 20101	Based on user manual				
(w)	information	n on the energy-savi	ng poten	tial of power management functionality:				
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10			
	power mode that has a lower power demand requirement than sleep mode (in minutes):							
(u)	the length	of time after a peri	od of us	ser inactivity in which the computer automatically reaches a				
(t)	the duratio condition v	on of idle state con which does not excee	dition bed the ap	efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	30			
				Based on user manual				
(s)	sequence off mode:	of events required to	reach t	he mode where the equipment automatically changes to sleep and/or				
				Based on user manual				
(r)	description	of how sleep and/o	r off mod	de was selected or programmed:				
				Based on user manual				
(q)	sequence	or steps for achievin	g a stabl	e condition with respect to power demand::				
(*)		af atoms for a street	1 · 1					
	701101 40 0		1	IEC62301				
(p-4)				o determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:				
				rements Cycle Count () one time.				
(d -)	batteries: While total discharged capacity exceeds 85% of FCC (Full_Charge_Capacity), the BQ40Z695A							
(p-3)	the measu	urement methodolog	av used	to determine information mentioned in points (o) – loadingcycles				