

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	ovo.com/social_responsibility/us/en/environment.html			
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the produc conforms to the statements given in this declaration.				
Type of product *	Tablet PC			
Commercial name *	IdeaTab K3011W-F			
Model number *	60018,2287;60025,6322			
Issue date *	2012-10-23			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	IdeaTab K3011W-F		
Issue date *	2012-10-23	Logo	lenovo

Product	duct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	X		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\overline{\mathbf{X}}$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	IdeaTab K3011W-F		
Issue date *	2012-10-23	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design R	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling		_	
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes	_Ц	<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <i>PC+ABS-BK30</i> Material type: <i>PA+50%G</i>	F		
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			Ħ
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 0 %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sources are free from mercury	\boxtimes		
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion			
P8 2	Batteries meet the requirements of the following voluntary program/s: US PRPC			Ħ

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nur	mber *	Idoo	Tob K20111	A/ E							
Issue date	*	2012-10	aTab K3011W-F 10-23 Logo Logo					-			
issue uate	2012-10-23 Logo lenovo.										
Product e	Product environmental attributes - Market requirements (continued) Requirement met						t met				
Item				(0)			Yes No				
P9	Energy	consump	tion								
9.1			e following power lev pped w/ WOL Enable		mptions are reporte	ed: See P14					
Energy mo	ode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Star and test method *	ndard for energy modes	3			
Peak (On-	n-max) N/AW N/A W N/A W			\boxtimes							
Categor	y B		1		l	1					
Idle State		nabled	N/AW	N/AW	N/A W	Use for Energy S	Star V5 registration(P _{idle})				
Sleep (S3)) - WOL E	nabled	N/A W	N/A W	N/AW	Use for Energy S	or Energy Star V5 registration(P _{sleep})				
Sleep (S3)) - WOL D	isabled	N/A W	N/A W	N/A W	Reference					
Off (S5) -	WOL Ena	bled	N/A W	N/A W	N/A W	Use for Energy S	Star V5 registration(Poff)				
Off (S5) -	WOL Disa	abled	N/AW	N/A W	N/A W	Use for EuP					
EPS No-loc (External p charger plu outlet but of the product	oower suppugged in the	ne wall	N/A W	0.069 W	0.09 W						
TEC Typical En	ergy Cons	sumption	kWh/week kWh/week kWh/week								
ETEC * Annual Energy Consumption		N/A kWh/year	N/A kWh/year	N/A kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep})$ 0.1 + $P_{idle} \times 0.3$						
			P _{off} : Off Mode(S5) - I	NOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle	State - WOL Enabled	l			
Display res	solution	: 1366*76	8 Megapixels								
Print Spee	d	:	Images per minu	te							
Default tim	e to enter	energy sa	ave mode: 0.5 minute	es				+			
P9.2*			the energy save fund		the product.						
P9.3*		Y STAR®	s the energy requirent version: Prod	nents of the following duct category:	g voluntary program	n/s:					
P10	Emissio							VV			
			 Declared according 	to ISO 9296							
P10.1	Mode		Mode description		Declared A-weighted sound power level L_{WAd} (B)		ed A-weighted ure level $L_{p\mathrm{Am}}$ (dB) Bystander positions (only if product is no operator attended)	l t			
	Idle		*		*		appliator attorition				
	Operatio		*		*						
	Other m	ada			1			1			

Measured according to:

P10.2

ISO7779 ECMA-74

Other (only if not covered by ECMA-74 with L_{pAm} measurement distance The product meets the acoustic noise requirements of the following voluntary program/s:

Model number *		IdeaTab K3011W-F				
Issue date *		2012-10-23 Logo	len	OL	/O .	į.
Product	environr	nental attributes - Market requirements (continued)	Requ	ıiren	nent	met
Item		·	Y	es	No	n.a.
	Chemic	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\boxtimes
P10.4		emission rate (print phase) is (mg/h):		_	_	$\overline{\boxtimes}$
	• •	Dust Ozone Styrene Benzene TVOC				
P10.5	Chemica	are met for :			П	X
		Oust Ozone Styrene Benzene TVOC	_	_	_	
	Electron	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary	′			
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3)	. [П	\boxtimes
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements 1.	of			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				\boxtimes
P12	Ergono	mics for computing products				
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		<u> </u>	П	$\overline{}$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		<u> </u>	Ħ	Ħ
P13	<u> </u>	ng and documentation			_	
P13.1*	Product Product	packaging material type(s): <i>paper</i> weight (kg): <i>0.132kg</i> packaging material type(s): <i>plastic</i> weight (kg): <i>0.006kg</i> packaging material type(s): weight (kg):				
P13.2*	Product	plastic packaging is free from PVC.		₹		
P13.3*	Specify	media for user and product documentation (tick box):				〒
	Electron	ic 🔯, Paper 🔯, Other 🗌				
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycle (% (Japan only 70%)	ed			
P14		nal information (See Note B4)				
	informat knowled provided informat		ased on ation. Th	supp e info	lier's ormat	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the late ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	est infor	matio	on:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19