

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Ideapad Y550p				
Model number *	M/T:20035, 3241				
Issue date *	2009-Nov-03				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information	al information ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	bl 🔀			

Model nu	umber *	IdeaPad Y550p M/T:20	035, 3241				
Issue da	ite *	2009-Nov-03		Logo	lend	DVO	
Product	t environ	nental attributes - Legal requiremen	ts		Require	ment	met
Item					Yes	No	n.a.
P1	Hazard	us substances and preparations					
P1.1*	Product 0.1% pc	do not contain more than; 0.1% lead, 0.01 ybrominated biphenyls (PBB) or 0.1% polyb and Note B1)			i, 🔀		
P1.2*	Product	do not contain Asbestos (see legal referen t: Legal reference has no maximum concer			\square		
P1.3*	Product hydrobr trichloro	do not contain Ozone Depleting Substance mofluorocarbons (HBFC), hydrochlorofluoro thane, methyl bromide (see legal reference ation values.	es: Chlorofluorocarbons (CFC), carbons (HCFC), Halons, carbontetrac				
P1.4*	Product	do not contain more than; 0.005% polychlo (PCT) in preparations (see legal reference		hlorinated	\square		
P1.5*	Product	do not contain more than 0.1% short chain taining at least 48% per mass of chlorine in	chloroparaffins (SCCP) with 10-13 ca	rbon atoms in the	e 🔀		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do r idinyl)-phosphineoxide (TEPA), polybromina t: Legal reference has no maximum concer	not contain Tri-(2,3,-dibromopropyl)-ph ated biphenyl (PBB) (see legal referen				
P1.7*		nd leather parts with direct skin contact do r amines. (See legal reference and Note B1)		orants that split			\boxtimes
P1.8*	Wooder pentach	parts do not contain arsenic and chromium prophenol and derivatives (see legal referer t: Legal reference has no maximum concer	as a wood preservation treatment as the concept.	well as			\boxtimes
P1.9*	Parts wi microgra	n direct and prolonged skin contact do not n/cm ² /week (see legal reference). t: Max limit in legal reference when tested a	elease nickel in concentrations above	0.5			
P1.10*	REACH	Article 33 information about substances in a w.lenovo.com/social_responsibility/us/en/ei	rticles is available at (add URL or mai	l contact):			
P2	Batterie	3					
P2.1*	more that marked	duct contains a battery or an accumulator, i n 0.0005% of mercury (for button cells only vith the chemical symbol for the metal conc in user manual. (See legal reference)) by weight, or more than 0.004% of le	ad, it shall be			
P2.2*		Ils used in the product do not contain more ators do not contain more than 0.0005% of			\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)						
P3		MC connection to the telephone networ					
P3.1*	The pro	uct complies with legally required safety sta	indards as specified (see legal referen	nce).	\boxtimes		
P3.2*		uct complies with legally required standards).		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies 🛛 🗌 🗌 👘 with legally required standards for radio and telecommunication devices (see legal reference).						
P3.4*	The pro	uct is labeled to show conformance with ap	plicable legal requirements (see legal	reference).			
P4		able materials					
P4.1*	legal ref	conductor (drum, belt etc.) is used in the p rence and Note B1).		,			\boxtimes
P4.2*		er is used in the product, it does not contain	, , ,	o ,			
P4.3*	product/	toner formulation/preparation is classified a ackaging is adequately labeled and a Safe ents is available (see legal reference).	0 11	0 /			\mathbf{X}
P5		packaging					
P5.1*	Packagi	g and packaging components do not co nt chromium by weight of these together.	ntain more than 0.01% lead, mercu	ıry, cadmium an	d 🔀		
P5.2*	Plastic p	ackaging material is marked according to IS	O 11469 referring ISO 1043 (see lega	al reference).	\boxtimes		
P5.3*	Protoco	luct packaging material is free from ozor (see legal reference). t: Legal reference has no maximum concer		d in the Montrea	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	under *	IdeaPad Y550p M/T:20035, 3241				
Issue da	te *	2009-Nov-03	Logo	leno	vo	
Product	t environ	mental attributes - Market requirements - Environmental conscious de	esian	Require	ment m	net
Item		atory to fill in. Additional information regarding each item may be found under P14.		Yes		n.a
P6		nt information				
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).				
P7		mbly, recycling				
P7.1*		at have to be treated separately are easily separable		\square		
P7.2*		naterials in covers/housing have no surface coating.			\boxtimes	
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly av	ailable tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years		_		
	Material	and substance requirements				
P7.11*		cover/housing material type:				
D- <i>i a</i>		type: PC+ABS-FR(40) Material type: Material	type:			_
P7.12		I cable insulation materials of power cables are PVC free.		<u> </u>		
P7.13	Electrical cable insulation materials of signal cables are PVC free					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.					
P7.15	Note B2)		1249-2-21. (See	e 🗌	\square	
P7.16	Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		al specifications of flame retardants in printed circuit boards >25g (without componen (additive) \Box , TBBPA (reactive) $\overleftarrow{\Box}$, Other; chemical name: , CAS #:	ts):			
		Il specifications of flame retardants in printed circuit boards (without components) >2 3-4: <i>Brominated Epoxy Resin See P14</i>	5g according			
P7.18		etarded plastic parts >25g contain the following flame retardant substances/ ations above 0.1%:	preparations ir	י 🗌		
	Provide complete 1. Chem 2. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The li e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	ist must contair	ı		
	Alt. 2 Chemica FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classil 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	fied as R45,	\square		
P7.20		plastic parts' weight >25g, recycled material content is 0%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				_
P7.22	<u> </u>	urces are free from mercury				
P8	Batterie					
P8.1*		chemical composition: Lithium Ion/Lithium Manganese Dioxide				
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nu	umber *	Idea	Pad Y550p	M/T:20035	, 3241			
Issue da	te *	2009-No				Log		
Product	t environn	nental at	ttributes - Market	requirements (co	ontinued)		Requirement	met
ltem							Yes No	n.a.
P9		consump						
9.1			e following power lev pped w/ WOL Enable		mptions are reported	ed: See P14		
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	at Reference / Standard for energy and test method *			
Peak (Or	n-max)		W	90 W	90 W	Full load		
Catego	ory A							
Idle State	e - WOL En	abled	W	W	W	Use for Energy	<pre>v Star V5 registration(P_{idle})</pre>	
Sleep (S	3) - WOL E	nabled	W	W	W	Use for Energy	v Star V5 registration(P _{sleep})	
Sleep (S	3) - WOL D	isabled	W	W	W	Reference		
Off (S5)	- WOL Ena	bled	W	W	W	Use for Energy	<pre>v Star V5 registration(P_{off})</pre>	
Off (S5)	- WOL Disa	abled	W	W	W	Use for EuP		
Catego	rv B							
	e - WOL En	abled	14.8 W	15.2 W	15.8 W	Use for Energy	V Star V5 registration(Pidle)	\square
Sleep (S	3) - WOL E	nabled	1.53 W	1.54 W	1.66 W	•••	V Star V5 registration(P _{sleep})	
	3) - WOL D		W	W	W	Reference	Sieep/	
	- WOL Ena		0.48 W	0.49 W	0.598 W		Star V5 registration(P _{off})	
	- WOL Disa		W	W	W	Use for EuP		
EPS No-I			0.20 W	0.25 W	0.36 W			
charger p	power supplugged in the disconnect uct.)	ne wall						
TEC Typical E	nergy Cons	sumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual E	nergy Cons	umption	42.9 kWh/week	44.0 kWh/week	46.2 kWh/week	ek $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + 0.1 + P_{idle} \times 0.3)$		
			Poff: Off Mode(S5) -	WOL Enabled; P _{sleep} :	Sleep Mode(S3) - Wo	OL Enabled; P _{idle} : Ic	lle State - WOL Enabled	
Display re	esolution	: 1366x7	68 Megapixels					
Print Spe	ed	:	Images per minut	te				\boxtimes
Default ti	me to enter	energy sa	ave mode: minutes					
P9.2*	Informati	ion about	the energy save fund	tion is provided with	the product.	1		
P9.3*	ENERG	Y STAR®	s the energy requiren version: Version 5.0 nergy Star for Extern	dated July 1, 2009	Product category:	A		
P10	Emissio	-						
P10.1	Noise er Mode		 Declared according Mode description 	to ISO 9296	Declared	Deals	ared A-weighted	
P10.1	wode		Mode description		A-weighted sound power		sure level L_{pAm} (dB)	
					level L_{WAd} (B)	Operator position Desktop or Desk side		
	Idle		* HDD: Idle		* 3.0		30	
	Operatio		* HDD: Operating		* 3.9		39.7	
	Other me			_				l
	Measure	ed accordi	ng to: 🔀 ISO7779 Other	_ ECMA-74 (only if not cover	ed by ECMA-74 wit	th L _{pAm} measureme	ent distance m)	
P10.2	The proc	duct meets	s the acoustic noise r	equirements of the f	ollowing voluntary	program/s:		

Model nur	nber *	IdeaPad Y550p M/T:20035, 3241					
Issue date *		2009-Nov-03 Logo			lenovo		
_		· · · · · · · · · · · · · · · · · · ·					
	environn	nental attributes - Market requirements (continued)		Require			
Item				Yes	No	n.a.	
D40.0*		al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:				\boxtimes	
P10.4		emission rate (print phase) is (mg/h):				\boxtimes	
D / 0 -		Dust Ozone Styrene Benzene TVOC					
P10.5		Il emission requirements of the following voluntary program/s are met for :				\boxtimes	
			TVOC				
D 40.0		nagnetic emissions				_	
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follo /s: MPR-II	wing voluntary				
P11		able materials for printing products				•	
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi				\mathbf{X}	
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requirements	of		\mathbb{X}	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				X	
P12	Ergonor	nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies. See P14	\boxtimes			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410. See P14		\square			
P13	Packagi	ng and documentation					
P13.1*		packaging material type(s): Corrugated Carton weight (kg): 0.378					
		packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): 0.058					
P13.2*		packaging material type(s): Others weight (kg): 0.230 plastic packaging is free from PVC.					
-				\boxtimes			
P13.3*		nedia for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 📃					
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-col % (Japan only 70%)	nsumer recycled	l			
P14		al information (See Note B4)					
	informati knowledg	Supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this documen ge available at the time of completion, and supplier shall have no obligation to upda here is approximate and provided for informational purposes only. See a Lenovo A on.	t is provided bas te such informat	sed on supp ion. The inf	olier's ormati		
P7.17		does not contain free TBBPA in printed circuit boards(without components)>	25g.				
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:						
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls						
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal test methods.						
P12.2	Product method:	is designed to meet the subject ISO Standard 9995 and 9241-410, but is not c S.	ontirmed throu	gn tormal t	est		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19