



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | |
|------------------------|---------------------------------------------------------------|--------|--|--|
| Company name * | Lenovo | | | |
| Contact information * | Lenovo Global Environmental Affairs | Lenovo | | |
| e-mail address | Alvin L Carter | LCHOVO | | |
| | alcarter@lenovo.com | | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | | |
| Additional information | rmation The latest version of this document can be found at: | | | |
| | nttp://www.lenovo.com/ecodeclaration | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|--|--|--|--|
| Type of product * | Notebook | | | | |
| Commercial name * | Lenovo Legion Y530-15 | | | | |
| Model number * | 81FV, 81LF, 81LB, 81M7 | | | | |
| Issue date * | 2018-03-20 | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model nui | mber * | 81FV, 81LF, 81LB, 81M7 | Logo | Long | | |
|------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-------------|-------------------|------|
| Issue date |) * | 2018-03-20 | | Lend | | тн |
| Product | environ | mental attributes - Legal requirements | | Require | ment | met |
| Item | | | | Yes | No | n.a. |
| P1 | | ous substances and preparations | | | | |
| P1.1* | Products | s do comply with current European RoHS Directive. (See legal reference and NOTE | B1) | \boxtimes | | |
| P1.2* | | do not contain Asbestos (see legal reference). | | \boxtimes | | |
| | | nt: Legal reference has no maximum concentration value. | | | | |
| P1.3* | | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | | | | |
| | | omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach | | | | |
| | | ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values. | axımum | | | |
| P1.4* | | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated | orinated | \square | $\overline{\Box}$ | |
| | | Property of the property of th | | | | |
| P1.5* | | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb | on atoms in the | ne 🔀 | П | |
| | chain co | ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | | | | |
| P1.6* | | h direct and prolonged skin contact do not release nickel in concentrations above 0 | ,5 μg/cm²/wee | ek 🔀 | | |
| | ` 0 | al reference). | | | | |
| - · - · | | nt: Max limit in legal reference when tested according to EN1811:2011-5. | | | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail of | contact): | | | Ш |
| | • | w.lenovo.com/social_responsibility/us/en/environment.html | | | | |
| P2 | Batterie | | | | | |
| P2.1* | | educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference) | he disposal | | | |
| P2.2* | | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm | ium. (See leg | al 🔀 | \Box | |
| | referenc | | (000.09 | <u> </u> | ш | |
| P2.3* | Batteries | and accumulators are readily removable. (See legal reference) | | \boxtimes | | |
| P3 | Conforn | nity verification & Eco design (ErP) | | | | |
| P3.1* | | duct is CE-marked to show conformance with applicable legal requirements (see leg | al reference). | \square | | |
| | | laration of Conformity can be requested at (add link or e-mail address): | | _ | | |
| | | /w.lenovo.com/social_responsibility/us/en/ec_doc_notebooks | | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, | | | | |
| | , , | al reference). | | | | |
| | Required | d information is; given in item P15 or added to this document, | | \boxtimes | | |

available at (add URL):

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)

The product packaging material is free from ozone depleting substances as specified in the Montreal

http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks

Comment: Legal reference has no maximum concentration values.

Information for recyclers/treatment facilities is available (see legal reference).

hexavalent chromium by weight of these together.

P5

P5.1

P5.2*

P5.3*

P6

P6.1*

Product packaging

used (see legal reference).

Treatment information

Protocol (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | 81FV, 81LF, 81LB, 81M7 | Logo | Lonovo |
|----------------|------------------------|------|-----------|
| Issue date * | 2018-03-20 | | LEI IOVO" |

| Product | environmental attributes - Market requirements (See General NOTE GN below) | | | |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------|------|
| | · | Require | ment | met |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design, Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | \boxtimes | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | \boxtimes | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | \boxtimes | | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \boxtimes | | |
| P7.8* | Upgrading can be done using commonly available tools | \boxtimes | | |
| P7.9 | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| P7.12 | Material type: >PC+ABS-FR(40)< Material type: >PC+ABS-TD15-FR(40)< Material type: Insulation materials of external electrical cables are PVC free. | | | |
| | | | | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | | | |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ☐ are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) | | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | \boxtimes | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #: 26265-08-7 | | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: | | | |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: YGN5001RFD, Bayer FR3002, CAS #: confidential (See NOTE B4) 2. Chemical name: YGN5151RFL, Bayer FR3021, CAS #: confidential 3. Chemical name: , CAS #: confidential "" | | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40)</i> | \boxtimes | | |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | Ħ | |
| | assigned the following Risk phrases; and Hazard statements: | Ш | ш | |
| | The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See Note B6): | | \boxtimes | |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of recycled material is 0 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 81FV, 81 | ILF, 81LB, 81M7 | | | Logo | V/0 |
|------------------------------------------------------------------|------------------------------------------------------------------------------|---------------------------------------------------------|---------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------|
| Issue date * | 2018-03- | -20 | | | Leno | VO _{TM} |
| Product environ | nmental at | ttributes - Market re | equirements (contir | nued) | Requirer | nent met |
| Item | | | | | Yes N | lo n.a. |
| Materi | al and sub | stance requirements | (continued) | | | |
| P7.21* Biobas | ed plastic m | naterial content is used | in the product (See NO | OTE B7): | | |
| | | | s below shall be answe | • | | |
| | | ic parts′ weight > 25 g. c by weight) is <i>0</i> %. | , the biobased plastic r | material content (calcula | ated as a percentage | |
| or | · | , , | | | | |
| | | f the biobased plastic n | naterial is <i>0</i> g. less than 0,1 mg/lamp. | | <u> </u> | |
| | | specify: Number of lan | | ım mercury content per | lamp: mg | |
| P8 Batter | ies | · · · | · | <u> </u> | <u> </u> | |
| P8.1* Battery | chemical c | composition: LI-ION | | | | |
| P9 Energ | y consump | tion (See NOTE B8) | | | | |
| P9.1 For the | product the | e following power levels | s or energy consumption | ns are reported: | | |
| Energy mode * | | Power level at | Power level at | Power level at | Reference/Standard for ener | gy |
| | | 100 V AC | 115 V AC | 230 V AC | modes and test method * | |
| Peak (On-max) | | 135 W | 135 W | 135 W | Full load | |
| Category I3 | | | | | | |
| Short Idle State - | WOL | 6.47 W | 6.24 W | 6.83 W | Use for ENERGY STAR V6 | |
| Enabled | | | | | registration (P _{idle}) | |
| Long Idle State - | NOL | 4.19 W | 4.05 W | 4.35 W | Use for ENERGY STAR V6 | |
| Enabled | | | | | registration (P _{idle}) | |
| Sleep (S3) - WOL | Enabled | 0.71 W | 0.72 W | 0.79 W | Use for ENERGY STAR V6 | |
| , , , | | | | | registration(P _{sleep}) | |
| Sleep (S3) - WOL | Disabled | 0.71 W | 0.72 W | 0.79 W | Reference | |
| Off (S5) - WOL En | abled | 0.39 W | 0.39 W | 0.42 W | Use for ENERGY STAR V6 | |
| | | | | | registration(P _{off}) | |
| Off (S5) - WOL Di | sabled | 0.39 W | 0.39 W | 0.42 W | Use for ErP | |
| EPS No-load | | 0.103 W | 0.103 W | 0.105 W | | |
| (External power supply / char wall outlet but disconnected fr | ger plugged in the om the product.) | | | | | |
| PTEC * | noumntion | W | W | W | | |
| Typical Energy Co ETEC * | nsumption | 23.70 kWh/year | 23.01 kWh/year | 25.10 kWh/year | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.2)$ | 5 |
| Annual Energy Co | nsumption | 23.70 KVVII/yCai | 20.07 KWII/yCai | 20. TO KWII/yCai | $+ P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10$ | |
| 3 7 | · | | | | P _{short_ldle} x 0.30) | |
| | | Poff: Off Mode(S5) - WC | OL Enabled; Psleep: Sleep | Mode(S3) - WOL Enabled | ; P _{idle} : Idle State - WOL Enabled | |
| External Power Su | pply Efficier | ncy Level (International | Efficiency Marking Pro | tocol) * : V | | |
| Display resolution | 1920*10 | 80 megapixels | | | | |
| Default time to ente | er energy sa | ave mode: 10 minutes | | | | |
| P9.2* Inform | ation about | the energy save function | on is provided with the | oroduct. | | 1 |
| | | class (monitors only): | | | | |
| P10 Emiss | | , ,, | | | | |
| | | Declared according to | ISO 9296 (See NOTE | B9) | | |
| P10.1 Mode | | Node description | (333,1312 | | A-weighted sound power level, L | _wa,c (B) |
| Idle | | Idle | | * 2.8 | |) [|
| Opera | ion * | Operating | | * 4.9 | | - ii |
| Other | | | d pressure level (dB) $L_{p{\sf Am}}$ | 19 (operator position | desktop – idle) | |
| Other | mode L | Declared A-weighted sound | d pressure level (dB) $L_{p m Am}$ | 37,3 (operator position | on desktop – operating) | |
| | | | | The far of | | |
| Measu | easured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74) | | | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nur | nber * | 81FV, 81LF, 81LB, | , 81M7 | | | | Logo | Leno | VO | |
|---------------|------------|-----------------------------------------------|------------------------------------------|--------------------------|--------------------------------------------------|--------------|---------------------------------------------|------------------------|------|----------|
| Issue date | * | 2018-03-20 | | | | | | Lenc | VU | TM. |
| Product | environn | nental attributes | - Market requirem | nents (con | itinued) | | | Require | ment | met |
| Item | | | • | | • | | | Yes | No | n.a. |
| | | nagnetic emissions | | | | | | | | |
| P10.4 | | | requirement for low f | requency el | ectromagnetic fields | of the foll | owing voluntary | | | |
| D40 | | (s): MPR-II(3 pin AC | | | | | | | | |
| P12 P12.1* | | nics for computing | omic requirements of | 180 0241 | 207 for visual display | v tochnolo | gios | | _ | _ |
| P12.1* | | | | | | | gies. | | 井 | <u> </u> |
| | | • | eets the requirements | of ISO 999 | 5 and ISO 9241-410 | J. | | | | Ш |
| P13 | | ng and documenta | | / | \ 0.007 | | | | | |
| P13.1* | Product | packaging material t packaging material t | ype(s): CARTON | weight (kg weight (kg | | | | | | |
| | | packaging material t | | weight (kg | | | | | | |
| P13.2* | | | aging is free from PV | <u> </u> | , | | | \boxtimes | | |
| P13.3* | | luct primary corruga er recovered fiber co | ated fiberboard pack | aging, spec | ify the contained p | ercentage | of minimum po | | | |
| P13.4* | | | roduct documentation | n (tick box): | | | | | | |
| | | | Other | , , | | | | | | |
| P13.5 | (Please | only complete this it | em if paper documen | tation used) |) | | | | | |
| | Ùser and | d product documenta | ation on paper media | | | | | | | |
| | If Yes, pl | lease specify: | | | | | | | | |
| | Totally cl | hlorine-free | | | | | | | | |
| | Elementa | al chlorine-free | | | | | | $\overline{\boxtimes}$ | | |
| | Processe | ed chlorine-free | | | | | | | | |
| P14 | | ry programs | | | | | | | | |
| P14.1 | The prod | luct meets the requir | rements of the followi | ng voluntar | y program(s): | | | | | |
| | ENEDO) | Y STAR® | Criteria version: 6.1 | | D-t 2044/0/40 | Dundunt | | | | |
| | | el: EPEAT | Criteria version: 6.7 | | Date: 2014/9/10 Date: 2017/1/16 | | category: <i>I3</i> category: <i>Silver</i> | | | |
| | Eco-labe | | Criteria version: | 2000 | Date: | | category: | | | |
| P15 | Addition | nal information (See | e NOTE B10) | | | | 9 | | | |
| P9 | | | ecific configuration | | | | | | | |
| | | | presentations, guara | | | | | | | |
| | | | document. All informme of completion, an | | | | | | | ion |
| | | | e and provided for info | | | | | | | 1011 |
| | informati | | zana providou idi ilili | omiational p | 201 p 2000 01 ii y . 000 0 | 2 E0110 VO 7 | 1000uni represe | | | |
| P9 | | | otebooks & Tablet Co | | | | | | | |
| | http://ww | w.energystar.gov/in | dex.cfm?fuseaction= | find_a_prod | luct.showProductGr | oup&pgw_ | code=CO | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | Lenovo Legion Y530-15ICH | Logo | |
|------------------------|--------------------------|------|---------|
| Model Number | 81FV, 81LF, 81LB, 81M7 | | Lonovo |
| Issue Date | 2018-03-20 | | Lenovo. |
| Additional information | | | |

| | Product environmental attributes | | | | | | |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--|--|
| d) | Year of manufacture: | | | | 2018 | | |
| e) | Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display. | | | | | | |
| 7) | Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable | | | | | | |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) | | |
| | Memory over base [GB] | - | | 28 | | | |
| ents ting | Additional internal storage | (Yes / No) | (Yes / No) | yes (Yes / No) | (Yes / No) | | |
| capability adjustments applied during testing | Discrete television tuner | (Yes / No) | (Yes / No) | No (Yes / No) | (Yes / No) | | |
| ability a lied du | Discrete Audio Card | (Yes / No) | (Yes / No) | No (Yes / No) | (Yes / No) | | |
| cap | Discrete graphics Card(s) [number / #] | #: (Yes / No) | #: (Yes / No) | 1 #: Yes (Yes / No) | #: (Yes / No) | | |
| | Category of discrete graphics Card(s) | | | G5 | | | |
| saults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | | | | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | 20.64 | | | |
| g) | Idle state power demand (Watts); | 1 | <u>I</u> | 1 | 6.69 | | |
| 1) | Sleep mode power demand (Watts); | | | | 0.79 | | |
|) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | 0.79 | | |
|) | Off mode power demand (Watts); | | | | 0.45 | | |
| () | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 0.45 | | |
|) | Internal power supply efficiency at 10 %, | , 20 %, 50 % and 100 S | % of rated output pow | er (if applicable): | | | |
| | 10% 20% 50% | 100% Avera | ige | | | | |
| n) | External power supply efficiency (if appli | cable)*: | | | | | |
| | Average active efficiency: 90.24%, 90. | 68%, 90.02% | | | | | |
| p) | *internal note: show values for all available external properties. Minimum number of loading cycles that to | | tand (applies only to r | notebook computers): | 300 cycles | | |
| o-1) | Measurement methodology used to dete | ermine information men | ationed in points (I) – in | nternal PSU efficiency | : | | |

| | odology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0) | | | | | |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------|--|--|--|
| (p-3) Measurement meth | nodology used to determine information mentioned in p ≥70% of Cmin | points (o) – loading cycles batteries: | | | | |
| | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 | | | | | |
| (q) Sequence of steps | for achieving a stable condition with respect to power Power on -> Wait 5 minutes -> Stable co | | | | | |
| (r) Description of how | sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or of the selection | off mode | | | | |
| (s) Sequence of event off mode: | s required to reach the mode where the equipment au | tomatically changes to sleep and/or | | | | |
| | NA. | | | | | |
| condition which do | ate condition before the computer automatically res not exceed the applicable power demand requirem | ents for sleep mode (in minutes): | 30min | | | |
| | er a period of user inactivity in which the compute ower power demand requirement than sleep mode (ir | | NA | | | |
| (v) Length of time be | fore the display sleep mode is set to activate after | user inactivity (in minutes): | 10min | | | |
| (w) Information on the | energy-saving potential of power management functio Refer to User Guide | nality: | | | | |
| (x) User information of | n how to enable the power management functionality: *Refer to User Guide* | | | | | |
| the electricity supp used for electrical t | 230V50HZ-2%-Edition 2.0, 2011-01, Section | strumentation, set-up and circuits | | | | |
| Additional Notebook Batt | | Detter Feel and the | 1.4 | | | |
| | Battery[ies] not user replaceable | Battery[ies] user replaceable | n/a | | | |
| | The battery[ies] in this product cannot be easily replaced by users themselves. 1) | | | | | |
| Internal/built-in Battery | | | | | | |
| External/detachable Battery | | | | | | |
| Bios Backup Battery | | | | | | |
| Other: | | | | | | |
| Additional information | | | | | | |
| | | | _ | | | |
| | | | | | | |
| 1) The battery[ies] in this product cannot b | e easily replaced by users themselves | | | | | |
| Акумулаторната[ите] батерия[и] в тоз | и продукт не може да се замени[ят] лесно от самите потребит en ser sustituidas fácilmente por los propios usuarios. | ели. | | | | |
| Výměnu baterie/baterií v tomto výrobku | by neměli provádět sami uživatelé. | | | | | |
| | nn/können nicht ohne weiteres vom Benutzer selbst ausgetauscht | werden. | | | | |
| Kasutajad ei saa selle toote akut/akusio Η μπαταρία[-ες] στο προϊόν αυτό δεν μ | l ise hõlpsasti asendada. πορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες | | | | | |
| | oduit ne peuvent être facilement remplacée(s) par les utilisateurs e | | | | | |
| La batteria/le batterie in questo prodotte | non può/possono essere facilmente sostituita/e dall'utente. | | | | | |
| Lietotāji paši nevar nomainīt šā ražojum Šio gaminio baterijos [baterijų] pats var | otojas negali lengvai pakeisti. | | | | | |
| | a felhasználó nem tudja egyedül egyszerűen kicserélni. tax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Lett erstattes av brukerne selv. | | | | | |

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Užytkownik nie može sam w latwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.