



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Personal Desktop Computer
Commercial name *	Lenovo Legion T530 Tower
Model number *	90JL, 90JU
Issue date *	2018/04/20
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Issue date * 2018/04/20	wodei nu	mber "	90JL, 90JU	Logo	Lond		
Hear Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	Issue date	e *	2018/04/20		Len	JVC) _{TM}
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochlorocarbone (HBFC), hydrochlorofluorocarbone (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than: 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated concentration values. P1.5* Products do not contain more than: 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated concentration values. P1.6* Products do not contain more than: 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P2. ** REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/ser/nervironment.html P2. ** Batteries** P3.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P3.2* Batteries or accumulators are readily removable. (See legal reference) P3.2* Batteries and accumulators are readily removable. (See legal reference) P3.4* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/use/ncompliance/eco-declaration P5.2* The product packaging P6.1* Product packaging and p	Product	environ	mental attributes - Legal requirements		Require	ment	met
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HDFC), hydrobromo	Item				Yes	No	n.a.
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HDFC), hydrochrofluorocarbons (HDFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than; 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3.2* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complians with the Eco design (ErP) P3.1* The product complians with the Eco design requirements for energy-related products, (see legal reference). P4. Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and heavy available at (add URL): lenovo com/us/en/compliance/eco-declaration P5. Product packaging P6.1* Packaging and packaging components do not contain more than 0,01% lead,	P1	Hazardo	ous substances and preparations				
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/lus/en/environment.html P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries on accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). See legal reference). P4. Packaging of Conformity verification & Eco design (ErP) P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). P5. Product packaging P6.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product complies with the Eco design req	P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
hydrobromofluorocarbons (HBFC), hydrochlorofluoroarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P2.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/tus/en/en/vironment.html P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3.4* Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eco-declaration P5.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging material is free from ozone d							
terphenyl (PCT) in preparations (see legal reference). P1.5' Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6' Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html P2 Batteries P2.1' If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3' Batteries and accumulators are readily removable. (See legal reference) P3.1' The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc P3.2' The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5.1' Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2' The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P1.3*	hydrobro trichloroe	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3.3* Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5.1* Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P1.4*			lorinated	\boxtimes		
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb	oon atoms in th	ne 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).	,5 μg/cm²/wee	k 🔀		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product oom/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference has no maximum concentration values.	P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product oom/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference has no maximum concentration values.	P2	Batterie	<u> </u>				
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		If the pro	duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal			
P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): ** https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is;	P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	al		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				
The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/eco-declaration P5 Product packaging Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P3	Conform	nity verification & Eco design (ErP)				
(see legal reference). Required information is;		The Dec	laration of Conformity can be requested at (add link or e-mail address):	gal reference).			
P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	P3.2*						
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		Required			\boxtimes		
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				o-declaration			
hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.		hexavale	ent chromium by weight of these together.			<u>Ц</u>	
(see legal reference). Comment: Legal reference has no maximum concentration values.		used (se	e legal reference).			Ш	
· · · · · · · · · · · · · · · · · · ·	P5.3*	(see lega	al reference).	Iontreal Protoc	lo:		
	P6		<u> </u>				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Model number *	90JL, 90JU	Logo	Lanava
Issue date *	2018/04/18		Leilovo

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require		met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	$\overline{\Box}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		$\overline{\Box}$	Ī
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		$\overline{}$	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\blacksquare	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		T	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS PCR65%+ABS Material type: Material type: pure material+PC+POM Metal*3(SGCC+SUS301+SPCC)			
P7.12	Insulation materials of external electrical cables are PVC free.	\Box	\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	- H	X	\forall
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			\forall
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		$\overline{\mathbf{X}}$	
	as defined in IEC 61249-2-21. (See 1NOTE B2)	ш		ш
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\boxtimes
D7 47	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:	\boxtimes		
	26265-08-7		ш	ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:		ш	ш
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:			\boxtimes
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	Ħ	Ħ	
	assigned the following Risk phrases; and Hazard statements:			<u></u>
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
1	a percentage of total plastic by weight) is 8.7%.			
	or b) The weight of recycled material is 160.5 g.			
	b) The weight of recycled material is 160.5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90JL, 90JU	Logo	Lonovo
Issue date *	2018/04/20		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)		
P7.21*	Biobased plastic	material content is used	I in the product (See No	OTE B7):	
P7.22*		free from mercury, i.e. I specify: Number of lan		um mercury content pe	r lamp: mg
P8	Batteries	' '	•	,	
P8.1*	Battery chemical	composition: Lithium N	langanese Dioxide		
P9	Energy consump	ption (See NOTE B8)			
P9.1	For the product th	ne following power level	s or energy consumption	ons are reported:	
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-	max)	166.5 W	168.2 W	169.7 W	Full load
Categor	y D2				
Short Idle Enabled	State - WOL	41.28 W	41.112 W	41.004 W	Use for ENERGY STAR V6 registration (P _{idle})
Long Idle Enabled	State - WOL	39.780 W	40.404 W	40.248 W	Use for ENERGY STAR V6 registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.912 W	0.912 W	1.104 W	Use for ENERGY STAR V6 registration(P _{sleep})
Sleep (S3)	- WOL Disabled	0.872 W	0.872 W	1.076 W	Reference
Off (S5) - I	WOL Enabled	0.492 W	0.492 W	0.672 W	Use for ENERGY STAR V6 registration(Poff)
Off (S5) - 1	WOL Disabled	W	W	0.28 W	Use for ErP
PTEC * Typical Ene	ergy Consumption	20.681 W	20.717 W	20.747 W	
ETEC *	ergy Consumption	D2:181.17 kWh/year	D2:181.48 kWh/year	D2:181.74 kWh/year	ETEC = (8760/1000) x (Poff x 0.45 + Psleep x 0.05 + Plong_idle x 0.15+ Pshort_idle x 0.35)
		P _{off} : Off Mode(S	55) - WOL Enabled; Psleep	: Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle State - WOL Enabled
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Pro	otocol) * :	
Display res	solution * : megapi	xels			
Default time	e to enter energy s	ave mode: 25 minutes			
P9.2*	Information about	the energy save function	on is provided with the	product.	
P9.3		class (monitors only):	·	•	
P10	Emissions				
		 Declared according to 	ISO 9296 (See NOTE		
P10.1		Mode description			t A-weighted sound power level, L _{WA,c} (B)
	Idle	* HDD:Idle		* 4.1	
	Operation	* HDD: Operating		* 4.2	
		Declared A-weighted sound			ion desktop – idle)
	L	Declared A-weighted sound		31.3 (operator positi	ion desktop – operating)
	Measured accord	ing to: ISO 7779 X	-	ECMA 74)	
	1	U Otner	(only if not covered by	ECIVIA-14)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	90JL, 90JU					Logo	П	ana	\ <u>\</u>	
Issue date *	2018/04/20						<u> </u>	eno	VO,	м
Product environ	mental attributes	- Market requiren	nents (con	tinued)			R	equire	ment	met
Item		•						Yes	No	n.a.
Electro	magnetic emission	S								
P10.4 Compu prograr		requirement for low t	frequency ele	ectromagne	etic fields of the	following volu	ntary			
	mics for computing									
P12.1* The dis	play meets the ergor	omic requirements o	f ISO 9241-3	307 for visu	al display techr	nologies.				\boxtimes
	•	eets the requirements		5 and ISO	9241-410.					\boxtimes
		tion (PIC:Packaging								
Produc	packaging material packaging material packaging material	type(s): PE	weight (kg) weight (kg) weight (kg)): 0.695						
P13.2* Produc	plastic primary pack	aging is free from PV	/C.							\boxtimes
	duct primary corrug	ated fiberboard pack ontent: 100%	aging, spec	ify the con	tained percenta	age of minimu	m post-			
		product documentatio Other	n (tick box):							
Ùser ar		em if paper documen ation on paper media								
,	chlorine-free									
	tal chlorine-free							×		
	sed chlorine-free							\square		
	ary programs				- \-					
P14.1 The pro	duct meets the requ	rements of the follow	ing voluntary	/ program(s	5):					
ENERG	SY STAR®	Criteria version: 6.1	1	Date:	Produ	uct category: D)2			
Eco-lab	el: <i>EPEAT</i>	Criteria version: 1.0)	Date:		uct category:				
Eco-lab		Criteria version:		Date:	Produ	uct category:				
	nal information (Se									
Litergy		ecific configuration							- 41	
informa knowled	tion contained in this dge available at the t d here is approximat	epresentations, guara document. All inform ime of completion, an e and provided for inf	nation providend supplier sh	ed by suppl nall have no	lier in this docu ວ obligation to ເ	ment is provide update such inf	ed based formation.	on supp	olier's formati	on
		otebooks & Tablet Condex.cfm?fuseaction=				gw code=CO				
	, , , , , , , , , , , , , , , , , , ,									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion T530 Tower	Logo	
Model Number	90JL, 90JU		Longvo
Issue Date	2018/04/20		Lenovo.
Additional information	Energy Star 6.1, Greenguard, EPEAT in China		

d)	year of manufacture:				2018	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3	
	Memory over base [GB]				28	
ints	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)	
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)	
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)	
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	
	Category of discrete graphics Card(s)				G7	
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				180.29	
g)	Idle state power demand (Watts);	1	1		50.39	
h)	Sleep mode power demand (Watts);				1.48	
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.35	
j)	Off mode power demand (Watts);				0.64	
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.64	
l)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	450W: 10% 79.94 % 20% 84.48 % 50	0% 86.15% 100% 83 .	33% Average 84.65	5%		
(m)	external power supply efficiency (if applied	cable)*:				
	Average active efficiency: N/A					
0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):					
p-1)	Measurement methodology used to dete Generalized Test Protocol for Calcu		iciency of Internal A			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A				
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:				
	В	ased on user manual/Power on->Wait 5 minutes-	>Stable condition		
(r)	Description of how sleep and/or off mode was selected or programmed:				
	Based on user manual/Begin menu -> Power -> Select sleep or off mode				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			25	
(u)					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):				
(w)	Information on the energy-saving potential of power management functionality:				
		Based on user manual			
(x)	user information on how to enable the power management functionality:				
		Based on user manual			
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
230V, 50Hz, Total Harmonic Distortion <2 %					
Addition	Notebook Battery	Information:			
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additiona	l information				

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Akywynarophara[ure] δατερμα[ν] ε του μορχκτ με μοκωε μα σε замени[яτ] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výmênu bateria/baterii v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterieme i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akul/akusid ise hőlpsasti asendada.

H μπατρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji fdan il-prodott ma tistax/jistgħux tiġi/jigu sostitwita/ mill-utenti stess.

Batteriel (ene) i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latvy sposób wymienić baterii w tym produkcie.

A ou as bateriad ester produto não podem ser facilmente susbstituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs não podem ser facilmente susbstituídas pelos próprios utilizadores.

A ou as baterias deste produs nat poderm se nacimiente substitudas peius propinos unizatorie Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieñat' používatef.
Baterii/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[văt] ole helposti kāyttăjân vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.