

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	o Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Legion Y44w-10				
Model number *	65EA, 65F2				
Issue date *	2019/03/15				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	65EA, 65F2	Logo				
Issue date *		2019/03/15		Lene	Lenovo.		
Produc	t environ	mental attributes - Legal requirements		Require	ment	t me	
Item				Yes	No	n.a	
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\square			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	eek 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
P2	Batterie	S					
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)				\square	
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The pro The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	· •	d information is; given in item P15 or added to this document,		\boxtimes			
		available at (add URL): lenovo.com/us/en/compliance/ec	o-declaration	, 			
P5	Product	packaging					
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium	and 🔀			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s)						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	65EA, 65F2	Logo					
Issue date *		2019/01/10		Len	Lenovo			
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)					
		onmental conscious design		Require		met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design Disasse	mbly, recycling						
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes			
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\square				
P7.4*								
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square				
P7.8*	Upgradir	ng can be done using commonly available tools		\square				
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
	Material	and substance requirements						
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):						
		type: ABS Material type: PC Materia	al type:					
P7.12		n materials of external electrical cables are PVC free.						
P7.13		n materials of internal electrical cables are PVC free.			\square			
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, ar	nd 💆				
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en	\boxtimes			
P7.16	Marking:					\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), XTBBPA (reactive) (See NOTE B3), Other: chemical name , CAS		\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g		\square			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in				
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:		\square			
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:						
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) 7.20* Postconsumer recycled plastic material content is used in the product (See Note B6):							
	lfYES;a a) Oft ape or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 49.3%. (EPEAT calculation) / 85% (TCO ca	•					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65EA, 65F2	Logo				
Issue date *	Error! Reference source not found.15		Lenovo.			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

Requirement met Yes No n.a.

	Material and sub	stance requirements	(continued)						
P7.21*		obased plastic material content is used in the product (See NOTE B7):							
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or 								
	b) The weight o	f the biobased plastic r	naterial is <mark>0</mark> g.						
P7.22*		free from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp. nps: and maxim	um mercury content pe	r lamp: mg				
P8	Batteries								
P8.1*	Battery chemical composition:								
P9	Energy consump	otion (See NOTE B8)							
P9.1			s or energy consumption						
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy				
		100 V AC	115 V AC	230 V AC	modes and test method *				
ENERGY S (System Idl	STAR® On Mode* e)	41.33W	42.18W	42.73W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1				
ENERGY S	STAR® Low Power e*	1.62W	1.56W	1.54W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1				
ENERGY STAR® Off / Apparent Off Mode*		0.19W	0.2W	0.24W	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1				
	ergy Consumption	W	W	W					
	ergy Consumption	110.95kWh/year	113.27 kWh/year	114.9 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + \square)$ $P_{sleep} \times 0.1 + P_{idle} \times 0.3$				
External Po	ower Supply Efficier	ncy Level (Internationa	Efficiency Marking Pro	otocol) * :					
Display res	olution* : 3840*12	00 megapixels			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1				
Default time	e to enter energy sa	ave mode: 15 seconds			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 7.1				
P9.2*	Information about	the energy save functi	on is provided with the	product.					
P9.3*	The product meets the energy requirements of the following voluntary program/s:								
P10	Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1		Mode description		Statistical upper limi	t A-weighted sound power level, <i>L_{WA,c}</i> (B)				
	Idle *	HDD: Idle		*					
		HDD: Operating		*					
			d pressure level (dB) $L_{p{\sf Am}}$		sition desktop – idle)				
			d pressure level (dB) L _{pAm}		sition desktop – operating)				
	Measured accordi	ing to: 🔀 ISO 7779 🗌	ECMA-74						
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		65EA, 65F2					Logo				
		Error! Reference source not found.15					Le	Lenovo.			
Product	environ	nental attribute	es - Market requiren	nents (cor	tinued)			Re	quire	ment	met
ltem									Yes	No	n.a
		magnetic emission									
P10.4	program	(s):	he requirement for low	frequency e	ectromagnetic fields	s of the foll	owing volun	tary			
P12		mics for computi									
P12.1*	The disp	olay meets the erg	onomic requirements o	f ISO 9241-	307 for visual displa	y technolog	gies.		\bowtie		
P12.2*	The phy	sical input device	meets the requirement	s of ISO 999	5 and ISO 9241-41	0.					\square
P13		ing and documer									
P13.1*	Product		al type(s): <i>Carton Box</i> al type(s): <i>Cusion</i> al type(s): <i>Bag</i>	weight (kg weight (kg weight (kg	j): 1.708						
P13.2*	Product	plastic primary pa	ckaging is free from P\	/C.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 90 %										
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:										
	Totally o	hlorine-free									
	-	al chlorine-free							H		
		ed chlorine-free							H		
P14	Volunta	ry programs									
P14.1			quirements of the follow	ring voluntar	y program(s):						
	ENERGY STAR®Criteria version: 7.1Date: 2019-01-17Product category: DisplaysEco-label:Criteria version: 8.0Date: 2019-02-02Product category: DisplaysEco-label:Criteria version:Date: 2019-02-02Product category: DisplaysEco-label:Criteria version:Date: Product category:										
P15		nal information (
P9			specific configuration	n may vary:	description of the	tested pro	duct confi	guration	:		
	NOTE: S informat knowled	Supplier makes no ion contained in th ge available at the I here is approxim	representations, guara nis document. All inform e time of completion, ar ate and provided for inf	antees, assunation provid	rances or warrantie led by supplier in thi hall have no obligat	s whether e s documer ion to upda	express or i it is provide ate such info	mplied, re d based c ormation.	egardin on supp The in	olier's format	ion
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays										

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1