

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1	lenovo.	
	Morrisville, North Carolina 27560 alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	'.html	
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	AIO-PC			
Commercial name *	Lenovo B40-30			
Model number *	F0AW; 10178			
Issue date *	16/05/2014			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	Lenovo B40-30	<i>MT:</i> F0AW/10178		
Issue date *	16/05/2014		Logo	lenovo.

Product	Product environmental attributes - Legal requirements				
Item	-	Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)				
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes			
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the				
D1 C*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		_		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.		Ш		
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes	
	pentachlorophenol and derivatives (see legal reference).				
D1 0*	Comment: Legal reference has no maximum concentration values.		_		
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).		Ш	Ш	
	Comment: Max limit in legal reference when tested according to EN1811:1998.		_		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):		Ш		
DO	http://www.lenovo.com/social_responsibility/us/en/materials.html				
P2.1*	Batteries If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	N 7			
F2.1	more than 0.005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)		Ш		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or				
	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	ш	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3	Safety, EMC connection to the telephone network and labeling				
P3.1*	The product complies with legally required safety standards as specified (see legal reference).				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	X	Ħ	Ħ	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies	X	Ħ	Ħ	
	with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).		ш	<u> Ц</u>	
P4.1*	Consumable materials If a photo conductor (drum, holt ata.) is used in the product, it does not contain codmium may 0.01%/ (con-		$\overline{}$		
	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		<u> Ц</u>		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes	
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\boxtimes			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	X			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo B40-30	<i>MT:</i> F0AW/10178		
Issue date *	16/05/2014		Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	quire	men	t met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.	П	X	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
P7.12	Material type: Material type: Material type:	_		
	Electrical cable insulation materials of power cables are PVC free.	ᆚ		_ <u></u>
P7.13	Electrical cable insulation materials of signal cables are PVC free	<u>Ц</u>	\boxtimes	Щ
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #: 2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	$\stackrel{\square}{\vdash}$	∺	井
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш	Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 70%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.	<u> </u>	_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg		Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			$\overline{}$

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo B40-30	<i>MT:</i> F0AW/10178		
Issue date *	16/05/2014		Logo	lenovo.

Item	environmental attri	butes - Market i	equirements (continuea)	Requirement Yes No	me n.a
P9	Energy consumption	n			Tes INC	II.a
9.1	For the product the fo		ls or energy cons	umptions are re	ported: See P14	
Energy mod	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-ı	max)	74.654 W	73.641 W	72.263 W	Full load	
Category	v I1					
	State - WOL Enabled	39.588 W	39.461 W	38.634 W	Use for ENERGY STAR V6 registration (Pidle)	
Long Idle	State - WOL Enabled	24.839 W	24.883 W	25.128 W	Use for ENERGY STAR V6 registration (P _{idle})	Ħ
Sleep (S3)	- WOL Enabled	3.1488 W	3.2122 W	3.1961 W	Use for ENERGY STAR V6 registration(P _{sleep})	Ħ
Sleep (S3)	- WOL Disabled	2.9682 W	3.1486 W	3.2972 W	Reference	Ħ
Off (S5) - V	WOL Enabled	1.5354 W	1.535 W	1.5696 W	Use for ENERGY STAR V6 registration(Poff)	Ħ
Off (S5) - V	WOL Disabled	1.4508 W	1.5022 W	1.5101 W	Use for EuP	Ħ
Category	v 12				<u> </u>	
	State - WOL Enabled	/ W	W	W	Use for ENERGY STAR V6 registration(P _{idle})	I
Long Idle	State - WOL Enabled	w	W	W	Use for ENERGY STAR V6 registration(P _{idle})	Ħ
	- WOL Enabled	W	W	W	Use for ENERGY STAR V6 registration (P _{sleep})	F
	- WOL Disabled	W	W	W	Reference	Ħ
	VOL Enabled	W	W	W	Use for ENERGY STAR V6 registration(Poff)	÷
	WOL Disabled	W	W	W	Use for EuP	H
Category						H
	<u>y 10</u> State - WOL Enabled	1 41.471 W	42.934 W	44.433 W	Use for ENERGY STAR V6 registration(P _{idle})	\vdash_{Γ}
Lona Idle :	State - WOL Enabled		25.659 W	25.664 W	Use for ENERGY STAR V6 registration(Pidle)	H
	- WOL Enabled	2.9521 W	2.9846 W	3.2578 W	Use for ENERGY STAR V6 registration (P _{sleep})	H
	- WOL Disabled	3.0074 W	2.6803 W	3.2181 W	Reference	╁
	VOL Enabled	1.5218 W	1.5326 W	1.5218 W	Use for ENERGY STAR V6 registration(Poff)	₽
	VOL Disabled	1.4463 W	1.5152 W	1.4322 W	Use for EuP	H
EPS No-loa		0.1862 W	0.1881 W	0.2270 W	000.07.247	H
(External p	ower supply / charger the wall outlet but ed from the product.)					
PTEC * Typical Ene	ergy Consumption	N/A W	<i>N/A</i> W	N/A W		
TEC * Typical Ene	ergy Consumption	Catl1:95.81 Catl3:98.53 kWh/week	Catl1:95.99 Catl3:98.60 kWh/week	Catl1:97.01 Catl3:98.69 kWh/week		
Etec * Annual Ene	ergy Consumption	Catl1:95.81 Catl3:98.53 kWh/year	Catl1:95.99 Catl3:98.60 kWh/year	Catl1:97.01 Catl3:98.69 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{ShortIdle} \times 0.35 + P_{LongIdle} \times 0.15)$	
Diaplay res	olution* : 1920*1080	P _{off} : Off Mode(SS Megapixels	5) - WOL Enabled;	P _{sleep} : Sleep Mode	e(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	1
. ,		<u> </u>				L
Print Speed		nages per minute				
	e to enter energy save			المسام مالا مالا		Ļ
P9.2*	Information about the	0,	·	•		L
⊃9.3*	The product meets the ENERGY STAR® ve Others specify:			ng voluntary prod oduct category:	granivs:	
P10	Emissions Noise emission – D	eclared according t	o ISO 9296			
P10.1		de description	0 100 9290	Declared A-weighted sound power	er Sound pressure level $L_{p{\sf Am}}$ (dB)	
				sound power	Operator position Bystander position	s

			level L_{WAd} (B)	Desktop 🔀 or Desk side 🗌	(only if product is not operator attended)	
	Idle	* Idle	* 3.7Bel(A)	30d	B(A)	
	Operation	* CPU stress loading 80%	*4.4Bel(A)	35d	B(A)	
	Other mode					
	Measured according to: ISO7779 ECMA-74					
	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)					
P10.2	10.2 The product meets the acoustic noise requirements of the following voluntary program/s:					\boxtimes

Model number *	Lenovo B40-30	<i>MT:</i> F0AW/10178		
Issue date *	16/05/2014		Logo	lenovo

Product	environmental attributes - Market requirements (continued)	Requirer	ment	met
Item	•	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\boxtimes
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	f		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): paper weight (kg): 1.16			
	Product packaging material type(s): PE weight (kg): 0.36			
	Product packaging material type(s): HDPE weight (kg): 0.008			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic , Paper , Other			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied,			
	information contained in this document. All information provided by supplier in this document is provided based			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent			ION
	information.	auve IUI II	IIUIE	
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item		
2002/95/EC (ROHS Directive)	P1.1, P4.1		
REACH, Annex XVII	P1.6, P1.8, P4.2		
REACH, Annex XVII	P1.4		
REACH, Annex XVII	P1.2		
REACH, Annex XVII	P1.7		
REACH, Annex XVII	P1.9		
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3		
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5		
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1		
2006/95/EC (Low Voltage Directive)	P3.1, 3.4		
2004/108/EEC (New EMC Directive)	P3.2, 3.4		
1999/5/EC (R&TTE Directive)	P3.3, 3.4		
"REACH" Regulation (1907/2006), annex VII	P1.10		
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3		
REACH article 31, annex II	P4.3		
2004/12/EC (Directive on packaging and packaging waste)	P5.1		
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2		
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3		
2002/96/EC (WEEE directive)	P3.4, P6.1		
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19		

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo B40-30	Logo
Model Number	F0AW/10178	_
Issue Date	16/05/2014	lenovo.
Additional information	N/A	

(d)	please s	manufacturing- ee product name plate
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display: Cat. D 198	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics care enabled: Cat. D 268	ds (dGfx) are
(g)	idle state power demand (Watts);	25.66
(h)	sleep mode power demand (Watts);	3.22
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	3.26
(j)	off mode power demand (Watts);	1.43
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	1.52
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 80.77% 20% 87.00% 50% 89.90% 100% 90.59% Average 87.06%	
(m)	external power supply efficiency (if applicable): 10% N/A 20% N/A 50% N/A 100% N/A Average N/A ; or Level: N/A	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test Voltage: 230V-50HZ Test Equipment: Digital Power Meter: Chroma 66202 Measurement Test fixture: Chroma A662003 AC Source: Gwinstek ASP-9102	
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Test Equipment: AC Source CHROMA: 6430/643000000908 Electronic Load CHROMA: 63030/6300006368	

	Powe	er Meter (CHROMA: 66202/662022003033	
		Setup:	7.11.5 II.7.11	
	□ Co	onnect th	e EUT to suitably calibrated AC source, power meter and electronic load.	
	□W	arm up at	least 30 minutes at 100% of nameplate current output.	
		ne EUT sh lition.	all be tested at 100%, 75%, 50%, 25% of nameplate output current and no load	
	<i>Д</i> М	easure th	e relative parameters required from test record.	
	□ TI	ne input to	est voltage shall be used 230V/50HZ.	
	□ Ai	nbient te	mperature: 23 +/-5 °C.	
	· No	o-Load m	ode: Not connection to a product or any other load.	
	Exte	rnal AC-D	dure following Test Method for Calculating the Energy Efficiency of single-voltage IC and AC-AC Power Supplies and "IEC 62301"	
(p-2)	the r		ent methodology used to determine information mentioned in points (m) – external PSU N/A	
(p-3)	the r	neasurem	ent methodology used to determine information mentioned in points (o) – loadingcycles	
	batte	ries:	N/A	
(p-4)	powe Test long shor	r as define Condition idle Mode t idle Mod	ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration: 1: 2: Measure Panel brightness 150cd/m2 4e: Turn off the display: after 10minutes	
	Slee	o(S3): P0	urn In Mode(Driver: Burn In Pro 7.1 Build 1017) C Setting go to Sleep Setting to Shut down	
(q)	sequ	ence of st	eps for achieving a stable condition with respect to power demand:: N/A	
(r)	desci	ription of h	ow sleep and/or off mode was selected or programmed:	
	Step Step Off N Step	2. Select lode 1. Select	Shut down or sign out Sleep Shut down or sign out Shut down	
(s)	off m	ode: o <i>Mode</i>	rents required to reach the mode where the equipment automatically changes to sleep and/or	
	Step Step Step	2. Select 3. Select 4. Setting	control panel Power Options Choose when to turn off the display Turn off the display	
		1. Select	Shut down or sign out Shut down	
(t)	the d	uration o	idle state condition before the computer automatically reaches sleep mode, or another does not exceed the applicable power demand requirements for sleep mode (in minutes):	25 minutes
(u)			me after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	25 minutes
(v)	the le	ength of t	me before the display sleep mode is set to activate after user inactivity (in minutes):	10 minutes
(w)	Pres	s F1 Butt	the energy-saving potential of power management functionality: on to BIOS Setting: Enhanced Power Saving Mode(ErP)	
(x)	user Pres Step	informatio s F1 Butte 1. Select	n on how to enable the power management functionality: on to BIOS Setting: Automatic Power on	
(z)	test p electrifor el Test Test Digit	varameters ricity supp ectrical ter Voltage: Equipme al Power	230V-50HZ nt: Meter: Chroma 66202	
			Test fixture : Chroma A662003 winstek ASP-9102	
	n Notebo	ok Batter	y Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a	non-protessional

			\boxtimes	user.	
				The battery[ies] in this product cannot be easily replaced by users themselves	
Additional information					
	N/A				
ı					