

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environme	nt.html
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets	_notebooks.html

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Type of product * All-in-One Desktop PC						
Commercial name *	Lenovo C255						
Model number *	10137, F0A1						
Issue date *	2014/05/12						
Intended market *	🛛 Global 🛛 Europe 🛛 Asia, Pacific & Japan 🖾 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	C255	MT: 10137, F0A1		
Issue date *	2014/05/12		Logo	lenovo
Product enviro	nmental attrib	utes - Legal requirements		Requirement met

P1	Hazardous substances and preparations		
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	\square	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.		
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)		\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.		\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\square	
P2	Batteries		
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)		
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)		
P3	Safety, EMC connection to the telephone network and labeling		
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square	
P4	Consumable materials		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).		\square
P5	Product packaging		
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	\square	

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	C255	MT: 1013	87, F	•0A1	1							
Issue da	ate *	2014/05/12							Logo		lenc	DVO	
Droduc	t onviron	montal attribute	es - Market requ	iromo	nte - E	Environ	montal	consciou	e docian	D	equire	mont	mot
Item			ional information re							110	Yes	No	n.a.
P6		nt information		syarum	ig each		ay be loui		4.		165	NU	n.a.
P6.1*			atment facilities is	availat	ble (see	e legal re	eference)						
P7	Design					guite	,						
••		mbly, recycling											
P7.1*			d separately are ea	asily se	eparable	e					\square		
P7.2*	Plastic n	aterials in covers/	housing have no su	urface o	coating.						Ē		Ē
P7.3*			of one material or				aterials.					Ē	Ħ
P7.4*		8	terial codes accord					1043.				⊢⊢	H
P7.5			netal inlays or have						lv available to	ols		⊢⊢	\dashv
P7.6*			e. (This requiremen									╞	⊢⊢
17.0	Product		. (This requirement	11 0003	ποι αρμ	Jiy 10 3a	iety/iegui).				
P7.7*			. with processor, m	iemorv	cards	or drive	\$				\square		
P7.8*			ng commonly avail	-			5					-	-
P7.9.	10	5	°,										-
			fter end of producti			S							<u> </u>
P7.10			nd of production for	r: 5 yea	ırs								
P7.11*		and substance re cover/housing mate											
P7.11		type: ABS		rial type	<u>.</u> .			Moto	vrial type:				
P7.12			naterials of power of	rial type cables :		C free		Iviale	erial type:			\boxtimes	
P7.12			naterials of signal of								╞		⊢⊢
P7.14			irts >25g are free f				nino						- -
P7.15		.						ofined in IE	C61040 0 01	(500			- -
	Note B2)	vithout components			-				. (See			
P7.16	Marking:	etarded plastic parts >ABS<	s >25g in covers / I	housing	gs are n	marked a	according	ISO 1043-4	1:		\boxtimes		
P7.17			flame retardants in BPA (reactive) ,							-7	\boxtimes		
			flame retardants in <i>Epoxy Resin See</i>		d circuit	t boards	(without	components	i) >25g accor	ding			
P7.18	concentr	ations above 0.1%				•		nt substand	ces/preparation	ons in			
	1. Chem 2. Chem	ent: No legal lin ical name: ical name: ical name:	nits exist, this is CAS #: CAS #: CAS #:	s a ma	,	require , Supplie , Supplie , Supplie	er: er:						
		specifications of f	ame retardants in	plastic	part						\bowtie		
P7.19	Plastic p	arts >25g are free	from flame retarda R53, R60, R61 and	nt subs	stances				assified as R	45,			
P7.20			t > 25g, recycled m										
P7.21			t >25g, biobased m										
P7.22	Light sou	urces are free from ry is used specify: I	mercury					nt per lamp:	mg		\square		
P8	Batterie						, ,						
P8.1*	Battery of	hemical compositi	on: <i>Lithium Ion /L</i>	ithium	Manga	anese D	ioxide						
P8.2			nents of the followi										

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * C255		0137, FOA	1		
Issue date * 2014/05/12	2			Logo lenovo	
Product environmental attr	ributes - Market	requirements (continued)	Requireme	nt me
Item			····/		lo n.a
P9 Energy consumption				nexted One D11	
9.1 For the product the Energy mode *		Power level at			ot [
Energy mode	100 V AC	115 V AC	230 V AC	method *	
Peak (On-max)	W	W	W	Full load	
Category A		1	I		
Short Idle State - WOL Enable	d W	W	W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Long Idle State - WOL Enable	d W	W	W	Use for ENERGY STAR V5.2 registration (P _{idle})	<u> </u>
Sleep (S3) - WOL Enabled	W	W	W	Use for ENERGY STAR V5.2 registration(P _{sleep}) 🛛
Sleep (S3) - WOL Disabled	W	W	W	Reference	\square
Off (S5) - WOL Enabled	W	W	W	Use for ENERGY STAR V5.2 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP	
Category B					
Short Idle State - WOL Enable	d W	W	W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Long Idle State - WOL Enable	d 10.94 W	10.68 W	10.89 W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Sleep (S3) - WOL Enabled	1.35 W	1.4 W	1.37 W	Use for ENERGY STAR V5.2 registration(P _{sleep})
Sleep (S3) - WOL Disabled	1.29 W	1.33 W	1.31 W	Reference	
Off (S5) - WOL Enabled	0.43 W	0.41 W	0.42 W	Use for ENERGY STAR V5.2 registration(Poff)	
Off (S5) - WOL Disabled	0.16 W	0.16W	0.22 W	Use for EuP	
Category C					
Short Idle State - WOL Enable	d W	W	W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Long Idle State - WOL Enable	d 10.11 W	10.13 W	10.54 W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Sleep (S3) - WOL Enabled	1.32 W	1.31 W	1.03 W	Use for ENERGY STAR V5.2 registration(P _{sleep})
Sleep (S3) - WOL Disabled	1.26 W	1.24 W	1.01 W	Reference	
Off (S5) - WOL Enabled	0.39 W	0.42 W	0.49 W	Use for ENERGY STAR V5.2 registration(Poff)	
Off (S5) - WOL Disabled	0.16 W	0.16W	0.22 W	Use for EuP	
Category D					
Short Idle State - WOL Enable	d W	W	W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Long Idle State - WOL Enable	d 10.21 W	10.43 W	10.84 W	Use for ENERGY STAR V5.2 registration (P _{idle})	
Sleep (S3) - WOL Enabled	1.44 W	1.45 W	1.13 W	Use for ENERGY STAR V5.2 registration(P _{sleep})
Sleep (S3) - WOL Disabled	1.38 W	1.39 W	1.08 W	Reference	
Off (S5) - WOL Enabled	0.46 W	0.47 W	0.54 W	Use for ENERGY STAR V5.2 registration(Poff)	
Off (S5) - WOL Disabled	0.16 W	0.16W	0.22 W	Use for EuP	
EPS No-load (External power supply / charge plugged in the wall outlet but disconnected from the product.)		0.139 W	<i>0.198</i> W		
PTEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption	B: 41.0 C: 37.9 D: 38.6 (kWh/year)	B: 40.0 C: 38.1 D: 39.5 (kWh/year)	B: 40.8 C: 39.7 D: 41.1 (kWh/year)	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.55 + P_{sleep} \times 0. + P_{idle} \times 0.4)$	05
Display resolution* : 1366 * 768		ə) - WUL Enabled; I	∽ _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
	iges per minute e mode: 25 minute				

P9.2*	Information about	It the energy save function is provided with	the product.		\boxtimes		
P9.3*		ets the energy requirements of the following version: 5.2 Tier: Product category		m/s: e sktop Computer	\boxtimes		
	Others specify:	°			ī.		
P10	Emissions						
		- Declared according to ISO 9296	•				
P10.1	Mode	Mode description	Declared	Declared A-weighted			
			A-weighted sound power	sound pressure level L_{pAr}			
			level L_{WAd} (B)	Operator position Bystand	ler posi	tions	
				Desktop 🔀			
				or Desk side (only if p	roduct i or atter		
	Idle	* HDD:Idle	3.7	26	or aller	iueu)	
	Operation	* HDD: Operating	3.9	27			H
	Other mode	ODD operating	4.7	36			
		ding to: 🛛 ISO7779 🔀 ECMA-74					
	Measured accord		d by ECMA-74 wit	h L _{pAm} measurement distance	m)		
P10.2	The product mee	ets the acoustic noise requirements of the f					\square
		sions from printing products	enering relations	p.09.4			
P10.3*		according to ECMA-328 (ISO/IEC 28360) si	tandard other	specify:			
P10.4		n rate (print phase) is (mg/h):		specify.			
1 10.1	Dust		zene TV	OC			
P10.5		ion requirements of the following voluntary		are met for :			\square
	Dust	Ozone Styrene	Benzene				
	Electromagneti	c emissions					
P10.6		y meets the requirement for low frequency	electromagnetic fi	elds of the following voluntary		\boxtimes	
	program/s:						
P11 P11.1*		aterials for printing products	paration oven if n	act legally required (acc P4 2)			
P11.1 P11.2*		heet (SDS) is available for the ink/toner pre			<u> </u>	╞┼	
	EN12281.	g post-consumer recycled fibers can be u	·	at it meets the requirements of			
P11.3*	,	printing/copying is an integrated product fu	nction.				\square
P12		r computing products					
P12.1*		ets the ergonomic requirements of ISO 9241					
P12.2*		ut device meets the requirements of ISO 99	995 and ISO 9241	-410.		\square	
P13		documentation					
P13.1*		ng material type(s): <i>Paper</i> weight (g ng material type(s): <i>EPE</i> weight (g)					
		ng material type(s): LPE weight (g)					
			,				
P13.2*	Product plastic p	backaging is free from PVC.			\boxtimes		
P13.3*	Specify media for	or user and product documentation (tick box	<):				
	Electronic 🔀, I	Paper 🔀, Other 🗌					
P13.4*	For paper user a fiber: 80 %	and product documentation, please specify	contained percent	age of post-consumer recycled			
P14		mation (See Note B4)					
	NOTE: Supplier	makes no representations, guarantees, ass					
		ained in this document. All information prov					
		able at the time of completion, and supplier approximate and provided for informational					ion
	information.					1016	
P 9		r Qualified Notebooks & Tablet Compute	ers for the latest	information:			
	http://www.ene	rgystar.gov/index.cfm?fuseaction=find_a	a_product.showl	ProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo C255	Logo
Model Number	10137, F0A1	_
Issue Date	2014.05.15	lenovo.
Additional information		

P7.1.1	Product env	vironmental	attributes						
(d)	year of ma	anufacture: PI	ease see pro	duct name pla	ite				
(e)					ed when all disc ble graphics mod				215
(f)	E TEC val are enable	· · ·	capability adju	ustments applie	ed when all disc	rete grapl	nics cards (d	lGfx)	NA
(I)	internal po	wer supply eff	ficiency at 10 °	%, 20 %, 50 %	and 100 % of rat	ted output	power (if app	licable):	
	10%:	20%:	50%:	100%:	Average:				
(m)	external p	ower supply ef	ficiency (if app	olicable):					
	10%	20%	50%	100%	Average	;			
	or Level: \								
(0)	the minim	um number of	loading cycles	that the batter	ries can withstan	d (applies	only to noteb	ook computers):	NA
(f)	the electri		stem, — inform		V and frequency umentation on the				
	230 Volts	AC, 50 Hz							
(p-1)	the meas efficiency:		nodology used	to determine ל	e information m	entioned	in points (I)	– internal PSU	
	Follow En	ergy-Star requ	irement if inter	rnal PSU is app	olicable				
(p-2)	efficiency:		0,	to determine ernal PSU is app		ntioned ir	n points (m)	- external PSU	

(p-3)	the r batte		nent methodology used to determine information mentioned in points (o) - loadingcycles	NA
(p-4)			ent methodology used to determine information mentioned in maximum, idle, sleep, off mode ed in Point P9.1 in the Product IT Eco Declaration:	
	Follow	w Energy-	-Star requirement	
(q)	seque	ence of st	eps for achieving a stable condition with respect to power demand ::	
	Follow	w Energy-	Star requirement	
(r)	descr	ription of h	now sleep and/or off mode was selected or programmed:	
			will enter sleep mode automatically after no user or network activity for a period of time (it wer management setting).	
(s)	seque off m		vents required to reach the mode where the equipment automatically changes to sleep and/or	
			le, the computer will enter sleep mode automatically after no user or network activity for a (it depends on power management setting).	
			user could press "Start", and select "Shut down" in OS to allow the computer to shut off	
(t)			f idle state condition before the computer automatically reaches sleep mode, or another n does not exceed the applicable power demand requirements for sleep mode (in minutes):	25
(u)		-	ime after a period of user inactivity in which the computer automatically reaches a hat has a lower power demand requirement than sleep mode (in minutes):	10
(v)	the le	ength of t	ime before the display sleep mode is set to activate after user inactivity (in minutes):	10
(w)	inform	nation on	the energy-saving potential of power management functionality:	
	Inform	nation on	the energy-saving potential of power management functionality is at the end of this form	
(x)	user	informatio	n on how to enable the power management functionality:	
			confirm where or which document will show user information about how to enable the power unctionality.	
(z)	the e	lectricity s	s for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:	
	230 \	/olts AC,	50 Hz	
Additio	n Notebo	ok Batte	ry Information:	
Yes	No	n/a	This notebook computer is operated by battery/ies that cannot be accessed and replaced by a user.	non-professional
			The battery[ies] in this product cannot be easily replaced by users thems	elves
Additio	nal infori	nation		

Energy Star Statement



ENERGY STAR® is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy aimed at saving money and protecting the environment through energy efficient products and practices.

Lenovo is proud to offer our customers products with an ENERGY STAR compliant designation. The following machine types have been designed and tested to conform to the ENERGY STAR program requirement for computers at the time of manufacture. For more information about ENERGY STAR ratings for Lenovo computers, go to http://www.lenovo.com.

- 10113/6268
- 10114/6269
- 10137/F0A1

By using ENERGY STAR compliant products and taking advantage of the powermanagement features of your computer, you reduce the consumption of electricity. Reduced electrical consumption contributes to potential financial sayings, a cleaner environment, and the reduction of greenhouse gas emissions.

For more information about ENERGY STAR, go to: http://www.energystar.gov.

Lenovo encourages you to make efficient use of energy an integral part of your day-to-day operations. To help in this endeavor, Lenovo has preset the following power-management features to take effect when your computer has been inactive for a specified duration:

ENERGY STAR power-management features, by operating system.

Micr	crosoft Windows Vista, Windows 7 and Windows 8	
Pow	ver plan: Balanced	
• Tu	urn off the display: After 10 minutes	
• Pu	ut the computer to sleep: After 25 minutes	
• Ac	dvanced power settings:	
	Turn off hard disk drives: After 20 minutes	
-	Hibernate: Never	

To awaken your computer from a Sleep or System Standby mode, press any key on your keyboard. For more information about these settings, refer to your Windows Help and Support information system.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19