



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo	_				
Contact information *	Lenovo Global Environmental Affairs	Oh	OVO _T			
e-mail address	Alvin L Carter	LCII				
	alcarter@lenovo.com					
Internet site *	nttp://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo D32q-20/C32q-20				
Model number *	65F7, 61E4, 65F8				
Issue date *	2019/07/10				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * 65F7, 61E4, 65F8		Logo	Lore			
Issue date *		2019/07/10		Lend) _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	∃ B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
		nt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach				
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	iaximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes	$\overline{\Box}$	
		Property of the property of th			ш	
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms in the)		
	chain co	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above C),5 μg/cm²/week			
		al reference).				
D4 7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.			_	_
P1.7*		Article 33 information about substances in articles is available at (add URL or mail w.lenovo.com/social responsibility/us/en/environment.html	contact):	\boxtimes		
P2.1*	Batterie		the diamenal		_	
	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	•		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					\boxtimes
P2.3*	reference) Batteries and accumulators are readily removable. (See legal reference)				\boxtimes	
		, , , , , , , , , , , , , , , , , , , ,			<u> Ш</u>	
P3		nity verification & Eco design (ErP)			_	
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar		\boxtimes	Ш	
P3.2*		fluct complies with the Eco design requirements for energy-related products,	100/00	\square		
1 3.2		al reference).			ш	ш
	` •	d information is; given in item P15 or added to this document,		\boxtimes		
		available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5	Product	packaging	oo doordration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur	v. cadmium an	d 🔀		
		ent chromium by weight of these together.				
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the material(s	s) 🔀		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	Montreal Protoco	ol 🔀	$\overline{\Box}$	
		al reference).		. 🖂	ш	ш
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	65F7, 61E4, 65F8		Lanava
Issue date *	2019/07/10		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			H
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\blacksquare
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\overline{H}
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	H
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$		\vdash
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			П
P7.8*	Upgrading can be done using commonly available tools			Ħ
P7.9	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC Material type: POM			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	า 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	ו 🗆		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.5%. (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is 65.5g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	65F7, 61E4, 65F8		Lonovo	
Issue date *	2019/07/10		Lei Iovo,	

Product environmental attributes - Market requirements (continued)			Requirement met		
Item	Yes	No	n.a.		

	Material and substance requirements (continued)								
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered;								
	, .	plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	or	total plastic by weight) is 0% .							
	b) The weight of the biobased plastic material is 0g.								
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries								
P8.1*	Battery chemical of								
P9		tion (See NOTE B8)							
P9.1		Power level	s or energy consumption Power level at	Power level at	Reference/Standard for energy				
Energy mod	ue	100 V AC	115 V AC	230 V AC	modes and test method *				
ENERGY S	STAR® On Mode*				ENERGY STAR® Program				
(System Idl		26.41W	26.27W	26.13W	Requirements for Computer				
(-)	- ,				Monitors: Ver. 7.1				
	STAR® Low Power	0.17W	0.17W	0.2W	ENERGY STAR® Program				
Sleep Mode	9 *	•	0.77	0.277	Requirements for Computer Monitors: Ver. 7.1				
=::====::					ENERGY STAR® Program				
Apparent O	STAR® Off /	0.1W	0.11W	0.16W	Requirements for Computer				
Аррагені О	ii wode				Monitors: Ver. 7.1				
					<u> </u>				
PTEC *		W	W	W					
Typical Energy Consumption									
ETEC *		69.46kWh/year	69.09 kWh/year	68.74kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 +$				
	ergy Consumption	 	Efficiency Marking Pro	tocal) * ·	P _{sleep} x 0.1 + P _{idle} x 0.3)				
LAternari	Wei Guppiy Emolei	ley Level (International	Lilicioney Marking 1 10		ENERGY STAR® Program				
Display res	olution* : 2560*14	40 megapixels		Requirements for Computer					
Diopia, ioo	. 2000	. oogupo.o			Monitors: Ver. 7.1				
					ENERGY STAR® Program				
Default time	e to enter energy sa	ave mode: 15 seconds			Requirements for Computer				
P9.2*	Information obout	the energy save functi	an is provided with the	a wa di i at	Monitors: Ver. 7.1				
			on is provided with the						
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 7.0 Product category: Display.								
P10	Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode N	Mode description		Statistical upper limit	A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle *	HDD: Idle		*					
	Operation *	HDD: Operating		*					
	Other mode [Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator pos	sition desktop – idle)				
			d pressure level (dB) $L_{p m Am}$						
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74						
		Other	(only if not covered by	ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	I number * 65F7, 61E4, 65F8 Logo									
Issue date *		2019/07/10					<u> </u>	<u>eno</u>	VO,	ч
Product	environr	nental attribut	tes - Market requiren	nents (cor	ntinued)		F	Require	ment	met
Item								Yes	No	n.a.
	Electror	nagnetic emiss	ions							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):									
P12	Ergonoi	nics for compu	ting products							
P12.1*	The disp	lay meets the er	gonomic requirements o	f ISO 9241-	307 for visual display	y technologies.		\boxtimes		
P12.2*	The phys	sical input device	meets the requirements	s of ISO 999	95 and ISO 9241-410	0.				
P13	Packagi	ng and docume	entation							
P13.1*	Product Product	packaging mater packaging mater		weight (kg weight (kg	g): 0.78					
P13.2*	Product	plastic primary p	ackaging is free from PV	/C.				\boxtimes		
P13.3*		luct primary cor er recovered fibe	rugated fiberboard pack r content: 80 %	kaging, spec	cify the contained p	ercentage of minimu	ım post-			
P13.4*	Specify I		nd product documentatio	on (tick box):						
P13.5	Ùser and		is item if paper documer entation on paper media							
	Totally c	hlorine-free								
	Element	al chlorine-free						Ħ		
	Process	ed chlorine-free						П		
P14	Volunta	ry programs								
P14.1	The prod	luct meets the re	equirements of the follow	ving voluntar	y program(s):					
	Eco-labe	el:	Criteria version: 7. 1 Criteria version: Criteria version:	1	Date: 2019/06/28 Date: Date:	Product category: L Product category: Product category:	.CD Mon	itor		
P15			(See NOTE B10)							
P9			f specific configuration							
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.									
P9			d Monitors & Displays for ov/products/office equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1