



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statement	ts given in this declaration.				
Type of product *	Monitor				
Commercial name *	Lenovo D185 Wide				
Model number *	M/T: 6207-H*1				
Issue date *	2008, December 04				
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information	ENERGY STAR® 4.1 Qualified; EPEAT Silver Rating, GREENGUARD Certification				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\square	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\square	

Model number *	Lenovo D185 Wide M/T: 6207-H*1		
Issue date *	2008, December 04	Logo	lenovo

Produc	t environmental attributes - Legal requirements	Requir		t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).			
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\square
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			\square
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	\boxtimes		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu		Lenovo D185 Wide M/T: 6207-H*1						
Issue date *		2008, December 04	ogo	lenovo				
Drodu	ot onviro	nmental attributes - Market requirements - Environmental conscious de	ocian	Poquiro	mont	mot		
Item		atory to fill in. Additional information regarding each item may be found under P14.	esign	Require Yes	No	n.a.		
P6		nt information		100	110	n.u.		
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).							
P7	Design Disassembly, recycling							
P7.1*		t have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*		arts >100g consist of one material or of easily separable materials.			╞	\exists		
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			╞	\dashv		
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly ava	ilable tools		╞			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	-		
P7.0	Product							
P7.7*		ig can be done e.g. with processor, memory, cards or drives						
P7.8*		g can be done using commonly available tools			╞	╞		
P7.9.		arts are available after end of production for: 5 years				⊢⊢		
P7.10						⊢⊢		
P7.10		s available after end of production for: 5 years						
P7.11*		and substance requirements cover/housing material type:						
		type: ABS Material type: Material type:	vpe:					
P7.12		cable insulation material of power cables are halogen free (including PVC). (See Not	te 1)		\square			
P7.13	Electrica	I cable insulation material of signal cables are halogen free (including PVC). (See Not	e 1)			Ē		
P7.14	All cover	/housing plastic parts >25g are halogen free. (See Note 1)			Ē			
P7.15	All printed circuit boards (without components) >25g are halogen free. (See Note 2)					Ħ		
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
P7.17	Alt. 1 Chemica TBBPA (I specifications of flame retardants in printed circuit boards >25g (without components	s): AS #:					
	ISO 1043	l specifications of flame retardants in printed circuit boards (without components) >25 3-4: <i>Brominated Epoxy Resin See P14</i>	g according					
P7.18	concentr	tarded plastic parts >25g contain the following flame retardant substances/preparation ations above 0.1%: it: No legal limits exist, this is a market requirement.	ns in					
	2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:						
	Alt. 2 Chemica	l specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		lastic parts' weight >25g, recycled material content is 0 %.						
P7.20		elastic parts' weight >25g, biobased material content is 0 %.						
P7.21	If mercu	Irces are free from mercury y is used specify: Number of lamps: 2 and max. mercury content per lamp: 1.67 mg						
P8	Batterie							
P8.1*		hemical composition:				\square		
P8.2	Batteries	meet the requirements of the following voluntary program/s:				\boxtimes		

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Lenovo D185 Wide M/T: 6207-H*1		
Issue date *	2008, December 04	Logo	lenovo

	Product environmental attributes - Market requirements (continued) Requirement me						met		
Item	F	·					Yes	No	n.a.
P9	Energy consumpti			tiona have hear		urodu			
9.1 For the product the following power levels or energy consumptions have been measured:									
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Standar and test method *	d for energy mod	es	
Peak (Or	n-max)	W	18 W	18 W		Full load			
On Idle		W	14 W	14 W		Idle State			
Power s	ave Mode1	W	0.38 W	0.5 W		Standby			
Power s	eve Mode2	W	0.38 W	0.5 W		Sleep			
Off		W	0.26 W	0.39 W		Off			
		W	W	W					
charger p	l power supply / plugged in the wall t disconnected from	W	W	W					
PTEC * Typical E	Energy Consumption	W	W	W					
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
Default ti	ime to enter energy s	ave mode: min	utes						
P9.2*	Information about th	ne energy save functio	n is provided with th	ne product.			\square		H
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requirement version 4.1 Tier:	nts of the following v	voluntary progran	n/s:				
P10	Emissions								
	Noise emission –	Declared according to	ISO 9296						
P10.1	Mode M	lode description		Declared		Declared A-v			
				A-weighted sound power		sound pressure lev	el $L_{p{\sf Am}}$ (dB)		
				level L_{WAd} (B)	Oper	rator position By	stander positions	i 🔲 i	
				-wAu (-)		Desktop	(only if product is		
						or Desk side	operator attend	(bet	
	Idle *			*					\square
	Operation *			*					
	Other mode								
	Measured according	g to: 🛛 ISO7779 🗌		by ECMA-74 wit	h Lnam	measurement distan	ice m)		
P10.2	The product meets	the acoustic noise req					́ ́ ́ ́		
	Chemical emissions from printing products								
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:					\mathbb{X}			
P10.4	Typical emission ra	te (print phase) is (mg	/h):						
		Dust Ozone	Styrene	Benzene		TVOC			\boxtimes
P10.5	Chemical emission	requirements of the fo		-	are me	_			\boxtimes
			Dust 🔄	Ozone	_	Styrene			
	Electromagnetic		Benzene	TVOC					
P10.6	Electromagnetic e Computer display m	neets the requirement	for low frequency el	ectromagnetic fie	elds of	the following volunta	ry 🔀		
	program/s: MPR-II					and reacting total la			

Model n	umber *	Lenovo D185 Wide M/T: 6207-H*1						
Issue da	ite *	2008, December 04	Logo		enou	10		
Produc	t enviro	nmental attributes - Market requirements (continued)			Requirer	nent	met	
Item					Yes	No	n.a.	
P11	Consumable materials for printing products							
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see F	P4.3).			\boxtimes	
P11.2*	EN1228		uirements	of			\boxtimes	
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.					\times	
P12	Ergonor	nics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.		\times			
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes			
P13	Packagi	ng and documentation			÷			
P13.1*	00							
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)			\boxtimes			
P13.3*	Specify r Electroni	nedia for user and product documentation (tick box): ic						
P13.4*	For pape fiber. 7	er user and product documentation, please specify contained percentage of post-cor 0-80%	nsumer re	cycled				
P14	Addition	nal information						
P7.17	the info supplier The info Represe	Supplier makes no representations, guarantees, assurances or warranties where the supplier makes in this document. All information provided by supplier in the second structure of completion, and supplier shall have no commation provided here is approximate and provided for informational purpose that the formore information.	is docum obligation as only. S	ent is pi to upda	rovided ba te such in	sed o forma	n	
P 9	See Energy Star Qualified Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=MO							

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1