

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo			
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_desktops.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	All-in-One PC				
Commercial name *	deaCentre Horizon 27				
Model number *	0109,6266				
Issue date *	2014-06-03				
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control R	equireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\square$	

Model number *	IdeaCentre Horizon 27	MT:10109,6266
Issue date *	2014-06-03	Logo

lenovo

Produc	t environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	3		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials	<u> </u>		
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model r	number *	IdeaCentre Horizon 27 MT:10109,6266				
Issue da	ate *	2014-06-03 Log	•	епо	vo	
Produc	ct environ	mental attributes - Market requirements - Environmental conscious desig	n B	equirer	nent	met
Item		atory to fill in. Additional information regarding each item may be found under P14.	<u>.</u>	Yes	No	n.a.
P6		nt information				
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
P7	Design					
<u></u>		mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts >100g consist of one material or of easily separable materials.				
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly availa	able tools.			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 2 years		$\boxtimes$		
P7.10	Service i	s available after end of production for: 2 years		$\boxtimes$		
		and substance requirements				
P7.11*		cover/housing material type:				
D7 10		type: >PC+ABS-FR(40)< Material type: Material type	9:			
P7.12		I cable insulation materials of power cables are PVC free.		_Ц_		
P7.13		l cable insulation materials of signal cables are PVC free			$\square$	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.				
P7.15	Note B2		-2-21. (See			
P7.16		etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <b>&gt;PC+ABS-FR(40)&lt;</b>				
P7.17		al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name:, CAS #: 26265-08-7				
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25g a 3-4: FR(16)	according			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/prep ations above 0.1%:	parations in			
	Provide complete 1. Chem	nt: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list m e chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:	nust contain			
	3. Chem Alt. 2	ical name: , CAS #: , Supplier: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	as R45,			
P7.20		plastic parts' weight >25g, recycled material content is 4.18%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sou	urces are free from mercury		$\boxtimes$		
P8	Batterie					
P8.1*		chemical composition: Rechargeble Li-polymer Battery Pack				
P8.2	Batteries	meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	IdeaC	Centre Hoi	rizon 27	MT:1	0109,6266	
Issue date *	2014-06-03				Logo	lenovo
Product environr	nental attri	butes - Market	requirements	(continued)		Requirement me
Item	inonital atti	butto martier		(00111111000)		Yes No n.a
P9 Energy	consumptio	n				
		ollowing power leve ed w/ WOL Enable		sumptions are rep	ported: See P14	
Energy mode *	F	ower level at <b>100</b> V AC		at Power level 230 V AC		for energy modes
		V(50Hz/60Hz)	115 V AC	230 V AC	and test method *	
O a ta ma mu O	v	V(30H2/00H2)	vv	vv		
Category 0 Short Idle State - W	OL Enchlos	W	W	W	Lies for ENERCY STAR	(6 registration (D )
Long Idle State - W			W	W	Use for ENERGY STAR V Use for ENERGY STAR V	-
		W	W	W	Use for ENERGY STAR	
Sleep (S3) - WOL E						
Sleep (S3) - WOL D		W	W	W	Reference	
Off (S5) - WOL Ena		W	W	W	Use for ENERGY STAR V	ro registration(Poff)
Off (S5) - WOL Disa	adieđ	W	W	W	Use for EuP	
Category I1	<u> </u>					
Short Idle State - W			W	W	Use for ENERGY STAR V	-
Long Idle State - W			W	W	Use for ENERGY STAR V	
Sleep (S3) - WOL E		W	W	W	Use for ENERGY STAR V	6 registration(P <sub>sleep</sub> )
Sleep (S3) - WOL D		W	W	W	Reference	
Off (S5) - WOL Ena		W	W	W	Use for ENERGY STAR V	6 registration(P <sub>off</sub> )
Off (S5) - WOL Disa	abled	W	W	W	Use for EuP	
Category I2				-		
Short Idle State - W			W	W	Use for ENERGY STAR V	
Long Idle State - W			W	W	Use for ENERGY STAR V	-
Sleep (S3) - WOL E		W	W	W	Use for ENERGY STAR V	/6 registration(P <sub>sleep</sub> )
Sleep (S3) - WOL D		W	W	W	Reference	
Off (S5) - WOL Ena	bled	W	W	W	Use for ENERGY STAR V	/6 registration(P <sub>off</sub> )
Off (S5) - WOL Disa	abled	W	W	W	Use for EuP	
Category I3						
Short Idle State - W			W	W	Use for ENERGY STAR V	-
Long Idle State - W	OL Enabled	W	W	W	Use for ENERGY STAR V	6 registration (P <sub>idle</sub> )
Sleep (S3) - WOL E	nabled	W	W	W	Use for ENERGY STAR V	/6 registration(P <sub>sleep</sub> )
Sleep (S3) - WOL D	isabled	W	W	W	Reference	
Off (S5) - WOL Ena	bled	W	W	W	Use for ENERGY STAR V	/6 registration(P <sub>off</sub> )
Off (S5) - WOL Disa	abled	W	W	W	Use for EuP	
Category D1		·		•	•	
Short Idle State - W	OL Enabled	<b>34.98</b> W	<b>35.47</b> W	<b>39.31</b> W	Use for Energy Star V6.0	registration(P <sub>ShortIdle</sub> )
Long Idle State - W	OL Enabled	18.59 W	18.38 W	18.61 W	Use for Energy Star V6.0	registration(P <sub>Longldle</sub> )
Sleep (S3) - WOL E	nabled	1.47 W	1.47 W	1.53 W	Use for Energy Star V6.0	registration (P <sub>sleep</sub> )
Sleep (S3) - WOL D	isabled	1.47 W	1.47 W	1.53 W	Reference	
Off (S5) - WOL Ena	bled	1.47 W	1.47 W	1.53 W	Use for Energy Star V6.0	registration (Poff)
Off (S5) - WOL Disa	abled	0.45 W	0.45 W	0.45 W	Use for EuP	
Category D2						
Short Idle State - W	OL Enabled	W	W	W	Use for Energy Star V6.0	registration(P <sub>ShortIdle</sub> )
Long Idle State - W	OL Enabled	W	W	W	Use for Energy Star V6.0	registration(P <sub>Longldle</sub> )
Sleep (S3) - WOL E	nabled	W	W	W	Use for Energy Star V6.0	registration (P <sub>sleep</sub> )
Sleep (S3) - WOL D	isabled	W	W	W	Reference	
Off (S5) - WOL Ena	bled	W	W	W	Use for Energy Star V6.0	registration (P <sub>off</sub> )

Off (S5) -	WOL Disabled	W	W	W	Use for EuP		
EPS No-lo	ad	W	W	W			
plugged in	oower supply / charge the wall outlet but ted from the product.)						
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual End	ergy Consumption	<i>CatD1:136.42;</i> kWh/year	<i>CatD1:137.65;</i> kWh/year	<i>CatD1:149.98;</i> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45 + P_{sleep} \times 0.05 + P_{Shortidle} \times 0.35 + P_{Longldle} \times 0.15)$		
		P <sub>off</sub> : Off Mode(S5)	) - WOL Enabled;	P <sub>sleep</sub> : Sleep Mode(S	53) - WOL Enabled; P <sub>idle</sub> : Idle State - WOL Enabled		
Display res	solution : Megapixel	S					
Print Spee	d :	Images per minute	Э				
Default tim	e to enter energy sav	e mode: minutes					
P9.2*	Information about th	e energy save funct	ion is provided w	with the product.			
P9.3*	The product meets t ENERGY STAR® v Others specify: Ene	ersion: Version 6.0	dated Septemb	er 10, 2013 Produ	uct category: D1		
P10	Emissions						
P10.1	Noise emission – [		o ISO 9296	Declared	Declared A weighted		
F 10.1	Mode	wode description	ode description		Declared A-weighted sound pressure level $L_{p\rm Am}$ (dB)		
				level	Operator position Bystander positions		
				$L_{W m Ad}$ (B)	Desktop (only if product is not operator attended)		
	Idle	* System: Idle		3.3	Acoustical Noise Emission Values <sup>(a)b)(c)(d)</sup> Product Value		
	CPU Loading	* Intel PTU tool			Machine Description Model LWAd (bels) LpAm (dB) <lpa>m (dB)</lpa>		
	or o Loading				Apple         Idle         Oper         Idle         Oper         Idle         Oper           CPU:Intel i7-3517U         CPU:Intel i7-		
	Operating(HDD)				10109         AIO         HDD:ITB         3.3         3.3         19         21         21         22           6266         VGA: N13M-GS		
	CD accessing						
	Measured according to: X ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)						
P10.2							

Model nun	nber *	IdeaCentre H	orizon 27	MT:10109	9,6266			
Issue date	*	2014-06-03			Logo	leno	VO.	
	environn	nental attributes - Mark	et requirements (	continued)		Require		
Item						Yes	No	n.a.
D / a at		al emissions from printing						
P10.3*		formed according to ECMA		) standard 🔀, other spec	eify:	$\boxtimes$		
P10.4		emission rate (print phase) i						
Dia c		Dust Ozone		Benzene TVOC				
P10.5		I emission requirements of	Ŭ _		net for :			
		Oust Ozone	Styrene	Benzene	TVOC			
P10.6		nagnetic emissions er display meets the require	mont for low froquen	cy electromagnetic fields	of the following voluntary	· · · · · · · · · · · · · · · · · · ·		
1 10.0	program		ment for fow nequen	cy electromagnetic fields (	of the following voluntary			
P11	Consum	able materials for printing	g products					
P11.1*	A Safety	Data Sheet (SDS) is availa	ble for the ink/toner	preparation, even if not leg	gally required (see P4.3).			$\boxtimes$
P11.2*	Paper co EN1228	ontaining post-consumer re	ecycled fibers can b	e used, provided that it	meets the requirements	of		$\square$
P11.3*	2-sided (	duplex) printing/copying is a	an integrated product	function.				$\boxtimes$
P12		nics for computing produ						
P12.1*	The disp	lay meets the ergonomic re	quirements of ISO 9	241-307 for visual display	technologies.			$\boxtimes$
P12.2*	The phys	sical input device meets the	requirements of ISC	9995 and ISO 9241-410.			$\boxtimes$	
P13		ng and documentation						
P13.1*		packaging material type(s):		weight (kg): 0.45				
		packaging material type(s):		weight (kg): 2. 28				
		packaging material type(s):		weight (kg): 0.09				
		packaging material type(s):		weight (kg): NA				
		packaging material type(s): packaging material type(s):		weight (kg): 0. 08				
	Froduct	packaging material type(s).	FAD-Tray cover	weight (kg): NA				
P13.2*	Product	plastic packaging is free fro	m PVC.			$\square$		
P13.3*		media for user and product	documentation (tick I	oox):				
	Electroni	ic 🔀, Paper 🔀, Other 🗌						_
P13.4*	fiber:0%	er user and product docume (Japan only 70%)		fy contained percentage c	of post-consumer recycle	d		
P14		al information (See Note						
	informati knowledg	Supplier makes no represe on contained in this docum ge available at the time of c here is approximate and pr on.	ent. All information p ompletion, and supp	rovided by supplier in this lier shall have no obligatio	document is provided ban to update such information	ased on sup ation. The in	plier's format	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre Horizon 27	Logo
Model Number	10109,6266	_
Issue Date	2014-06-03	lenovo
Additional information		

P7.1.1	Product env	vironmental	attributes					
(d)	Year of m	Availible on product label						
(e)	E TEC va are disab display:	N/A						
(f)	E TEC va are enabl Cat. B							
(g)	idle state	19.83						
(h)	sleep moo	1.54						
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);							1.54
(j)	off mode power demand (Watts);							1.10
(k)	off mode with WOL enabled power demand (Watts) (where enabled);							1.10
(I)	Internal po 10%	ower supply eff	iciency at 10 50%	%, 20 %, 50 % 100%	and 100 %	% of rated	output power (if applicable)	): N/A
(m)	External p 10% or Level:	oower supply ef 20%	ficiency (if ap 50%	oplicable): 100%	Avera	ge		N/A
(0)	The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):							N/A
(f)	Test para the electri used for e Test volta Total harn Informatio	circuits						
		Instrument Type		Range Used Or ***			Make and Model **	
	AC	Power Source	1~28	30VAC;1~550H A.	Z;1000V	-		
	C	Digital Watch		Full range		CASIC	); HS-70W; SN:208Q08R	

		Powe	r Meter	0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0							
		Hvarothe	ermograph	15~35℃/15~90%	testo; 608-H1,SN:1034895602							
	-		nemometer	0~20m/s,-20~70℃	Testo;425;SN:02591883							
		Light M	easuring	1°;1-300cd/ m <sup>2</sup>	Konica Minolta;LS-110;							
(p-1)			nent methodolo	gy used to determine inform	ation mentioned in points (I) - interna	I PSU						
	efficiency: N/A											
( 0)	<b>T</b> L -											
(p-2)		The measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:										
(p-3)		The measurement methodology used to determine information mentioned in points (o) - loadingcycles										
	batteries: N/A											
(p-4)		The measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:										
	IEC 62301											
(q)	Sequ	Sequence of steps for achieving a stable condition with respect to power demand::										
Power on -> Wait 5 minutes ->Stable condition												
(r)	(r) Description of how sleep and/or off mode was selected or programmed:											
Begin menu -> Power -> Select sleep or off mode												
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:											
Control Panel->Power Options-> Change Settings-> Restore default settings for this plan												
(t)	(t) The <b>duration of idle state condition before the computer automatically reaches sleep mode</b> , or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): <b>30 minutes</b>											
(u)	The length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):45 minutes45 minutes45 minutes											
(v)	The I	ength of	time before the	display sleep mode is set to	activate after user inactivity (in minutes)	: 15 minutes						
(w)	Inforr	nation on	the energy-savi	ng potential of power managem	ent functionality:							
				N/A								
(x)	User	informatio	on on how to ena	able the power management fur	nctionality:							
Refer to User Guide												
Additio	í	ok Batte	ry Information:									
Yes	No	n/a	This notebook user.	computer is operated by batte	ry/ies that cannot be accessed and repla	aced by a non-professional						
			The battery	[ies] in this product car	nnot be easily replaced by user	s themselves						
Additional information												