

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter		Lenovo,		
	alcarter@lenovo.com	er@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Lenovo Legion Y27q-20					
Model number *	65EE					
Issue date *	2019/05/12					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Item P1 Hazardo P1.1* Products P1.2* Products Commen P1.3* Products hydrobro trichloroe concentra P1.4* Products terphenyl P1.5* Products chain cor P1.6* Parts witl (see lega Commen P1.7* REACH / https://w P2 Batteries P2.1* If the prod symbol. I P2.2* Batteries P3 Conform P3.1* The prod The Decl https://w P3.2* The prod (see lega Required P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega P5.3* The prod P5.3* The prod P5.3* The prod (see lega P5.3* The prod (see lega P5.3* The prod P5.3*	65EE	Logo				
Item P1 Hazardo P1.1* Products P1.2* Products Commen P1.3* Products hydrobro trichloroe concentra P1.4* Products terphenyl P1.5* Products chain cor P1.6* Parts witl (see lega Commen P1.7* REACH / https://w P2 Batteries P2.1* If the prod symbol. I P2.2* Batteries P3 Conform P3.1* The prod The Decl https://w P3.2* The prod (see lega Required P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega P5.3* The prod P5.3* The prod P5.3* The prod (see lega P5.3* The prod (see lega P5.3* The prod P5.3*	2019/05/12		Leng	DVC	D	
P1 Hazardo P1.1* Products P1.2* Products Commen Commen P1.3* Products hydrobro trichloroe concentra Products P1.4* Products terphenyl P1.5* P1.5* Products chain cor P1.6* P1.6* Parts with (see lega Commen P1.7* REACH // https://ww P2 P2.1* If the pro P2.2* Batteries reference P2.3* P3 Conform P3.1* The prod Csee lega Required P5.2* The packagin hexavale P5.2* P5.3* The prod (see lega	Product environmental attributes - Legal requirements					
P1.1* Products P1.2* Products Commen P1.3* P1.3* Products Commen hydrobro trichloroe concentra P1.4* Products terphenyl P1.5* Products chain cor P1.5* Products chain cor chain cor P1.6* Parts with (see lega Commen P1.7* REACH / https://ww P2 Batteries reference P2.1* If the prodistries P2.3* Batteries P3.1* The prod P3.2* The prod P5.1* Packagin P5.2* The pack used (see lega P5.3* The prod (see lega lega			Yes	No	n.a.	
P1.2* Products Commen P1.3* Products hydrobro trichloroe concentra P1.4* Products terphenyl P1.5* Products chain cor P1.6* Parts with (see lega Commen P1.7* REACH / https://ww P2 Batteries P2.1* If the products reference P2.3* Batteries P3 Conform P3.1* The prod (see lega Required P5.1* Packagin hexavale P5.2* The prod (see lega Required P5.3* The prod (see lega	ous substances and preparations					
Commen P1.3* Products hydrobro trichloroe concentra P1.4* Products terphenyl P1.5* Products chain cor P1.6* Parts with (see lega Commen P1.7* REACH / https://w P2 Batteries reference P2.1* If the products symbol. I P2.2* Batteries reference P3.1* The prod The Decl https://w P3.2* The prod (see lega Required P5.1* Packagin hexavale P5.2* The prod (see lega P5.3* The prod	do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\square			
hydrobro trichloroe concentra P1.4* Products terphenyl P1.5* Products chain cor P1.6* Parts with (see lega Commen P1.7* REACH / https://ww P2 Batteries P2.1* If the pro P2.2* Batteries P3 Conform P3.1* The prod The prod (see lega Required P5.1* P5.2* The packagin P5.2* The prod (see lega P5.3* The prod (see lega	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
terphenyl P1.5* Products chain cor P1.6* Parts with (see lega Commen P1.7* REACH / https://ww P2 Batteries P2.1* If the pro symbol. I P2.2* Batteries P2.3* Batteries P3 Conform P3.2* The prod (see lega Required P5.1* Packagin hexavale P5.2* The prod (see lega Required P5.3* The prod (see lega	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.					
chain cor P1.6* Parts with (see lega Commen P1.7* REACH // https://ww P2 Batteries P2.1* If the pro- symbol. I P2.2* Batteries P2.3* Batteries P3.0* Conform P3.1* The prod The Decl https://ww P3.2* The prod (see lega Required P5.1* Packagin hexavale P5.2* The prod (see lega P5.3* The prod	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych rl (PCT) in preparations (see legal reference).		\boxtimes			
(see lega Commen P1.7* REACH / https://ww P2 Batteries P2.1* If the pro symbol. I P2.2* Batteries reference P2.3* Batteries P3 Conform P3.1* The prod The Decl https://ww P3.2* The prod (see lega Required P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.7* REACH / https://ww P2 Batteries P2.1* If the pro symbol. I P2.2* Batteries reference P2.3* Batteries P3 Conform P3.1* The prod The Decl https://ww P3.2* The prod (see lega Required P5.1* Product P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀			
P2.1* If the prosing symbol. I P2.2* Batteries reference reference P2.3* Batteries P3 Conform P3.1* The prod The Decl https://www P3.2* The prod P5 Product P5.1* Packagin hexavale psd P5.2* The prod P5.3* The prod	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/social_responsibility/social_responsibility_resources/	contact):	\boxtimes			
symbol. I P2.2* Batteries reference reference P2.3* Batteries P3 Conform P3.1* The prod The Decl https://ww P3.2* The prod (see lega Required P5.1* Packagin P5.1* Packagin P5.2* The pack VB.2* The pack VB.2* The pack VB.3* The pack VB.3* The prod VB.3* The prod	S					
P2.2* Batteries reference P2.3* Batteries P3 Conform P3.1* The prod The Decl https://w P3.2* The prod (see lega Required P5 Product P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P3 Conform P3.1* The prod The Decl https://ww P3.2* The prod P3.2* The prod (see lega Required P5 Product P5.1* Packagin P5.2* The pack Used (see P5.3* The prod	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal					
P3.1* The prod The Decl https://ww P3.2* The prod (see lega Required P5 Product P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	Batteries and accumulators are readily removable. (See legal reference)					
P3.1* The prod The Decl https://ww P3.2* The prod (see lega Required P5 Product P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	nity verification & Eco design (ErP)					
P3.2* The prod (see lega Required P5 Product P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/compliance/eu-doc	gal reference).				
P5 Product P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	Required information is; given in item P15 or added to this document,					
P5.1* Packagin hexavale P5.2* The pack used (see P5.3* The prod (see lega	available at (add URL): <i>lenovo.com/us/en/compliance/ec</i>	o-declaration				
hexavale P5.2* The pack used (see P5.3* The prod (see lega		u oodmium -	nd N			
used (see P5.3* The prod (see lega	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	-				
(see lega	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).					
Common	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol X (see legal reference). Comment: Legal reference has no maximum concentration values.					
	nt information					
	on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		65EE	Logo			
		2019/05/12	-	Len	Lenovo	
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			X	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				Ē
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ē
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ħ	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	H
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			Ħ	Ħ
P7.9		arts are available after end of production for: 5 years				H
P7.10		s available after end of production for: 5 years				╞
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material	type: ABS Material type: PC Materia	al type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, a	nd		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en	\square	
P7.16	Marking:					\square
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g		\boxtimes	
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:			\square	
D7 20*			See note B5)			
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 47%. (EPEAT calculation) / 85% (TCO calc e weight of recycled material is 806 g.		3		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 65EE		Logo	
Issue date *	2019/05/12		Lenovo.
Product environ	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met Yes No n.a.

	Material and substance requirements (continued)							
P7.21* Bi	Biobased plastic material content is used in the product (See NOTE B7):							
lf	If YES; at least one of the two alternatives below shall be answered;							
a)	 Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of 							
	total plastic by weight) is 0%.							
	or b) The weight of the biobased plastic material is <i>0</i> g.							
	,,	free from mercury, i.e.						
	0	specify: Number of lan	<i>,</i> 0 1	m mercury content pe	r lamp: mg			
	atteries				i ionipi ing			
P8.1* Ba	Battery chemical composition:							
P9 E	nergy consump	tion (See NOTE B8)						
			s or energy consumption	ns are reported:				
Energy mode		Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
ENERGY STA	AR® On Mode*				ENERGY STAR® Program			
(System Idle)					Requirements for Computer			
					Monitors: Ver. 7.0 ENERGY STAR® Program			
	AR® Low Power				Requirements for Computer			
Sleep Mode*					Monitors: Ver. 7.0			
					ENERGY STAR® Program			
ENERGY STA					Requirements for Computer			
Apparent Off N	wode				Monitors: Ver. 7.0			
PTEC *		W	W	W		\square		
Typical Energy	y Consumption							
ETEC *		kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + 100)$	\boxtimes		
	y Consumption				$P_{sleep} \times 0.1 + P_{idle} \times 0.3$			
External Powe	er Supply Efficier	ncy Level (International	Efficiency Marking Prot	ocol) * :		\square		
					ENERGY STAR® Program			
Display resolu	ution* : 2560*14	40 megapixels			Requirements for Computer			
					Monitors: Ver. 7.0 ENERGY STAR® Program			
Default time to	o enter energy sa	ave mode: 15 seconds			Requirements for Computer			
Delaut time te	o chief chergy se				Monitors: Ver. 7.0			
P9.2* In	nformation about	the energy save function	on is provided with the p	roduct.				
P9.3* TI	he product meets	s the energy requireme	nts of the following volu	ntary program/s:				
		version: Product categ		,				
	Emissions							
		sion – Declared according to ISO 9296 (See NOTE B9)						
		Node description		Statistical upper limit	t A-weighted sound power level, $L_{WA,c}$	<u>, (B)</u>		
Id	-	HDD: Idle		*		\mathbf{X}		
		HDD: Operating		*		\square		
0	Other mode Declared A-weighted sound pressure level (dB) L _{pAm}							
0	Other mode Declared A-weighted sound pressure level (dB) L _{pAm}			m (operator position desktop – operating)				
М	leasured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74					
		Other	only if not covered by l	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	Imber *	65EE			Log	0			
Issue date *		2019/05/12				L	eno	VO,	rH
Product	environ	nental attribu	ites - Market requiren	nents (continued)		R	equire		met
Item							Yes	No	n.a
		nagnetic emiss							
P10.4	program	(s):		frequency electromagnetic	fields of the following	g voluntary			
P12	Ergono	mics for compu	uting products						
P12.1*				f ISO 9241-307 for visual of			\square		
P12.2*	The phy	sical input devic	e meets the requirements	s of ISO 9995 and ISO 924	11-410.				\boxtimes
P13	Packagi	ing and docum	entation						
P13.1*	Product Product	packaging mate	erial type(s): Carton Box erial type(s): Cusion erial type(s): Bag erial type(s):	weight (kg): <i>1.33</i> weight (kg): <i>0.62</i> weight (kg): <i>0.43</i> weight (kg):					
P13.2*	Product	plastic primary	packaging is free from PV	/C.			\square		
P13.3*			rrugated fiberboard pack er content: 80 %	aging, specify the contain	ned percentage of m	ninimum post-			
P13.4*	Specify		and product documentatio	n (tick box):					
P13.5	Úser an		nis item if paper documen nentation on paper media						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	duct meets the r	equirements of the follow	ing voluntary program(s):	No application for TC	O&EPA for Y2	7q-20		
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product categ Product categ Product categ	ory:			
P15			(See NOTE B10)						
P9				may vary; description o					
	informat knowled	ion contained in ge available at t I here is approxi	this document. All inform the time of completion, an	antees, assurances or warn action provided by supplier ad supplier shall have no o formational purposes only.	in this document is p bligation to update su	rovided based ch information	on supp . The inf	lier's ormati	ion
P9	See Ene	ergy Star Qualifie	ed Monitors & Displays fo gov/products/office_equip						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1