

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Idea	Logo		
Company name *	Lenovo			
Contact information *	Contact information * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC					
Commercial name *	Lenovo ideapad 710S-13ISK;Lenovo					
	XiaoXin Air 13					
Model number *	80SW;80TM					
Issue date *	2016-03-10					
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80SW;80TM		
Issue date *	2016-03-10	Logo	lenovo.

Product	duct environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	X		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ħ	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			M
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80SW;80TM		
Issue date *	2016-03-10	Logo	lenovo.

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
D7.4*	Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Ц	<u>Ц</u>
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$	T	
	Product lifetime	_		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$	\blacksquare	
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years	•		ī
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: <i>PC+ABS-FR(40)</i> Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	_	$\overline{\boxtimes}$	Ħ
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	\boxtimes		
D7.47	Marking: FR(40)			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	Ш		Ш
	Tibbli A (additive) , Tibbli A (reactive) , Other, chemical manie. , OAO #.			
	Alt. 2			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:		Ш	
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #:			
	3. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\square		
P7.19	FR(40) Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		井	-
F1.18	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is 1.8%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.	-		
P7.22	Light sources are free from mercury	\boxtimes	\Box	
	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			Щ.
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80SW;80TM		
Issue date *	2016-03-10	Logo	lenovo.

	oduct environmental attributes - Market requirements (continued) Requirement me						
P9 Energy consumption Yes					Yes N	lo n.a.	
9.1 For the product the following power levels or energy consumptions are reported: See P14							
Energy mode		Power level at	Power level at	Power level at	Referer	nce / Standard for energy modes and to	est 🔲
Deels (On see		100 V AC	115 V AC	230 V AC	method		
Peak (On-ma		45 W	45 W	45 W	Full lo	oad 	
Category I				1 44 00 4 144	1		
	ate - WOL Enable		10.344 W	11.364 W		r ENERGY STAR V6 registration (Pidle)	
	ate - WOL Enabled		5.172 W	5.616 W		r ENERGY STAR V6 registration (P _{idle)}	
	WOL Enabled	0.360 W	0.348 W	0.360 W		r ENERGY STAR V6 registration(P _{sleep}	
	WOL Disabled	0.360 W	0.348 W	0.360 W	Refere		
Off (S5) - WO		0.336 W	0.324 W	0.348 W	Use for	r ENERGY STAR V6 registration(P _{off})	
Off (S5) - WO	OL Disabled	0.336 W	0.324 W	0.348 W	Use for	r EuP	
Category I	D 1/2						
Short Idle Sta	ate - WOL Enable	W	W	W		r ENERGY STAR V6 registration (P _{idle)}	
Long Idle Sta	ate - WOL Enabled	W	W	W	Use for	r ENERGY STAR V6 registration (P _{idle)}	
Sleep (S3) - V	WOL Enabled	W	W	W	Use for	r ENERGY STAR V6 registration (P _{slee}	。) <u> </u>
Sleep (S3) - V	WOL Disabled	W	W	W	Refere	nce	
Off (S5) - WO	L Enabled	W	W	W	Use for	r ENERGY STAR V6 registration(Poff)	
Off (S5) - WO	OL Disabled	W	W	W	Use for	r EuP	
EPS No-load		0.053 W	0.058 W	0.104 W			
	er supply / charger	•					
disconnected	e wall outlet but from the product.)						
PTEC *	y Consumption	W	W	W			
Typical Ellery	ly Consumption						
TEC *		kWh/week					
Typical Energ	y Consumption		kWh/week	kWh/week			
ETEC *		27.03 kWh/year	33.49	36.65	E _{TEC} = ((8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.3	5
-	y Consumption	27700 1111111111111111111111111111111111	kWh/year	kWh/year		idle x 0.3+ Plong idle x 0.1)	
		D - Off M- 4-(05)	WOL Franklada B	. 01 11-1-(02)	1401.5	Control D. Allia Control WOL Freehard	
Display resolu	ution*: 1920*1080		WOL Enabled; P _{slee}	_p : Sieep Mode(S3)) - WOL E	inabled; P _{idle} : Idle State - WOL Enabled	\dashv
Print Speed *		ges per minute					
	٠,	e mode: 25 minutes e energy save function is	s provided with the	nroduct		▽ 「	ᆛ片
		ne energy requirements	•	•	le:		
El		ersion: Version 6.1 Tie		category: A	75.		
	missions						
N	oise emission – D	eclared according to IS	O 9296				
P10.1 M	lode Mo	ode description		Declared A-weighted	4	Declared A-weighted	
				sound power	er	sound pressure level $L_{p{\rm Am}}$ (dB)	
				level $L_{W\!Ad}$ ((B) Ope	erator position Bystander position	ns
						Desktop (only if product is r	not
	u .	UDD 1.11		* 0 0		operator attende	
		HDD:Idle HDD: Operating		* 3.0 * 4.0		19.0 31.0	$\dashv \vdash$
	ther mode	Operating		7.0		31.0	\dashv \sqcup
	leasured according	to: X ISO7779 EC	CMA-74		I		
	_	Other (or	nly if not covered b			easurement distance m)	
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:							

wouel nu	libei	80SW;80TM					
Issue date *		2016-03-10	Logo		eno	VO.	
Product	environn	nental attributes - Market requirements (continued)		R	eguire	ment	met
Item		mental attributes internet requirements (continues)			Yes	No	n.a.
	Chemica	al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:					
P10.4		emission rate (print phase) is (mg/h):					$\overline{\boxtimes}$
	• •	Dust Ozone Styrene Benzene TVOC					
P10.5		Il emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene	TVOC 🗌				
		nagnetic emissions					
P10.6		er display meets the requirement for low frequency electromagnetic fields of the follon/s: MPR-II	owing volu	ntary			
P11		able materials for printing products					
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	•				\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets th 1.	e requiren	nents of			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					\boxtimes
P12		nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	jies.		\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes		
P13	Packagi	ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.300 packaging material type(s): Polyethylene Cushions weight (kg): 0.040 packaging material type(s): Others weight (kg): 0.123					
P13.2*	Product	plastic packaging is free from PVC.			\square		
P13.3*		media for user and product documentation (tick box): ic ☑, Paper ☑, Other ☐					
P13.4*		er user and product documentation, please specify contained percentage of post-co	nsumer red	cycled			
P14	Addition	nal information (See Note B4)					
	NOTE: S informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether on contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to updathere is approximate and provided for informational purposes only. See a Lenovo A	t is provide te such inf	ed based formation	on supp . The inf	olier's format	ion
P9		rgy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	&pgw_co	de=CO			
1							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ideapad 710S-13ISK;Lenovo XiaoXin Air 13	Logo
Model Number	80SW;80TM	_
Issue Date	2016-03-10	lenovo.
Additional information		

P7.1.1	Product environmental attributes						
(d)	year of manufacture:	2014					
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): A Etec: 21.27						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:						
	Category (according to ErP Lot 3): NA Etec:						
(g)	idle state power demand (Watts);	7.71					
(h)	sleep mode power demand (Watts);	0.31					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	0.31					
(j)	off mode power demand (Watts);	0.14					
(k)	off mode with WOL enabled power demand (Watts) (where enabled);						
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable):						
	Average 45W:88.40%;88.64%;88.53%; *internal note: show values for all available external power supplies						
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles					
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
	NA NA						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						
	Energy-star requirement						
(p-3)	the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:						
	IEC 61960 measurement methodology						

(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
		IEC 6262	3 / IEC E	EN50564:2011 measurement methodology					
(q)	q) sequence of steps for achieving a stable condition with respect to power demand::								
		EC 62623	3 / IEC E	EN50564:2011 measurement methodology					
(r)	description of how sleep and/or off mode was selected or programmed:								
				Based on user manual					
(s)	sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
				Based on user manual					
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u)	the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):								
(v)	that has a lower power demand requirement than sleep mode (in minutes). the length of time before the display sleep mode is set to activate after user inactivity (in minutes):								
(w)									
Based on user manual									
(x)	(x) user information on how to enable the power management functionality:								
Based on user manual									
(z)	(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
		2	30V/50H	Hz, Total Harmonic Distortion <2 %					
Addition No	tebook Battery	Information:							
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot replaced by a non-professional user.	be accessed and				
(Battery replaceable)	not user	(Battery user replaceable)		The battery[ies] in this product cannot be easily	replaced by				
Теріасеавіе	users themselves								
Additional i	nformation								
Additional information									