

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	otebook PC					
Commercial name *	enovo IdeaPad S510p					
Model number *	0298;80BN					
Issue date *	3-08-07					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control			
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model number *	Lenovo IdeaPad S510p		
Issue date *	2013-08-07	Logo	lenovo

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	$\boxtimes$		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\boxtimes$		
	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal		+	
P3.3*	reference).			
	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	3		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre- Protocol (see legal reference).	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	number *	Lenovo IdeaPad S510p						
Issue da	ate *	2013-08-07 Logo	lend	ovo				
Produc	t environ	mental attributes - Market requirements - Environmental conscious design	Require	ement	met			
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6		nt information						
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).	$\square$					
P7	Design Disasse	mbly, recycling						
P7.1*		at have to be treated separately are easily separable	$\square$					
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.	$\boxtimes$					
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\square$					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available to	ols. 🔀					
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$					
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives	$\square$					
P7.8*	Upgradir	ng can be done using commonly available tools	$\boxtimes$					
P7.9.	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type:						
D7 40		type: <b>PC+ABS-FR(40)</b> Material type: Material type:						
P7.12		I cable insulation materials of power cables are PVC free.	<u>L</u>		<u> </u>			
P7.13		I cable insulation materials of signal cables are PVC free			<u> </u>			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			<u> </u>			
P7.15	Note B2		(See					
P7.16	Flame re Marking:	etarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>						
P7.17	TBBPA ( Alt. 2 Chemica	al specifications of flame retardants in printed circuit boards >25g (without components): (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ling					
P7.18	Alt. 1	3-4: Brominated Epoxy Resin See P14 etarded plastic parts >25g contain the following flame retardant substances/preparatio	ns in					
	concentr Commer Provide complete 1. Chem 2. Chem	ations above 0.1%: ht: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list must co be chemical name, CAS number and supplier. ical name: , CAS #: , Supplier: ical name: , CAS #: , Supplier:						
	Alt. 2 Chemica FR(40)	ical name: , CAS #: , Supplier: Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R4 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	5, 🔀					
P7.20		plastic parts' weight >25g, recycled material content is <b>3.6%</b> .						
P7.21		plastic parts' weight >25g, biobased material content is 0%.						
P7.22		Irces are free from mercury						
P8	Batterie							
P8.1*	-	chemical composition: Lithium Ion/Lithium Manganese Dioxide			<u>Ц</u>			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC						

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	<sup>nber*</sup> Lenovo IdeaPad S510p								
Issue date	*	2013-08-	D7 Logo lenovo						
Product environmental attributes Market requirements (continued)									
Item	Product environmental attributes - Market requirements (continued) Requirement met Item Yes No n.a.								
	P9 Energy consumption								
9.1 For the product the following power levels or energy consumptions are reported: See P14									
	The product is shipped w/ WOL Enabled.								
Energy mode *			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / S and test metho	Standard for energy mo od *	odes	
Peak (On-r	nax)		<b>45</b> W	<b>45</b> W	<b>45</b> W	Full load			
Category	<u>/ A</u>							I	
Idle State -	WOL En	abled	5.040W	<b>4.824</b> W	3.516 W	Use for Energ	gy Star V5 registration(P	idle)	
Sleep (S3)	- WOL E	nabled	0.720 W	0.732 W	0.744W	Use for Energ	gy Star V5 registration(P	sleep)	
Sleep (S3)	- WOL D	isabled	0.620 W	0.630 W	0.680 W	Reference			
Off (S5) - V	VOL Ena	bled	0.220 W	0.230 W	0.280 W	Use for Energ	gy Star V5 registration(P	off)	
Off (S5) - V	VOL Disa	bled	0.264W	0.264 W	0.288 W	Use for EuP			
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)		ne wall	<i>0.069</i> W	0.075 W	0.139 W				
TEC Typical Energy Consumption		umption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Ene	ergy Cons	umption	15.26 kWh/year	14.71 kWh/year	11.41 kWh/year	$E_{TEC} = (8760/0.1 + P_{idle} \times 0.1)$	(1000) x (P <sub>off</sub> x 0.6 + P <sub>sle</sub> .3)	eep X	
			Poff: Off Mode(S5) - W	VOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : I	dle State - WOL Enabled		
Display res	olution :	1366*768	Megapixels						
Print Speed			Images per minu	te					
		energy sa	ive mode: 25 minute						
P9.2*			he energy save fund		the product		$\square$		
P9.3*			the energy requiren		-	101			
F 9.3			version: Version 5.0				$\boxtimes$		
	Others s	pecify: <mark>En</mark>	ergy Star for Exter	nal Power Supplies	Eligibility Criteria	Version 2		ΠΠ	
P10	Emissio		Dealanad a saud'	to 100 0000					
P10.1	Molse er Mode		Declared according	to ISO 9296	Declared	Dec	clared A-weighted		
					A-weighted		essure level $L_{pAm}$ (dB)		
				sound power			tions		
				level $L_{WAd}$ (B)	Operator position Deskto				
						or Desk sic	(only if product is		
	Idle	*	HDD: Idle		* 3.0		23.7		
	Operatio		HDD: Operating		* 3.0		26.1		
	Other mo				1 1				
	Measure	d accordir	ng to: 🔀 ISO7779 🛛	ECMA-74					
			Other		ed by ECMA-74 with		ment distance m)		
P10.2	2 The product meets the acoustic noise requirements of the following voluntary program/s:								

Model num	mber* Lenovo IdeaPad S510p							
Issue date	* 2013-0	8-07	•		Logo	lenovo		
<b>D</b>	Product environmental attributes - Market requirements (continued) Requirement met							
Item	nvironmental	attributes - Market	requirements (c	ontinued)		Requirement Yes No	n.a.	
	Energy consum	ption				103 10	n.a.	
		hipped w/ WOL Enable						
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	for energy modes		
Peak (On-max)		65W	65 W	65 W	Full load			
Category	<u>и В</u>			1				
Idle State -	WOL Enabled	6.012W	<b>6.156</b> ₩	5.652 W	Use for Energy Star V	/5 registration(P <sub>idle</sub> )		
Sleep (S3)	- WOL Enabled	0.708 W	0.696 W	0.708W	Use for Energy Star V	/5 registration(P <sub>sleep</sub> )		
Sleep (S3)	- WOL Disabled	0.620 W	0.630 W	0.680 W	Reference			
Off (S5) - W	OL Enabled	0.220 W	0.230 W	0.280 W	Use for Energy Star V	/5 registration(Poff)		
Off (S5) - W	OL Disabled	0.216W	0.216 W	0.264 W	Use for EuP			
EPS No-loa	d	0.069 W	0.075 W	0.139 W			Ē	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)								
TEC		kWh/week	kWh/week	kWh/week			$\square$	
Typical Ene	rgy Consumption							
ETEC * Annual Ene	rgy Consumption	17.56 kWh/year	17.92 kWh/year	16.86 kWh/year	$E_{TEC} = (8760/1000) \times 0.1 + P_{idle} \times 0.3)$	$(P_{off} \times 0.6 + P_{sleep} \times 0.6)$		
		Poff: Off Mode(S5) -	WOL Enabled; Psleep: S	Sleep Mode(S3) - WOI	L Enabled; Pidle: Idle State	- WOL Enabled		
Display reso	olution : <b>1366*7</b>	68 Megapixels						
Print Speed		Images per minu	Ite					
		save mode: 25 minute						
		t the energy save fund		the product			╵┝┤	
-		ts the energy requirer	•	•				
		© version: Version 5.						
	Others specify:	Energy Star for Exter	nal Power Supplies	s Eligibility Criteria	a Version 2		Π	
	Emissions	Declared according	10.0000					
	Noise emission Mode	<ul> <li>Declared according</li> <li>Mode description</li> </ul>	10 150 9296	Declared	Declared A-	weighted	Τ	
1 10.1	Mode			A-weighted sound power	sound pressure lev			
					Operator position 🔀	Bystander positions		
				WAG C /	Desktop 🔀	(only if product is not		
					or Desk side 🗌	(only if product is not operator attended)		
	Idle	* HDD: Idle		* 3.0	23.7	1 /		
	Operation	* HDD: Operating		* 3.0	<b>26.</b> 1	1		
_	Other mode						4	
	Measured accord	ling to: 🔀 ISO7779	ECMA-74		h la anna an	<b>1</b>		
P10.2	The product man	Other			h L <sub>pAm</sub> measurement dis	tance m)		
1 10.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:							

Model nu	umber *	Lenovo IdeaPad S510p		
Issue dat	te *	2013-08-07 Logo	leno	vo
Product	environr	nental attributes - Market requirements (continued)	Require	ement met
Item			Yes	No n.a.
	Chemic	al emissions from printing products		
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:		
P10.4	• •	emission rate (print phase) is (mg/h): Dust Ozone Styrene Benzene TVOC		$\square$
P10.5		al emission requirements of the following voluntary program/s are met for : Dust Ozone Styrene Benzene TVOC		
		nagnetic emissions		
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the following voluntary /s: MPR-II	$\square$	
P11		hable materials for printing products		
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).		
P11.2*	EN1228		of 🗌	
P11.3*	2-sided	duplex) printing/copying is an integrated product function.		
P12		nics for computing products		
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$	
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\boxtimes$	
P13		ng and documentation		
P13.1*	Product Product	packaging material type(s): <i>Corrugated Carton</i> weight (kg): <i>0.395</i> packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.090</i> packaging material type(s): <i>Others</i> weight (kg): <i>0.123</i>		
P13.2*		plastic packaging is free from PVC.	$\boxtimes$	
P13.3*		nedia for user and product documentation (tick box): ic ⊠, Paper ⊠, Other □		
P13.4*		er user and product documentation, please specify contained percentage of post-consumer recycle % (Japan only 70%)	d	
P14		nal information (See Note B4)		
	informat knowled provided informat		ised on sup ation. The i	pplier's nformation
P7.17		does not contain free TBBPA in printed circuit boards(without components)>25g.		
P9		ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the late ownloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)	st informa	tion:

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19