

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	ttp://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	otebook PC				
Commercial name *	Lenovo Yoga 2 Pro				
Model number *	0266;80AY				
Issue date *	2013-9-25				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality controsuch as organized by IT-Företagen (see www.itecodeclaration.org).		

Model number *	Lenovo Yoga 2 Pro		
Issue date *	2013-9-25	Logo	lenovo.

Product	environmental attributes - Legal requirements	Require	men	t met
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference).	\boxtimes		
D	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			Ш
P2	Batteries			
P2.1*	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or		П	
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the		_	_
design of the product). Exception: Batteries that are permanently installed for safety, performance, medior data integrity reasons do not have to be "easily removable". (See legal reference)			Ш	Ш
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	X		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
I	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo Yoga 2 Pro		
Issue date *	2013-9-25	Logo	lenovo.

Product	t environmental attributes - Market requirements - Environmental conscious design	quire	ment	met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					
P7	Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\square	П	П			
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	Ħ			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		П	\overline{H}			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			$\overline{}$			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	Ħ			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		П	一一			
	Product lifetime						
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\square	П	П			
P7.8*	Upgrading can be done using commonly available tools		Ħ	╁			
P7.9.	Spare parts are available after end of production for: 5 years			Ħ			
P7.10	Service is available after end of production for: 5 years			Ħ			
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
	Material type: <i>PC+ABS-FR(40)</i> Material type: Material type:						
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes				
P7.13	Electrical cable insulation materials of signal cables are PVC free						
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			$\overline{\Box}$			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)						
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i>						
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:						
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:						
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)						
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)						
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.						
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.						
P7.22	Light sources are free from mercury	\boxtimes					
P8	Batteries						
P8.1*	Battery chemical composition: Lithium lon/Lithium Manganese Dioxide						
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC						

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo Yoga 2 Pro				
Issue date *	2013-9-25	Logo	leno	VO.	
Product environ	mental attributes - Market requirements (continued)		Require	ment	met
Item			Yes	No	n.a.
DQ Energy	consumption				

Product environment	al attributes - Market	requirements (co	ontinued)	Requirement	met
Item				Yes No	n.a.
P9 Energy consumption					
9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.					
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	<i>65</i> W	<i>65</i> W	<i>65</i> W	Full load	
Category A					
Idle State - WOL Enable	d N/AW	N/AW	N/A W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enable	ed N/A W	N/A W	N/AW	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3) - WOL Disab	led 0.461 W	0.458 W	0.489 W	Reference	
Off (S5) - WOL Enabled	N/A W	N/A W	N/A W	Use for Energy Star V5 registration(Poff)	
Off (S5) - WOL Disabled		0.233 W	0.269 W	Use for EuP	
EPS No-load (External power supply /	0.08 W	0.083 W	0.12 W		
charger plugged in the wa outlet but disconnected fr the product.)					
TEC Typical Energy Consump	kWh/week tion	kWh/week	kWh/week		
ETEC * Annual Energy Consump	10.424 kWh/year tion	10.666 kWh/year	11.329 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	
P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled					
Display resolution : 128	0*800 Megapixels				
Print Speed : Images per minute					
Default time to enter ener	gy save mode: 25 minute	s			
P9.2* Information a	bout the energy save fund	ction is provided with	the product.		
ENERGY ST	meets the energy requirer AR® version: <i>Version 5.</i> 0 y: <i>Energy Star for Exter</i>	0 dated July 1, 2009	Product category:	<i>B</i>	
P10 Emissions					
	ion - Declared according	to ISO 9296	1 5		
P10.1 Mode	Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)	
				Operator position Bystander positions	
				or Desk side (only if product is not operator attended)	
Idle	* HDD: Idle		* 2.6	22.9	
Operation	* HDD: Operating		* 2.8	20.8	
Other mode	-	<u> </u>			
Measured acc	cording to: X ISO7779 C		ed by ECMA-74 with	h L _{pAm} measurement distance m)	
P10.2 The product r	mosts the acquetic poise				

Model number *	Lenovo Yoga 2 Pro		
Issue date *	2013-9-25	Logo	lenovo.

Product	environmental attributes - Market requirements (continued)	Require	ment	met	
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.	
	Chemical emissions from printing products				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes	
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes	
	Dust Ozone Styrene Benzene TVOC			_	
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes	
	Dust Ozone Styrene Benzene TVOC				
	Electromagnetic emissions				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II				
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		\boxtimes	
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated Carton weight (kg): 0.378				
	Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.081</i>				
P13.2*	Product packaging material type(s): <i>Others</i> weight (kg): <i>0.230</i> Product plastic packaging is free from PVC.			$\overline{}$	
P13.3*	Specify media for user and product documentation (tick box):			井	
P13.3	Electronic , Paper , Other			Ш	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled			$\overline{}$	
F 13.4	fiber: 0% (Japan only 70%)				
P14	Additional information (See Note B4)				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or impli-				
	information contained in this document. All information provided by supplier in this document is provided bas				
	knowledge available at the time of completion, and supplier shall have no obligation to update such informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Represer			lion	
	information.	itative for i	11010		
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.				
P9	See Energy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the latest	informat	ion:		
	http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate web url)				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet

- PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga 2 Pro	Logo	
Model Number	20266, 80AY	_	
Issue Date	2014/6/26	lenovo.	
Additional information			

P7.1.1	Product environmental attributes					
(d)	year of manufacture:	2014				
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	11.33				
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards enabled:					
	Category N/A Etec N/A					
(g)	idle state power demand (Watts);	3.61				
(h)	sleep mode power demand (Watts);					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);					
(j)	off mode power demand (Watts); 0.27					
(k)	off mode with WOL enabled power demand (Watts) (where enabled); NA					
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):					
	10% 20% 50% 100% Average					
(m)	external power supply efficiency (if applicable):					
	10% 20% 50% 100% Average ;					
(o)	or level <i>V</i> the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	500				
(f)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
	230V/50Hz					
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: **Energy-star requirement**					
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:					

(p-3)		the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:				
	Dalle		Energy-star requirement			
(p-4)			rement methodology used to determine information mentioned in maximum, idle, sleep, off mode defined in Point P9.1 in the Product IT Eco Declaration:			
			Energy-star requirement			
(q)	sequ	uence of st	teps for achieving a stable condition with respect to power demand::			
			Based on user manual			
(r)	desc	cription of I	how sleep and/or off mode was selected or programmed:			
			Based on user manual			
(s)		uence of e	vents required to reach the mode where the equipment automatically changes to sleep and/or			
	OII II	iode.	Based on user manual			
(t)			of idle state condition before the computer automatically reaches sleep mode, or another			
	cond	dition which	h does not exceed the applicable power demand requirements for sleep mode (in minutes):	<i>25</i>		
(u)			time after a period of user inactivity in which the computer automatically reaches a that has a lower power demand requirement than sleep mode (in minutes):	N/A		
(v)	the I	ength of t	time before the display sleep mode is set to activate after user inactivity (in minutes):	10		
(w)	infor	mation on	the energy-saving potential of power management functionality:			
			Based on user manual			
(x)	user	informatio	on on how to enable the power management functionality:			
			Based on user manual			
(z)	the e	electricity s	rs for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of supply system, — information and documentation on the instrumentation, set-up and circuits ical testing:			
۸ ما ما ند:	na Natah	aak Datta	230V/50Hz			
Yes	No.	n/a	ry Information: This notebook computer is operated by battery/ies that cannot be accessed and replaced by a	non-professional		
163	INO	II/a	user.	p. o. ooo.oa.		
			The battery[ies] in this product cannot be easily replaced by users thems	elves		
Δdditic	onal info	mation				
7.501(1)						
L						