



Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor				
Commercial name *	Lenovo L215 Wide				
Model number *	M/T: 6521-H*1				
Issue date *	2009,January 04				
Intended market *	🛛 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information	ENERGY STAR® 4.1 Qualified;				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	\boxtimes			

Model number *	Lenovo L215 Wide M/T: 6521-H*1		
Issue date *	2009,January 04	Logo	lenovo

Produc	t environmental attributes - Legal requirements	Requir	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and ^{Note 1}).	\square		
P1.2*	Products do not contain Asbestos (see legal reference).	\square		
P1.3*	Comment: Legal reference has no maximum concentration value. Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
F 1.3	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	\boxtimes		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\square
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			\square
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)	. 🛛		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\mathbf{X}		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		Ħ	
	product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	Imber *	Lenovo L215 Wide M/T: 6521-H*1						
Issue date *		2009, January 04 Logo	lenovo					
D				D				
Item		nmental attributes - Market requirements - Environmental conscious desig atory to fill in. Additional information regarding each item may be found under P14.	n	Require Yes	No	n.a.		
P6		nt information		Tes	NO	II.a.		
P6.1*		on for recyclers/treatment facilities is available (see legal reference).						
P7	Design							
	Disasse	mbly, recycling						
P7.1*	Parts that	t have to be treated separately are easily separable		\square				
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\boxtimes				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		\boxtimes				
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.		\boxtimes				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly availabl	e tools.	\boxtimes				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes				
	Product	lifetime						
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives		\square				
P7.8*	Upgradir	g can be done using commonly available tools		\boxtimes				
P7.9.	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type:						
P7.12		type: ABS Material type: Material type: Material type: I cable insulation material of power cables are halogen free (including PVC). (See Note 1)						
P7.12						-		
P7.13	Electrical cable insulation material of signal cables are halogen free (including PVC). (See Note 1) Image: Comparison of the second secon							
P7.14 P7.15	All cover/housing plastic parts >25g are halogen free. (See Note 1)					<u> </u>		
P7.15 P7.16	All printed circuit boards (without components) >25g are halogen free. (See Note 2)					<u> </u>		
	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
P7.17	Alt. 1							
		I specifications of flame retardants in printed circuit boards >25g (without components): additive), TBBPA (reactive) ⊠, Other; chemical name: , CAS #		\boxtimes				
	IDDPA	additive) , TBBPA (reactive) , Other; chemical name: , CAS #	•					
	Alt. 2							
		l specifications of flame retardants in printed circuit boards (without components) >25g ac	cording					
		3-4: Brominated Epoxy Resin See P14						
P7.18	Alt. 1 Flame re	tarded plastic parts >25g contain the following flame retardant substances/preparations in						
		ations above 0.1%:				\boxtimes		
	Commer	t: No legal limits exist, this is a market requirement.						
	1 04000							
		ical name: , CAS #: ical name: , CAS #:						
		ical name:						
				_	_	_		
	Alt. 2	Langeifications of flows raterdants in plastic parts - 25g according ISO 1042 4:				\boxtimes		
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
P7.19		lastic parts' weight >25g, recycled material content is 0 %.						
P7.20		elastic parts' weight >25g, biobased material content is 0 %.						
P7.21		rces are free from mercury y is used specify: Number of lamps: 4 and max. mercury content per lamp: 3.3 mg		\bowtie				
P8	Batterie							
P8.1*		hemical composition:				\square		
P8.2	-	meet the requirements of the following voluntary program/s:						

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	Lenovo L215 Wide M/T: 6521-H*1		
Issue date *	2009,January 04	Logo	lenovo

Produc	Product environmental attributes - Market requirements (continued) Requirement met							met	
Item							n.a.		
P9	Energy consumption								
9.1 For the product the following power levels or energy consumptions have been measured:									
Energy n	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Star and test method	dard for energy mo	des	
Peak (O	n-max)	W	53 W	48 W		Full load			
On Idle		W	48 W	48 W		Idle State			
Power s	ave Mode1	W	1.0 W	1.0 W		Standby			
Power s	eve Mode2	W	1.0 W	1.0 W		Sleep			
Off		W	0.5 W	0.5 W		Off			
		W	W	W					
charger p	l power supply / plugged in the wall t disconnected from	W	W	W					
PTEC * Typical E	Energy Consumption	W	W	W					
TEC * Typical E	Energy Consumption	kWh/week	kWh/week	kWh/we	ek				
Default ti	ime to enter energy s	ave mode: min	utes						
P9.2*		ne energy save functio	n is provided with th	ne product.			\square		Ħ
P9.3*	The product meets ENERGY STAR® v Others specify:	the energy requirement version 4.1 Tier:	nts of the following v	oluntary prograr	m/s:				
P10	Emissions								
	Noise emission –	Declared according to	ISO 9296						
P10.1	Mode N	lode description		Declared			A-weighted		
				A-weighted sound power		sound pressure	level $L_{p{\sf Am}}$ (dB)		
				level L_{WAd} (B)		ator position Desktop	Bystander position (only if product operator atten	is not	
	Idle *			*					\square
	Operation *			*					\square
	Other mode								
	Measured accordin	g to: 🛛 ISO7779 🗌	ECMA-74 (only if not covered			magguramant di	stance m)		
P10.2	The product meets	the acoustic noise req					stance m)		
		ns from printing prod		<u> </u>	1 - 3 -				
P10.3*		ording to ECMA-328 (ndard . other	specify	v:			\square
P10.4		te (print phase) is (mg		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,			لاسم
		Dust Ozone	Styrene	Benzene		TVOC			\boxtimes
P10.5	Chemical emission	requirements of the fo	<u> </u>	-	are me				\boxtimes
			Dust 🔄	Ozone		Styrene			
	Electromagnetic e		Benzene	TVOC					
P10.6		neets the requirement	for low frequency e	lectromagnetic fie	elds of	the following volu	intary		
	program/s: MPR-II								

Model n	umber *	Lenovo L215 Wide M/T: 6521-H*1					
Issue da	ate *	2009,January 04	Logo	1	enou	10	
Produc	t enviro	nmental attributes - Market requirements (continued)			Requirer	nent	met
Item					Yes	No	n.a.
P11	Consumable materials for printing products						
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requi	red (see I	P4.3).			\boxtimes
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requent.	uirements	of			\boxtimes
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.					\boxtimes
P12	Ergono	nics for computing products					
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	ies.		\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes		
P13		ng and documentation					
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.94 packaging material type(s): EPS weight (kg): 0.36 packaging material type(s): weight (kg): weight (kg):					
P13.2*	Product	plastic packaging is halogen free (including PVC). (See Note 1)			\boxtimes		
P13.3*	Specify I Electron	nedia for user and product documentation (tick box): ic					
P13.4*	For pape fiber. 7	er user and product documentation, please specify contained percentage of post-con 0-80%	nsumer re	cycled			
P14	Addition	nal information			· ·		•
	the info supplied The info Represe	Supplier makes no representations, guarantees, assurances or warranties where the supplier makes in this document. All information provided by supplier in the system of completion, and supplier shall have no commation provided here is approximate and provided for informational purpose that the formation.	is docun bligation s only. S	nent is p to upda	rovided ba ate such in	sed o forma	n
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>	25g.				
P9	See Energy Star Qualified Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=MO						

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1