

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo Logo				
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_monitors.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Display				
Commercial name *	LI2721s Wide				
Model number *	MT: 4371				
Issue date *	2013.11.25				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	LI2721swA	MT: 4371		
Issue date *	2013.11.25		Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes	П	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	I 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔯		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	LI2721swA	MT: 4371		
Issue date *	2013.11.25		Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design Re	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design			
P7.1*	Disassembly, recycling Parts that have to be treated separately are easily separable		_	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ц	<u>Ц</u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9.	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PC Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	\boxtimes	Ш	
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			ļ
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according	\boxtimes		
	ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			\bowtie
	Comment: No legal limits exist, this is a market requirement.			ļ
	1. Chemical name: , CAS #:			Ų
	2. Chemical name: , CAS #:			Ų
	3. Chemical name: , CAS #:			Ų
	Alt. 2			Ų
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,		\dashv	
F7.19	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.	-		-
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury			
Do	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8 P8.1*	Batteries Battery chemical composition:			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	<i>LI</i> 2721sw <i>A</i>	MT: 4371		
Issue date *	2013.11.25		Logo	lenovo

	luct environmental attributes - Market requirements (continued) Requirement met						
Item	_				Yes No	n.a.	
P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14							
9.1	'						
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On-	max)	29W 29.23W 29.61W Full load					
Category A							
Idle State	- WOL Enabled	29 W	29.23 W	29.61 W	Use for ENERGY STAR V5 registration (P _{idle})		
Sleep (S3)	- WOL Enabled	0.247 W	0.25W	0.249 W	Use for ENERGY STAR registration(P _{sleep})		
Sleep (S3)	- WOL Disabled	0.247 W	0.25W	0.249W	Reference		
Off (S5) - 1	WOL Enabled	0.195W	0.2W	0.202W	Use for ENERGY STAR V5 registration(Poff)		
Off (S5) - I	WOL Disabled	0.195W	0.2W	0.202 W	Use for EuP		
Categor	y B	•	•	•			
Idle State	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(P _{idle})		
Sleep (S3)	- WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration (P _{sleep})		
Sleep (S3)	- WOL Disabled	W	W	W	Reference		
Off (S5) - 1	WOL Enabled	W	W	W	Use for ENERGY STAR V5 registration(Poff)		
Off (S5) - 1	WOL Disabled	W	W	W	Use for EuP		
EPS No-lo		W	W	W			
charger plu	oower supply / ugged in the wall disconnected from						
the produc	t.)						
PTEC * Typical En	ergy Consumption	W	W	W			
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	ergy Consumption	77.45kWh/year	78.08 kWh/year	79.09 kWh/ye ar	e $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$		
		P Off Modo(SE) -	WOL Enabled: D.	· Sloop Modo(S2)) - WOL Enabled; P _{idle} : Idle State - WOL Enabled		
Display res	solution* : 1920*10		TVOL Ellableu, 1 slee	p. Sieep Wode(33)	7 - WOL Litabled, Tigle. Idle State - WOL Litabled		
Print Spee		nages per minute					
		ave mode: 25 second	S				
P9.2*		the energy save func		th the product		\exists	
P9.3*		eets the energy requir	·	•			
0.0		R® version: Version					
P10	Emissions	Dealers des "	100 0000				
P10.1		 Declared according Mode description 	to ISO 9296	Declared	Declared A-weighted		
1 10.1	IVIOGE	wode description		A-weighted	sound pressure level L_{Am} (dB)		
				sound power	# <u> </u>		
				level L_{WAd} ((B) Operator position Bystander positions Desktop		
					or Dock side (only if product is not		
	Idle	* HDD:Idle		*	operator attended)	\boxtimes	
	Operation	* HDD: Operating		*		\boxtimes	
	Other mode						
	Measured accordi	ng to: 🔀 ISO7779 🗌	ECMA-74				
	Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)						
P10.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:						

wodei num	ber *	LI2721swA	MT: 437	1				
Issue date	*	2013.11.25			Logo	len	ovo.	-
Product e	nvironn	nental attributes - N	larket requirer	ments (continued)		Requi	iremen	t met
Item						Ye	s No	n.a.
	Chemica	al emissions from prir	nting products					
P10.3*	Test perf	formed according to EC	MA-328 (ISO/IE	C 28360) standard 🔲, other sլ	pecify:] \square	\boxtimes
P10.4	Typical e	emission rate (print pha	se) is (mg/h):					$\overline{\boxtimes}$
		Dust Ozone	Styrene	Benzene TVO				
P10.5		al emission requirement Dust Ozone			e met for :			
	Electron	nagnetic emissions						
	program/	/s: CE		frequency electromagnetic field	ds of the following volur	ntary] 🗆	
		nable materials for pri						
	-			k/toner preparation, even if not				\boxtimes
	Paper co EN12281		er recycled fiber	rs can be used, provided that	it meets the requirem	nents of] 🗆	
P11.3*	2-sided (duplex) printing/copyin	g is an integrated	product function.				\boxtimes
P12	Ergonon	nics for computing pr	oducts					
P12.1*	The disp	lay meets the ergonom	ic requirements of	of ISO 9241-307 for visual displ	ay technologies.	\boxtimes		
P12.2*	The phys	sical input device meets	s the requirement	ts of ISO 9995 and ISO 9241-4	10.			\boxtimes
		ng and documentatio						
		packaging material type		weight (kg): 0.53				
		packaging material type packaging material type		weight (kg): 0.20 weight (kg): 0.03				
		packaging material type		weight (kg): 0.03 weight (kg): 1.60				
		plastic packaging is fre		worght (kg). 1.00		×	1 🗆	
P13.3*	Specify n	media for user and prod	duct documentation	on (tick box):				干
		ic X, Paper X, Othe		(ш
				se specify contained percentag	e of post-consumer rec	cycled		
	fiber: 70			, , ,	•	•		ш
		nal information (See N						
	information knowledge provided information	on contained in this do ge available at the time here is approximate ar on.	cument. All inform of completion, and provided for in	antees, assurances or warranti- nation provided by supplier in that nd supplier shall have no obligation formational purposes only. See	nis document is provide ation to update such info a Lenovo Account Rep	ed based on su ormation. The	upplier's informa	i
P9				et Computers for the latest in tion=find_a_product.showPro		de=CO		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19