

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer				
Commercial name *	ThinkCentre M58/M58p				
Model number *	M/T: SFF 5897, 6234, 6258, 6303, 7220, 7582				
	Tower 3063, 3231, 3285, 7188, 7571, 8494, 9728				
Issue date *	2009, September 29				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkCentre M58/M58p M/T: SFF 5897, 6234, 6 Tower 3063, 3231, 3285, 7188, 7571, 8494, 9728	<b>5258</b> , 63	303, 7220, 7582
	2009, September 29	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*				
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\boxtimes$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	I 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	I 🔯		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M58/M58p M/T: SFF 5897, 6234, 6 Tower 3063, 3231, 3285, 7188, 7571, 8494, 9728	<b>258, 6</b> 3	303, 7220, 7582
Issue date *	2009, September 29	Logo	lenovo

Product		Requirement met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
<b>P6</b> P6.1*	Treatment information Information for recyclers/treatment facilities is available (see legal reference).				
P7	Design		ш		
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$			
P7.2*	Plastic materials in covers/housing have no surface coating.	X			
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	X			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		Ī		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ī		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Ī		
	Product lifetime				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$			
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type:				
P7.12	Material type: PC+ABS Material type: Material type:  Electrical cable insulation materials of power cables are PVC free.				
P7.12	Electrical cable insulation materials of power cables are PVC free	_			
P7.13				$\vdash$	
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			$\vdash$	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	,	$\boxtimes$	Ш	
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
	Marking: FR(40)				
P7.17	Alt. 1  Chamical appointings of flame retardants in printed circuit boards a 25g (without components):				
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):  TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	Ш	Ш	Ш	
	TDDI A (additive) , TDDI A (reactive) , One, chemical name. , One #.				
	Alt. 2	_			
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according				
P7.18	ISO 1043-4: Brominated Epoxy Resin See P14 Alt. 1				
7.10	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	n 🔲			
	concentrations above 0.1%:				
	Comment: No legal limits exist, this is a market requirement.				
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.	1			
	1. Chemical name: , CAS #: , Supplier:				
	2. Chemical name: , CAS #: , Supplier:				
	3. Chemical name: , CAS #: , Supplier:	$\square$			
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		ш	ш	
	Chemical specifications of name retainants in plastic parts >259 according 150 1045-4.				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	X			
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20	Of total plastic parts' weight >25g, recycled material content is +10%.				
P7.21	Of total plastic parts' weight >25g, biobased material content is <i>0</i> %.				
P7.22	Light sources are free from mercury  If mercury is used specify: Number of lamps: no. of lamps and max. mercury content per lamp: x mg		Ш		
P8	Batteries				
P8.1*	Battery chemical composition: Lithium Manganese Dioxide				
P8.2	Batteries meet the requirements of the following voluntary program/s:				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

	ThinkCentre M58/M58p M/T: SFF 5897, 6234, 6 Tower 3063, 3231, 3285, 7188, 7571, 8494, 9728	258, 63	303, 7220, 7582
Issue date *	2009, September 29	Logo	lenovo

Product	oduct environmental attributes - Market requirements (continued) Requirement me					met
Item		Yes No n.				n.a.
P9						
9.1 For the product the following power levels or energy consumptions are reported:						
Energy mo	ode	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	- max)	151 W	143 W	142 W	Full load	
Idle State	9	<b>64.8</b> W	<b>65.8</b> W	<b>64.7</b> W	Idle State for ES	
Sleep(S3)	) - WOL Enable	1.78 W	1.79 W	<b>2.08</b> W	Sleep Mode w/ WOL Enabled for ES	
Off(S4/S5	i) - WOL Enable	<b>0.61</b> W	0.62 W	0.88 W	Off Mode w/ WOL Enabled for ES	
		W	W	W		
EPS No-lo	oad	W	W	W		
	power supply /					_
	ugged in the wall disconnected from					
the produc						
P <sub>TEC</sub>	_ ·	W	W	W	(Workstation Levels)	$\Box$
Typical Er	nergy Consumption				$P_{TEC} = 0.35 P_{off} + 0.10 P_{sleep} + 0.55 P_{idle}$	_
		1349 /		1340 /		<u> </u>
TEC Typical Er	nergy Consumption	kWh/week	kWh/week	kWh/week		Ш
ETEC *		230.9 kWh/year	234.3 kWh/year	232.8 kWh/year	(Desktop, Integrated Desktop, and Notebook Levels)	$\Box$
Annual En	nergy Consumption			·	$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep} * T_{sleep} + P_{idle} * T_{idle})$	
					Steep late latey	
Display re	solution Me	gapixels				
Print Spee	ed : In	nages per minute				
Default tim	ne to enter energy sa	ave mode: 10 minute	s			
P9.2*	Information about	the energy save fund	tion is provided with	the product.		
P9.3*	The product meets	s the energy requiren	nents of the following	g voluntary program,	/s:	
		version: Version 5.0	dated July 1, 2009	Product category:		
	Others specify:					$\boxtimes$
P10	Emissions					
P10.1		Declared according	to ISO 9296	Declared	Declared A weighted	P1
P10.1	Wode	Mode description		A-weighted	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)	0.1
				sound power		-
				level $L_{WAd}$ (B)	Operator position	
					or Desk side	
	Idle	* HDD: Idle		* 3.5	22	1
		* HDD: Operating		* 4.0	25	1
	Other mode	,		†	-	1
	Measured accordi	ng to: X ISO7779	ECMA-74	,		1
		Other		ed by ECMA-74 with	L <sub>pAm</sub> measurement distance m)	
P10.2	The product meets	s the acoustic noise r				$\square$

	ThinkCentre M58/M58p M/T: SFF 5897, 6234, 6 Tower 3063, 3231, 3285, 7188, 7571, 8494, 9728	<b>258, 6</b> 3	303, 7220, 7582
Issue date *	2009, September 29	Logo	lenovo

Product e	environmental attributes - Market requirements (continued) R	equire	ment	met		
Item		Yes	No	n.a.		
	Chemical emissions from printing products					
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			X		
P10.4	Typical emission rate (print phase) is (mg/h):			X		
	Dust Ozone Styrene Benzene TVOC					
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			X		
	Dust Ozone Styrene Benzene TVOC	_				
	Electromagnetic emissions	•	•			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:					
P11	Consumable materials for printing products	•				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$		
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			$\boxtimes$		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\boxtimes$		
P12	Ergonomics for computing products					
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$				
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.					
P13	Packaging and documentation					
P13.1*	Product packaging material type(s): <i>EPO</i> weight (kg): <i>Tower 0.30 SFF 0.12</i>					
	Product packaging material type(s): Corrugated weight (kg): Tower 1.67 SFF 1.18					
D40.0*	Product packaging material type(s): weight (kg):		_	_		
P13.2*						
P13.3*						
D40.4*	Electronic , Paper , Other , O					
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%(Japan only 70%)					
P14	Additional information (See Note B4)	•				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied,					
	information contained in this document. All information provided by supplier in this document is provided based					
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. provided here is approximate and provided for informational purposes only. See a Lenovo Account Representat			on		
	information.		11010			
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.					
P9	See Energy Star Qualified Computers for the latest information:	•				
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19