

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Personal Computer					
Commercial name *	ThinkCentre M58e					
Model number *	SFF: 7506, 7514 Tower: 7843, 7847					
Issue date *	2009, June 29					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkCentre M58e	M/Ts:	SFF: 7506,7514	Tower: 784	3,7847
Issue date *	2009, June 29			Logo	lenovo

Product	environmental attributes - Legal requirements	Require	t met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
D	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the			
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		<u> </u>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\bowtie
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
	aromatic amines. (See legal reference and Note B1)	ш		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			\boxtimes
	pentachlorophenol and derivatives (see legal reference).			
D4.0*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5		_	
P1.9*	microgram/cm²/week (see legal reference).	\bowtie		
	Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries		•	•
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
1 2.2	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		ш	ш
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical			_
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3.1*	Safety, EMC connection to the telephone network and labeling		_	
	The product complies with legally required safety standards as specified (see legal reference).		Щ.	
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).		Ш	Ш
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the	$\overline{}$	Ħ	
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	ш		
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal			
	Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			
	Comments 20ga: 10.0.000 had no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre M58e	M/Ts:	SFF: 7506,7514	Tower: 784	3,7847
Issue date *	2009, June 29			Logo	lenovo

Product	duct environmental attributes - Market requirements - Environmental conscious design R					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6 1*	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш			
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$	$\overline{}$		
P7.2*	Plastic materials in covers/housing have no surface coating.		Ħ	\pm		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		∺	∺		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		∺	+		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	+		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	∺	╫		
17.0	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	$\overline{}$		
P7.8*	Upgrading can be done using commonly available tools		∺	∺		
P7.9.				╬		
P7.10	Spare parts are available after end of production for: 5 years			-		
F 7.10	Service is available after end of production for: 5 years					
P7.11*	Material and substance requirements Product cover/housing material type:					
	Material type: Steel Material type: ABS, PC/ABS Material type:					
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes			
P7.13	Electrical cable insulation materials of signal cables are PVC free	\overline{H}		\pm		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			\pm		
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See			∺		
	Note B2)	ш		ш		
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:	X				
	Marking: FR(40)					
P7.17	Alt. 1					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	Ш	Ш			
	TBBFA (additive) , TBBFA (reactive) , Other, Chemical Hame. , CAS #.					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according					
	ISO 1043-4: Brominated Epoxy Resin See P14					
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:			ш		
	Comment: No legal limits exist, this is a market requirement.					
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain					
	complete chemical name, CAS number and supplier.					
	1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:					
	3. Chemical name: , CAS #: , Supplier:					
	Alt. 2	\boxtimes				
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
D7 10	Digatio parts - 25g are from flower retardant substances (preparations above 0.19/ pleasified as DAE					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 0%.					
P7.21	Of total plastic parts' weight >25g, hebyeled material content is 0%.					
P7.22	Light sources are free from mercury	\Box	\Box	\boxtimes		
	If mercury is used specify: Number of lamps: no. of lamps and max. mercury content per lamp: x mg					
P8	Batteries					
P8.1*	Battery chemical composition: Lithium Manganese Dioxide					
P8.2	Batteries meet the requirements of the following voluntary program/s:			\boxtimes		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre M58e	M/Ts:	SFF: 7506,7514	Tower: 784	3,7847
Issue date *	2009, June 29			Logo	lenovo

Product	environmental at	tributes - Market	requirements (co	ontinued)	Requirement	met
Item	_				Yes No	n.a.
P9	Energy consumpt	tion				
9.1	For the product the	e following power lev	els or energy consu	mptions are reporte	ed:	
Energy mo	ode	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	· max)	175.5 W	175.5 W	174.6 W	Full load	П
Idle State	•	63.6 W Tower 62.4 W SFF	63.2 W Tower 61.3 W SFF	64.6 W Tower 61.5 W SFF	Idle State for ES	
Sleep(S3)	- WOL Enable	1.7 W Tower 1.58 W SFF	1.7 W Tower 1.98 W SFF	1.89 W Tower 1.83 W SFF	Sleep Mode w/ WOL Enabled for ES	
Off(S4/S5) - WOL Enable	1.58 W Tower 1.50 W SFF	1.58 W Tower 1.84 W SFF	1.77 W Tower 1.73 W SFF	Off Mode w/ WOL Enabled for ES	
		W	W	W		
EPS No-lo	ad	W	W	W		П
charger pl	power supply / ugged in the wall disconnected from st.)					
P _{TEC}		W	W	W	(Workstation Levels)	
Typical En	ergy Consumption				$P_{\text{TEC}} = 0.35 P_{\text{off}} + 0.10 P_{\text{sleep}} + 0.55 P_{\text{idle}}$	
TEC Typical En	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC *		231 kWh/year	229.6 kWh/year	235.6kWh/year	(Desktop, Integrated Desktop, and Notebook Levels)	П
Annual En	ergy Consumption	(Tower)	(Tower)	(Tower)	$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep} *$	
		226.5 kWh/year (SFF)	224.6 kWh/year (SFF)	224.5 kWh/year (SFF)	$T_{sleep} + P_{idle} * T_{idle}$	
Display res	solution Meg	japixels				
Print Spee	d : Im	nages per minute				П
Default tim	ne to enter energy sa	ive mode: 10 minute	S			H
P9.2*	Information about t	the energy save fund	ction is provided with	the product.		Ħ
P9.3*	The product meets	the energy requiren	nents of the following	n voluntary program		
1 3.5		version: Version 5.0				
P10	Emissions					
		Declared according	to ISO 9296			
P10.1	Mode	Mode description		Declared A-weighted	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)	P1 0.1
				sound power	Operator position	1
				level L_{WAd} (B)	<u> </u>	
					Desktop 🔼 or Desk side 🗌	
	Idle *	HDD: Idle		*Tower – 3.5	Tower – 25	1
	laic	nob. idic		SFF – 3.7	SFF – 27	
	Operation *	HDD: Operating		*Tower – 4 SFF – 4	Tower – 27 SFF – 29	
]	Other mode					
	Measured according	ng to: 🔀 ISO7779 [ECMA-74			
		Other			L _{pAm} measurement distance m)	
P10.2	P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	ThinkCentre M58e	M/Ts:	SFF: 7506,7514	Tower: 784	3,7847
Issue date *	2009, June 29			Logo	lenovo

Product	environmental attributes - Market requirements (continued)	equire	ment	met			
Item	, , ,	Yes	No	n.a.			
	Chemical emissions from printing products						
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			X			
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes			
	Dust Ozone Styrene Benzene TVOC						
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			X			
	Dust Ozone Styrene Benzene TVOC						
	Electromagnetic emissions						
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	Ш	Ш				
P11	Consumable materials for printing products	•					
P11.1*	.1* A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).						
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes			
P12	Ergonomics for computing products						
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes					
P12.2*							
P13	Packaging and documentation						
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): Tower: 1.4; SFF: 1.1						
	Product packaging material type(s): EPS/EPE weight (kg): Tower: 0.3; SFF: 0.2						
D40.0*	Product packaging material type(s): weight (kg):		_				
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		Щ			
P13.3*	Specify media for user and product documentation (tick box):						
D 10 11	Electronic , Paper , Other .						
P13.4*	4* For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%(Japan only 70%)						
P14	Additional information (See Note B4)						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.						
P9	See Energy Star Qualified Computers for the latest information:						
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=C0						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19