

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M72e (Tiny)			
Model number *	3261,4156,3264,3263,3267,3273,3856,4004			
Issue date *	2012.05.02			
Intended market *	🛛 Global 🔄 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other			
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating; GreenGuard			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control		Requirement met	
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number * ThinkCentre M72e MT's: 3261,4156,3264,3263,3267,3273,3856,4004 Issue date * 2012.05.02

Logo lenovo

Product	Require	ment	met	
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * ThinkCentre M72e MT's: 3261,4156,3264,3263,3267,3273,3856,4004					
Issue da		lene	DVO		
	environmental attributes - Market requirements - Environmental conscious design	Require			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6.1*	Treatment information				
-	Information for recyclers/treatment facilities is available (see legal reference).	\square			
P7	Design Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*	Plastic materials in covers/housing have no surface coating.		⊢⊢	╞	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			╞	
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			- - -	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools			─────	
			<u> </u>	<u> </u>	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product lifetime				
	Upgrading can be done e.g. with processor, memory, cards or drives		<u> </u>	<u> </u>	
P7.8*	Upgrading can be done using commonly available tools			<u> </u>	
P7.9.	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				
	Material and substance requirements				
P7.11*	Product cover/housing material type: Material type: ABC Material type: ABC ABC ABC				
P7.12	Material type: ABS Material type: ABS+PC Material type: Steel Electrical cable insulation materials of power cables are PVC free. Material type: Steel Steel <t< td=""><td></td><td>\square</td><td></td></t<>		\square		
P7.12	Electrical cable insulation materials of power cables are PVC free	<u> </u>		╞	
P7.13					
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			<u> </u>	
	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Note B2)				
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #:				
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g accordin ISO 1043-4:	g 🔀			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations concentrations above 0.1%:	s in 🗌			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must cor complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier:	ntain			
	3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	\boxtimes			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\boxtimes			
P7.20	Of total plastic parts' weight >25g, recycled material content is 50.21%(contains keyboard, mouse and power code)				
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.				
P7.22				\boxtimes	
P8	Batteries				
P8.1*	Battery chemical composition:			\square	
P8.2	Batteries meet the requirements of the following voluntary program/s:			X	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number * ThinkCentre M72e MT's: 3261,4156,3264,3263,3267,3273,3856,4004 Issue date * 2012.05.02

Product environmenta	l attributes - Market	requirements (co	ontinued)	Requirement	met
Item				Yes No	n.a.
P9 Energy consu					
9.1 For the product The product is	the following power levelshipped w/ WOL Enable	els or energy consu d.	mptions are reporte		
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Category B					
Idle State - WOL Enabled	21.26W	21.79W	22.12W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	3.02 W	3.05 W	3.18 W	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	0.90W	0.93W	0.94W	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	52.34W	55.12W	46.54 ₩	Full load	
Category A					
Idle State - WOL Enabled	16.01W	15.89W	16.12W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - WOL Enabled	3.02 W	3.05W	3.18 W	Use for Energy Star V5 registration(P _{sleep})	
Off (S5) - WOL Enabled	0.9W	0.93W	0.94W	Use for Energy Star V5 registration(Poff)	
Peak (On-max)	40.33 ₩	43.98W	47.12W	Full load	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected fror		0.143 W	<i>0.190</i> W		
TEC Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumptic			$E_{TEC} = (8760/1000) \times (P_{off} \times 0.55 + P_{sleep} \times 0.05 + P_{idle} \times 0.4)$		
	Poff: Off Mode(S5) -	NOL Enabled; P _{sleep} :	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolution :	Megapixels				\boxtimes
Print Speed :	Images per minut	e.			
Default time to enter energy	• ·				
	but the energy save func		the product		⊢⊢
	eets the energy requirem	•	•		
	R® version: Version 5.2		, , , ,		
P10 Emissions					
	n – Declared according	to ISO 9296			
P10.1 Mode	Mode description	10100 3230	Declared	Declared A-weighted	
			A-weighted sound power	sound pressure level $L_{p { m Am}}$ (dB)	
			level $L_{\rm WAd}$ (B)	Operator position Bystander positions Desktop (only if product is not operator attended)	
Idle * HDD: Idle * 3.0		* 3.0	22		
Operation	* HDD: Operating		* 3.1	23	
Other mode		5014 -1			
Measured acco	ording to: 🔀 ISO7779 L	ECMA-74 (only if not cover	ed by ECMA-74 with	n L _{pAm} measurement distance m)	
P10.2 The product me			ollowing voluntary p		\square

	ThinkCentre M72e MT's: 3261,4156,3264,3263,3267,3273,3856	,4004	
Issue date *	2012.05.02	Logo	lenovo

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item			No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 📃, other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			\boxtimes
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of 🗌		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated paper weight (kg): 0.47			
	Product packaging material type(s): Fabricated PE weight (kg): 0.07			
P13.2*	Product packaging material type(s): HDPE weight (kg):0.01 Product plastic packaging is free from PVC.			
-		\boxtimes		<u> </u>
P13.3*	Specify media for user and product documentation (tick box):			
P13.4*	Electronic 🔀, Paper 🔀, Other 🗌			
	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (Japan only 70%)			
P14	Additional information (See Note B4)			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie			
	information contained in this document. All information provided by supplier in this document is provided base			
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The inf			on
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.			
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Energy Star Qualified Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19