

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	** Personal Computer						
Commercial name *	ThinkCentre M72z						
Model number *	3558						
Issue date *	2014-10-16						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkCentre M72z	MT: 3558		
Issue date *	2014-10-16		Logo	lenovo

Product	t environmental attributes - Legal requirements	Require		t met
ltem		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	3		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these			
_	requirements is available (see legal reference).			
P5				
	requirements is available (see legal reference).	d 🔀		
P5 P5.1* P5.2*	requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an	d 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	ThinkCentre M72z MT: 3558						
Issue da	ite *	2014-10-16 Logo	len	ovo				
Produc	t environ	environmental attributes - Market requirements - Environmental conscious design						
Item		atory to fill in. Additional information regarding each item may be found under P14.	Require Yes	No	n.a.			
P6		nt information	100	110	- n.a.			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).						
P7	Design	mbly, recycling						
P7.1*		thave to be treated separately are easily separable						
P7.2*		naterials in covers/housing have no surface coating.						
P7.3*		arts >100g consist of one material or of easily separable materials.						
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.		- -				
P7.5				- [-]				
-	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).							
P7.7*	Product	Interime Ig can be done e.g. with processor, memory, cards or drives						
				<u> </u>	<u> </u>			
P7.8*		g can be done using commonly available tools			_Ц			
P7.9.	Spare pa	rts are available after end of production for: 5 years						
P7.10		s available after end of production for: 5 years						
BBBBBBBBBBBBB		and substance requirements						
P7.11*		cover/housing material type:						
P7.12		type: ABS Material type: ABS+PMMA Material type: Steel I cable insulation materials of power cables are PVC free. Item 1 Item 2 Item 2	<u> </u>		_			
P7.12		I cable insulation materials of signal cables are PVC free	<u> </u>					
P7.14		/housing plastic parts >25g are free from chlorine and bromine.						
P7.15	All printe Note B2	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S	iee	\bowtie				
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:						
P7.17	Alt. 1 Chomics	I specifications of flame retardants in printed circuit boards >25g (without components):						
		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2		- 57	_	_			
	ISO 104	 I specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: Brominated Epoxy Resin See P14 	g 🔀					
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substances/preparations	in 🗖					
	concentr	ations above 0.1%:						
	Comm	ent: No legal limits exist, this is a market requirement.						
		ical name: , CAS #:						
		ical name: , CAS #:						
	3. Chem Alt. 2	ical name: , CAS #:						
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:	N	_	_			
				<u> </u>				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\bowtie					
P7.20		plastic parts' weight >25g, recycled material content is 26.16%.						
P7.21		plastic parts' weight >25g, biobased material content is 0%.						
P7.22	If mercu	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg						
P8	Batterie							
P8.1*		hemical composition:						
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\boxtimes			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkC	entre M72	?z	MT: 3558	3 3558			
	014-10-16					Logo	lenovo	
Product environme	ental attrib	utes - Market re	equirements ((continued)			Requirement Yes No	t met n.a.
	nsumption						Tes No	n.a.
		owing power levels	s or energy cons	sumptions are rep	ported: See P14			
Energy mode *		ower level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Sta method *	ndard for e	energy modes and test	
Category D			110 17.0	200 176	method			
Idle State - WOL Enal	bled	23.56 W	23.58 W	23.46 W	Use for Energ	v Star V5	registration (P _{idle})	
Sleep (S3) - WOL Ena	abled	1.49 W	1.51 W	1.70 W	_		registration (P _{sleep})	H
Off (S5) - WOL Enable		0.17 W	0.18 W	0.32 W	_		registration (P _{off})	H
Peak (On-max)		90.62 W	90.38 W	90.91 W	Full load	,		H
. ,		50.02 W	00.00 11	00.01 11	1 011 1000			
Category C Idle State - WOL Enal	hled	22.34 W	21.84 W	21.96 W	Use for Energ	v Star V5	registration (Pidle)	
Sleep (S3) - WOL Ena		1.26 W	1.27 W	1.45 W	5	·	registration (P _{sleep})	╞
Off (S5) - WOL Enable		0.17 W	0.18 W	0.32 W			registration (P _{off})	
Peak (On-max)	eu	91.88 W	77.96 W	90.53 W	Full load	y Star VS		
		91.00 W	77.90 VV	90.55 W	Full IOau			
Category B Idle State - WOL Enal	blad	22.38 W	22.32 W	22.18 W	Line for Energ	v Ctor VE	registration (D)	
			-	-	_		registration (P _{idle})	닏
Sleep (S3) - WOL Ena		1.54 W	1.55 W	1.74 W			registration (P _{sleep})	
Off (S5) - WOL Enable	ed	0.17 W	0.18 W	0.32 W		y Star V5	registration (P _{off})	
Peak (On-max)		45.46 W	44.38 W	44.11 W	Full load			
Category A					1			
Idle State - WOL Enal		22.72 W	23.13 W	27.88 W			registration (P _{idle})	
Sleep (S3) - WOL Ena		1.56 W	1.57 W	1.48 W			registration (P _{sleep})	
Off (S5) - WOL Enable	ed	0.17 W	0.18 W	0.32 W	Use for Energ	y Star V5	registration (Poff)	
Peak (On-max)		45.74 W	45.48 W	45.84 W	Full load			
EPS No-load (External power supply plugged in the wall out disconnected from the	let but	W	W	W				
TEC Typical Energy Consur	mption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Consur	nption	Cat D: 84.02; Cat C:79.64; Cat B: 79.91; Cat A: 81.11; kWh/year	Cat D: 84.15; Cat C: 77.96; Cat B: 79.76; Cat A: 82.61; kWh/year	Cat D: 84.49; Cat C: 79.13; Cat B: 80.03; Cat A: 82.28 kWh/year	ETEC = (8760/10) 0.05 + Pidle x 0.4		(0.55 + Psleep X	
		P _{off} : Off Mode(S5)	- WOL Enabled;	P _{sleep} : Sleep Mode(S	53) - WOL Enabled	; P _{idle} : Idle	State - WOL Enabled	1
Display resolution* :	Megap	bixels						
Print Speed * :	Image	s per minute						\square
Default time to enter en	nergy save r	node: 30 minutes						
P9.2* Information	n about the e	energy save function	on is provided w	ith the product.	1			
	STAR® vers	energy requireme ion: Version 5.2		ving voluntary proco oduct category: A				

Model nu	mber *	Thi	nkCentre M72z	MT: 3558						
Issue date	e *	2014-1	0-16			Logo	le	nov	10.	
P10	Emissio	ons								
	Noise e	mission	- Declared according to ISO 9296							
P10.1	Mode	A-weighted sound power				sound pressure level L_{pAm} (dB)				
					or Desk	side	operato			1
	Idle		* HDD:Idle	* 3.5		24				
	Operation		* HDD: Operating	* 3.5		23	.4			
	Other m	ode								1
	Measure	ed accor	ding to: ISO7779 ECMA-74 Other (only if not covere	d by ECMA-74 wit	h L _{pAm} measu	irement dis	stance	m)		
P10.2	The prod	duct mee	ets the acoustic noise requirements of the f	ollowing voluntary	program/s:					\square
Product	environr	nental	attributes - Market requirements (co	ntinued)			Rec	quiren	nent	met
Item			• • •					Yes	No	n.a.
	Chemic	al emiss	sions from printing products							
P10.3*	Test per	formed a	according to ECMA-328 (ISO/IEC 28360) si	tandard 📃, other	specify:					\boxtimes
P10.4		emissior Dust	n rate (print phase) is (mg/h): Ozone Styrene Ben	izene TV	ос					\boxtimes
P10.5		al emissi Dust 🚺	ion requirements of the following voluntary Ozone Styrene	orogram/s Benzene	are met for :	туос 🗌				\boxtimes
			c emissions							
P10.6	program	/s:	y meets the requirement for low frequency	electromagnetic fi	elds of the foll	lowing volu	intary	\square		
P11			aterials for printing products							
P11.1*			heet (SDS) is available for the ink/toner pre					<u>Ц</u> _	Ц_	
P11.2*	EN1228	1.	g post-consumer recycled fibers can be u		at it meets th	e requiren	nents of			
P11.3*			printing/copying is an integrated product fu	nction.						\square
P12 P12.1*			r computing products	007 for vieual die	nlav taabaala	aioo				
P12.1			ets the ergonomic requirements of ISO 9241 ut device meets the requirements of ISO 99			gies.			⊢	⊢⊢
P12.2			documentation	995 and 150 9241	-410.			\boxtimes		
P13.1*	Product Product Product	packagi packagi packagi	ng material type(s): <i>Corrugated paper</i> ng material type(s): <i>Fabricated PE</i> ng material type(s): <i>HDPE</i> weight (k	weight (kg): 1.6 weight (kg): 0.27 g): 0.006	77					
P13.2*			backaging is free from PVC.					\boxtimes		
P13.3*	Electron	ic 🔀, F	or user and product documentation (tick box Paper \square , Other \square							
P13.4*			and product documentation, please specify	contained percent	age of post-co	onsumer re	cycled			
P14	fiber: 0		mation (See Note B4)							
	NOTE: S informat knowled provideo informat	Supplier ion conta ge availa I here is ion.	makes no representations, guarantees, ass ained in this document. All information prov able at the time of completion, and supplier approximate and provided for informational	ided by supplier ir shall have no obl purposes only. S	n this documer igation to upda ee a Lenovo A	nt is provid ate such in	ed based of formation.	n supp The inf	olier's format	
P7.17 P9			ot contain free TBBPA in printed circuit boa or Qualified Notebooks & Tablet Compute							
FJ			rgystar.gov/index.cfm?fuseaction=find_a			o&pgw_co	de=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M72z	Logo
Model Number	3558	_
Issue Date	2014-10-16	lenovo
Additional information		

(d)	Year of manufacture:	Availible on product label
(e)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:	
	Category AEtec82.28Category BEtec80.03Category CEtec79.13Category DEtec84.49	
(f)	E TEC value (kWh) and capability adjustments applied when all discrete graphics cards (dGfx) are enabled:	N/A
(g)	idle state power demand (Watts);	23.46
(h)	sleep mode power demand (Watts);	1.70
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	1.70
(j)	off mode power demand (Watts);	0.32
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	0.32
(I)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 87.52% 20% 91.47% 50% 92.46% 100% 90.77%	
(m)	External power supply efficiency (if applicable): 10% 20% 50% 100% Average ; or Level:	N/A
(0)	The minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A

(f)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz 230V/50Hz Total harmonic distortion of the electricity supply system ≤2% Information and documentation on the instrumentation, set-up and circuits used for electrical testing								
		Instrument Range Used Type Or ***							
			er Source	Input:110V,20A(max)/220V, 10A(max);50HZ/60HZ;. Output:0~150V,9.2A(max)/0 ~300V,4.6A(max)	EXTECH 6910;				
		Powe	r Meter	0~600V;0~20A	YOKOGAWA;WT210				
(p-1)	efficie	ency:		80 PLUS® Progra					
(p-2)	The efficie		nent methodolo	gy used to determine informat	ion mentioned in points (m) – external PS	J			
(p-3)	The batte		nent methodolo	gy used to determine informa N/A	tion mentioned in points (o) – loadingcycle	S			
(p-4)				y used to determine information in the Product IT Eco Declaration IEC 62301	mentioned in maximum, idle, sleep, off mode on:				
(q)	Sequ	ence of s	teps for achievin	g a stable condition with respec	t to power demand::				
			F	Power on -> Wait 5 minutes ->\$	Stable condition				
(r)	Desc	ription of		r off mode was selected or prog egin menu -> Power -> Select :					
(s)	Sequ off m		vents required to	e reach the mode where the equ	pment automatically changes to sleep and/or				
					Restore default settings for this plan				
(t)					Itomatically reaches sleep mode, or anothe requirements for sleep mode (in minutes):	25 minutes			
(u)		•	•	iod of user inactivity in which power demand requirement the	the computer automatically reaches a an sleep mode (in minutes):	45 minutes			
(v)	The I	ength of	time before the	display sleep mode is set to a	activate after user inactivity (in minutes):	10 minutes			
(w)	Inform	nation on	the energy-savi	ng potential of power manageme	ent functionality:				
				N/A					
(x)	User	informatio	on on how to ena	ble the power management fun	ctionality:				
				Refer to User Gui	de				
Addition Yes	n Notebo	ok Batte n/a	ry Information: This notebook	computer is operated by batten	/ies that cannot be accessed and replaced t	y a non-professional			
			user.		not be easily replaced by users the				
			The ballery	lies] in this product can	not be easily replaced by users the	511301462			

Additional information