

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		
	Alvin L Carter	-	
	1009 Think Place	lenovo	
	Building 2 / 5J3		
	Morrisville, North Carolina 27560		
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html		
Additional information	The latest version of this document can be found at		
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Workstation		
Commercial name *	ThinkStation E32 Tower;		
Model number *	Tower: 30A0, 30A1		
Issue date *	2013.07.31		
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information	ENERGY STAR® Qualified; EPEAT Gold Rating, GREENGUARD Certification		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality 0	Control	Requiremer	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).)l 🔀 Ic	

Model number *	ThinkStation E32 Tower	MT:30A0, 30A1
Issue date *	2013.07.31	

Logo

lenovo

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference)	,		
	Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split			\boxtimes
D. (at	aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
D1 0*	Comment: Legal reference has no maximum concentration values.			
P1.9	microgram/cm ² /week (see legal reference).			
P1 10*	Comment. Max limit in regar reference when tested according to ENTOTIT. 1996.			
F 1.10	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains	\boxtimes		
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\square		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on th design of the product). Exception: Batteries that are permanently installed for safety, performance, medic or data integrity reasons do not have to be "easily removable". (See legal reference)	e 🔀 al		
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference)			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complie with legally required standards for radio and telecommunication devices (see legal reference).	s 🔀		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\square
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	id 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).	al 🔀		
	Comment. Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	Imber *	ThinkStation E32 Tower MT:30A0, 30A1				
Issue date *		2013.07.31 Logo	lenc	v) .	
Product	environ	mental attributes - Market requirements - Environmental conscious design	Require	ment	met	
ntem P6	Treatme	nt information	res	INO	n.a.	
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				
P7	Design					
	Disasse	mbly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable	\square			
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	\square			
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.	\square			
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.	\square			
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\square			
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives	\square			
P7.8*	Upgradin	g can be done using commonly available tools	\boxtimes			
P7.9.	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service is	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*	Product of	cover/housing material type:				
	Material	type: ABS Material type: ABS Material type: Steel				
P7.12	Electrica	cable insulation materials of power cables are PVC free.				
P7.13	Electrica	cable insulation materials of signal cables are PVC free		\square		
P7.14	All cover,	/housing plastic parts >25g are free from chlorine and bromine.	\square			
P7.15	All printe	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (Se	e 🗌	\boxtimes		
P7 16	Flame re	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4				
17.10	Marking:					
P7.17	Alt. 1	Langeifications of flows retardants in printed size it boards - 25 a (without components).				
		additive) TRRPA (reactive) Cherr chamical name: CAS #:				
	I DDFA (auditive) [], TBBFA (leactive) [], Other, chemical hame. , CAS #.				
	Alt. 2					
	Chemica	I specifications of flame retardants in printed circuit boards (without components) >25g according	\square			
	ISO 1043	3-4: Brominated Epoxy Resin See P14				
P7.18	Alt. 1	atardad plastic parts >25g contain the following flame retardant substances/proparations i	~ —			
	concentra	ations above 0.1%:				
	Commer	it: No legal limits exist, this is a market requirement.				
	Provide a	a list of all used flame retardants including MSDS for each flame retardant. The list must contai	n			
	complete	chemical name, CAS number and supplier.				
	1. Chemi	cal name: , CAS #: , Supplier:				
	2. Chemi	cal name: , CAS #: , Supplier:				
	Alt 2		\bowtie			
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:		_		
P7.19	Plastic pa R40, R46	arts >25g are tree from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	\bowtie			
P7.20	Of total p	lastic parts' weight >25g, recycled material content is Tower: 51.03%,				
P7.21	Of total p	lastic parts' weight >25g, biobased material content is 0%.				
P7.22	Light sou	rces are free from mercury			\boxtimes	
P8	Batteries	3				
P8.1*	Battery c	hemical composition:			\square	
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\boxtimes	

Annex B of ECMA-370 4th edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Thin	kStation E3	32 Tower	MT:30A0. 3	30A1			
Issue date *	2013.07	.31			Logo lenovo			
Product enviror	nmental a	ttributes - Market	requirements (c	ontinued)	Requirement n	net n.a		
P9 Energy	y consump	otion				n.a.		
9.1 For the The pre-	9.1 For the product the following power levels or energy consumptions are reported: See P14 The product is shipped w/ WOL Enabled.							
Energy mode *	nergy mode * Power level at Power level at Power level at Reference / Standard for energy modes							
Category D		100 1710		200 1710				
Idle State - WOL	Enabled	34.56 W	34.78 W	34.47 W	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL	Enabled	0.79 W	0.81 W	0.97 W	Use for Energy Star V5 registration(P _{sleep})	$\overline{\Box}$		
Off (S5) - WOL Er	abled	0.53W	0.55W	0.71W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)		123.98 W	124.87 W	124.63 W	Full load			
Category C								
Idle State - WOL	Enabled	35.63 W	35.23 W	36.28 W	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL	Enabled	0.80 W	0.81 W	0.97 W	Use for Energy Star V5 registration(P _{sleep})			
Off (S5) - WOL Er	nabled	0.53 W	0.55 W	0.72 W	Use for Energy Star V5 registration(Poff)			
Peak (On-max)		127.75 W	126.43 W	130.08 W	Full load			
Category B								
Idle State - WOL	Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{idle})			
Sleep (S3) - WOL	Enabled	N/A	N/A	N/A	Use for Energy Star V5 registration(P _{sleep})			
Off (S5) - WOL En	nabled	N/A	N/A	N/A	Use for Energy Star V5 registration(Poff)			
Peak (On-max)		N/A	N/A	N/A	Full load			
EPS No-load (External power su charger plugged in outlet but disconne	pply / the wall ected from	W	W	W				
TEC Typical Energy Co	nsumption	kWh/week	kWh/week	kWh/week				
ETEC * Annual Energy Co	nsumption	Cat D: 124.00; Cat C:127.75; Cat B: N/A;	Cat D: 124.87; Cat C: 126.45; Cat B: N/A;	Cat D: 124.63; Cat C: 131.02; Cat B: N/A;	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$			
		Cat A: N/A; kWh/year	Cat A: N/A; kWh/year	Cat A: N/A kWh/year	N. Fashladi, B., edda State, WOL Fashlad			
Diantau na adutian		Poff: Off Mode(S5) - 1	WOL Enabled; P _{sleep} : 3		JE Enabled; P _{idle} : Idle State - WOL Enabled			
Display resolution	: IV	legapixeis						
Print Speed	:	Images per minu	ite					
Default time to ente	er energy s	ave mode: 30 minute	9S	the second set		<u>Ц</u>		
P9.2 Informa		the energy save fund	ction is provided with					
ENER Others	GY STAR® specify:	version: Version 5.2	2 Product category:	A,B,C,D				
P10 Emiss	ions							
Noise	emission -	- Declared according	to ISO 9296	Dealaward	Declared A weighted			
P10.1 Mode		Mode description		A-weighted sound power	sound pressure level L_{pAm} (dB)			
				level L_{WAd} (B)	Operator position Bystander positions Desktop Image: Comparison of the standard			
Idle *		* HDD: Idle		* 3.7	27.4			
Operat	tion	* HDD: Operating		* 3.7	27.5			
Other	mode							
Measu	red accordi	ing to: 🔀 ISO7779 [ECMA-74					
	a alvest a state	Other	(only if not cover	red by ECMA-74 wi	ith L _{pAm} measurement distance m)			
r⊓u.∠ The pr	oauct meet	s the acoustic hoise	requirements of the	ronowing voluntary	program/s:	\bowtie		

Annex B of ECMA-370 4th edition, June 2009

Model nu	mber *	ThinkStation E32 Tower MT:30A0, 30A1			
Issue date *		2013.07.31 Logo	leno	vo	
Product	environr	nental attributes - Market requirements (continued)	Require	ment	met
Item			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\square
P10.4	Typical e	emission rate (print phase) is (mg/h):			
		Dust Ozone Styrene Benzene TVOC			
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :			\square
	[Dust 🗌 Ozone 🗌 Styrene 🗌 Benzene 🗌 TVOC 🗌			
	Electror	nagnetic emissions			
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the following voluntary	\square		
D44	program	/S:			
P11 D11 1*		hable materials for printing products			
	A Salety	Data Sheet (SDS) is available for the invitible preparation, even in not regarily required (see F4.5).	-4 	ᅳᆜᅳ	
P11.2"	EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements (or 🗌		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			\square
P12	Ergono	mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\square		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packagi	ing and documentation			
P13.1*	Product	packaging material type(s): Paper weight (kg): 1.176, (85%+ recycled)			
	Product	packaging material type(s): Solid EPE weight (kg): 0.41,			
Dia at	Product	packaging material type(s): HDPE weight (kg): 0.016 (30%+ recycled)			
P13.2*	Product	plastic packaging is free from PVC.	\square		
P13.3*	Specify I	media for user and product documentation (tick box):			
	Electron	ic 🔀, Paper 🔀, Other 🔄			
P13.4*	For pape fiber: 0	er user and product documentation, please specify contained percentage of post-consumer recycled % (Japan only 70%)			Ш
P14	Addition	nal information (See Note B4)			
	NOTE: informat knowled provided informat	Supplier makes no representations, guarantees, assurances or warranties whether express or impli ion contained in this document. All information provided by supplier in this document is provided bas ge available at the time of completion, and supplier shall have no obligation to update such informati here is approximate and provided for informational purposes only. See a Lenovo Account Represen- ion.	ed, regard ed on sup on. The ir ntative for	ing the plier's forma more	∍ tion
P7.17	Product	t does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9	See Ene	ergy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc.) for the lates	t informa	tion:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19