

## Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkPad	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at				
	http://www.lenovo.com/social_responsibility/us/en/datasheets_	notebooks.html			

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	lotebook PC				
Commercial name *	Lenovo V490u				
Model number *	M/T: 20199				
Issue date *	2012, June				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control F		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🛛	

Model number *	Lenovo V490u	M/T: 20199		
Issue date *	2012, June		Logo	lenovo

<b>Product</b>	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$	$\Box$	
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	Lenovo V490u	M/T: 20199		
Issue date *	2012, June		Logo	lenovo.

Product	duct environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P6	Treatment information					
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш			
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable		П			
P7.2*	Plastic materials in covers/housing have no surface coating.	Ħ	$\overline{\boxtimes}$	$\overline{\Box}$		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		Ħ	Ħ		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		$\Box$	$\overline{\Box}$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\Box}$	$\overline{\Box}$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$				
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$				
P7.9.	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type:					
	Material type: >PA+GF50-FR(40)<  Material type: >PC+ABS-FR(40)<  Material type: >PC+ABS-FR(40)<  Material type: >PC+ABS-FR(40)<					
	(TD15)FR(40)<					
P7.12	Electrical cable insulation materials of power cables are PVC free.		$\boxtimes$			
P7.13	Electrical cable insulation materials of signal cables are PVC free		$\boxtimes$			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\boxtimes$				
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)					
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:					
	Marking: FR(40)					
P7.17	Alt. 1  Chamical appointations of flame retardants in printed circuit boards > 25g (without components):					
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):  TBBPA (additive), TBBPA (reactive), Other; chemical name: DOPO, CAS #: 35948-25-5	Ш	Ш	Ш		
	Table A (additive) , Table A (reactive) , Other, chemical hame. Dor o, OAC #. 30343-20-3					
	Alt. 2					
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>FR</i> (40)		Ш	Ш		
P7.18	Alt. 1					
F7.10	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in					
	concentrations above 0.1%:					
	Comment: No legal limits exist, this is a market requirement.					
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier.					
	1. Chemical name: , CAS #: , Supplier:					
	2. Chemical name: , CAS #: , Supplier:					
	3. Chemical name: , CAS #: , Supplier:					
	Alt. 2		Ш	Ш		
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)					
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)					
P7.20	Of total plastic parts' weight >25g, recycled material content is 0.017%.					
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.					
cP7.22	Light sources are free from mercury					
P8	Batteries  Detter showing consolition to the last the las					
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide			<u> </u>		
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			1 1		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	Lenovo V490u	M/T: 20199		
Issue date *	2012, June		Logo	lenovo.

Product 6	Product environmental attributes - Market requirements (continued) Requirement met						
Item						n.a.	
P9	<b>6</b> ,						
9.1		e following power lev oped w/ WOL Enable		mptions are reporte	ed: <b>See P14</b>		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standa and test method *	rd for energy modes	
		(50Hz/60Hz)					
Peak (On-	max)	<b>65</b> W	<b>65</b> W	<b>65</b> W	Full load		
Category	<u>у В</u>						
	- WOL Enabled	8.04(50Hz)/7.44( 60Hz) W	<b>8.64</b> W	<b>8.4</b> W	Use for ENERGY ST.		
	- WOL Enabled	<i>0</i> .96 W	<b>0.96</b> W	<b>1.2</b> W		AR Registration(P <sub>sleep</sub> )	
Off (S5) - I	WOL Enabled	<b>0.24</b> W	<b>0.24</b> W	<i>0.36</i> W	Use for ENERGY ST	AR Registration(P <sub>off</sub> )	
	WOL Disabled	W	W	<i>0.39</i> W	Use for EuP		
charger plu	ower supply / ugged in the wall lisconnected from	W	W	W			
TEC Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week			
ETEC * Annual Ene	ergy Consumption	19.45 kWh/year	19.45 kWh/year	25.02 kWh/year	$0.1 + P_{idle} \times 0.3$ )	$x (P_{off} x 0.6 + P_{sleep} x)$	
					Etec_max (Category		
		P <sub>off</sub> : Off Mode(S5) - I	<b>VOL Enabled</b> ; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle State	e - WOL Enabled	
Display res	solution : 1366x76	8 Megapixels					
Print Speed	d :	Images per minu	te				
Default tim	e to enter energy sa	ave mode: 20 minute	s				
P9.2*	Information about	the energy save fund	ction is provided with	the product.			
P9.3*	ENERGY STAR®	the energy requirent version: <b>Version 5.2</b>	2 dated January, 20	11 Product categor	ry: B		
D40	<u> </u>	IERGY STAR for Ex	ternal Power Supp	lies Eligibility Crit	eria Version 2		
P10	Emissions	Declared according	to ISO 9296				
P10.1		Mode description	10.100.0200	$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{W\!\text{Ad}} \left( \text{B} \right) \end{array}$	Declared A sound pressure I Operator position Desktop or Desk side	•	
	Idle *	HDD: Idle(Intel)		* 2.8	2	8	
	Operation *	HDD: Operating(In	itel)	* 3.0	30		
	Other mode						
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)						
P10.2	The product meets	the acoustic noise	requirements of the t	following voluntary r	orogram/s:		

Model ni	umber *	Lenovo V490u M/T: 20199			
Issue da	te *	2012, June Logo	leno	vo	).
Product	t environr	mental attributes - Market requirements (continued)	Require	emen	t met
Item			Yes	No	n.a.
	Chemic	al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\square$
P10.4		emission rate (print phase) is (mg/h):			
	, ,	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemica	al emission requirements of the following voluntary program/s are met for :			X
	[	Dust Ozone Styrene Benzene TVOC			
	Electro	magnetic emissions			
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following voluntary	,		$\boxtimes$
	program				
P11	Consun	nable materials for printing products			
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3)			$\boxtimes$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements 1.	of		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.			$\boxtimes$
P12		mics for computing products			
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	X		
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		$\Box$	币
P13	Packagi	ing and documentation			
P13.1*	Product Product Product	packaging material type(s): Corrugated Cardboard weight (kg): 0.395 packaging material type(s): EPE weight (kg): 0.070 packaging material type(s): Pulp Fiber packaging material type(s): PE Bag weight (kg): 0.019			
P13.2*		plastic packaging is free from PVC.	$\boxtimes$		
P13.3*		media for user and product documentation (tick box): ic . Paper . Other .			
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer recycle (% (Japan only 70%)	ed		
P14		nal information (See Note B4)			
	NOTE: informat knowled provided informat	Supplier makes no representations, guarantees, assurances or warranties whether express or implien contained in this document. All information provided by supplier in this document is provided by ge available at the time of completion, and supplier shall have no obligation to update such information in the provided for informational purposes only. See a Lenovo Account Repression.	ased on su ation. The i	pplier's nforma	s ation
P7.17		t does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest information: pwnloads.energystar.gov/bi/qplist/laptops_prod_list.xls			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19