

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

| Brand * | Lenovo | Logo | |
|------------------------|---|--------|--|
| Diallu | Lenovo | LUYU | |
| Company name * | Lenovo | | |
| Contact information * | Lenovo Global Environmental Affairs | | |
| | Alvin L Carter | lenovo | |
| | 1009 Think Place | | |
| | Building 2 / 5J3 | | |
| | Morrisville, North Carolina 27560 | | |
| | alcarter@lenovo.com | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | |
| Additional information | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | |
|--|--|--|--|
| Type of product * | Notebook PC | | |
| Commercial name * | Lenovo V570 | | |
| Model number * | 20092;1066 | | |
| Issue date * | 2010-12-30 | | |
| Intended market * | 🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other | | |
| Additional information | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality Control | | | Requirement met | |
|-----------------|--|-------------|-----------------|--|
| Item | | Yes | No | |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🛛 | | |

| Issue da | te * 2010-12-30 Logo | lend | DVC | > | |
|----------|--|-------------|------|-------------|--|
| Produc | t environmental attributes - Legal requirements | Require | mont | mot | |
| Item | r environmentar attributes - Legar requirements | Yes | No | n.a. | |
| P1 | Hazardous substances and preparations | 100 | 110 | n.a | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal | | | | |
| | reference and Note B1) | | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | \boxtimes | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | \boxtimes | | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | \boxtimes | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | \boxtimes | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). | | | | |
| P1.9* | Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: Contact of the standard decording to Environment of the standard decording to Envind decording to Environment of the standard dec | | | | |
| P2 | Batteries | | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) | | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | \boxtimes | | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | Π | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies in the product is intended for radio and telecommunication devices (see legal reference). | | | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | | | | |
| P4 | Consumable materials | | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see | | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | \square | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | | |
| P5 | Product packaging | | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. | | | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montreal | | = | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Product Item P6 P6.1* P7 P7.2* P7.3* P7.4* P7.5 P7.6* P7.7* P7.8* | e* 2010-12-30 environmental attributes - Market requirements - Environmental of *=mandatory to fill in. Additional information regarding each item may be found Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed witt Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives Upgrading can be done using commonly available tools | d under P14. | Requirer Yes | nent m | n.a. |
|---|--|--------------------------------|-----------------|-------------|------|
| Item P6.1* P7.1* P7.2* P7.3* P7.3* P7.4* P7.5 P7.6* P7.7* | *=mandatory to fill in. Additional information regarding each item may be found Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed witt Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | d under P14. | | | |
| Item P6 P6.1* P7.1* P7.2* P7.2* P7.3* P7.4* P7.5 P7.6* P7.7* | *=mandatory to fill in. Additional information regarding each item may be found Treatment information Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed witt Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | d under P14. | | | |
| P6.1* P7 P7 .1* P7.2* P7.3* P7.4* P7.5 P7.6* P7.7* | Information for recyclers/treatment facilities is available (see legal reference). Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed witt Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.1* P7.2* P7.2* P7.3* P7.4* P7.5 P7.6* P7.7* | Design Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed with Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.1* P7.2* P7.3* P7.4* P7.5 P7.6* P7.7* | Disassembly, recycling Parts that have to be treated separately are easily separable Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed witt Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.2* P7.3* P7.4* P7.5 P7.6* P7.7* | Plastic materials in covers/housing have no surface coating. Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed with Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.3* P7.4* P7.5 P7.6* P7.7* | Plastic parts >100g consist of one material or of easily separable materials. Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed with Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.4* P7.5 P7.6* P7.7* | Plastic parts >25g have material codes according to ISO 11469 referring ISO Plastic parts are free from metal inlays or have inlays that can be removed with Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.5 P7.6* P7.7* | Plastic parts are free from metal inlays or have inlays that can be removed with Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | h commonly available tools. | | | |
| P7.6* P7.7* | Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | | | | = |
| P7.7* | Labels are easily separable. (This requirement does not apply to safety/regula Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | | | | 1 |
| | Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives | | | | F |
| | Upgrading can be done e.g. with processor, memory, cards or drives | | | | |
| P7 8* | | | \square | | |
| | | | | | Ħ |
| P7.9. | Spare parts are available after end of production for: 5 years | | | | ⊢ |
| P7.10 | Service is available after end of production for: 5 years | | | | ⊢ |
| | Material and substance requirements | | | | |
| P7.11* | Product cover/housing material type: | | | | |
| | Material type: PC+ABS-FR(40) Material type: | Material type: | | | |
| P7.12 | Electrical cable insulation materials of power cables are PVC free. | | | \boxtimes | |
| P7.13 | Electrical cable insulation materials of signal cables are PVC free | | | | F |
| P7.14 | All cover/housing plastic parts >25g are free from chlorine and bromine. | | | | F |
| P7.15 | All printed circuit boards (without components) >25g are halogen free. as de Note B2) | efined in IEC61249-2-21. (Se | e | | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according Marking: <i>FR(40)</i> | ISO 1043-4: | \square | | |
| P7.17 | Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (with TBBPA (additive), TBBPA (reactive), Other; chemical name: , C Alt. 2 | nout components): CAS #: | | | |
| | Chemical specifications of flame retardants in printed circuit boards (without co ISO 1043-4: <i>Brominated Epoxy Resin See P14</i> | omponents) >25g according | | | |
| P7.18 | Alt. 1 Flame retarded plastic parts >25g contain the following flame retardar concentrations above 0.1%: | nt substances/preparations i | in 🗌 | | |
| | Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame recomplete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier: | etardant. The list must contai | 'n | | |
| | 3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISC <i>FR(40)</i> | D 1043-4: | | | |
| P7.19 | Plastic parts >25g are free from flame retardant substances/ preparations abo R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See | | \boxtimes | | |
| P7.20 | Of total plastic parts' weight >25g, recycled material content is 10.1%. | | | | |
| P7.21 | Of total plastic parts' weight >25g, biobased material content is 0%. | | | | |
| P7.22 | Light sources are free from mercury | | | | |
| P8 | Batteries | | | | |
| P8.1* P8.2 | Battery chemical composition: <i>Lithium Ion/Lithium Manganese Dioxide</i> Batteries meet the requirements of the following voluntary program/s: US RBF | _ | | | |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | ^{mber*} Lenovo V570 MT: 20092;1066 | | | | | | |
|--|---|-------------------------|-----------------------------------|---------------------------|---|--|-----------|
| Issue date * | 2010-12 | | | | | | β. |
| | | | | | | | - |
| Product environmental attributes - Market requirements (continued) Requirement met | | | | | | | |
| Item | | | | | | | |
| | P9 Energy consumption 9.1 For the product the following power levels or energy consumptions are reported: See P14 | | | | | | |
| The p | | oped w/ WOL Enable | ed. | · · | | | |
| Energy mode * | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / Standar and test method * | d for energy modes | |
| Peak (On-max) | | <i>90</i> W | <i>90</i> W | <i>90</i> W | Full load | | |
| Category B | | | | | | | |
| Idle State - WOL | . Enabled | <i>9.11</i> W | <i>9. 13</i> W | <i>9.57</i> W | Use for Energy Star V5 registration(P _{idle} , | | |
| Sleep (S3) - WO | L Enabled | 0.78 W | 0.78 W | 0.88 W | Use for Energy Star | V5 registration(P _{sleep}) | |
| Sleep (S3) - WO | L Disabled | 0.73 W | 0.74 W | 0.84 W | Reference | | |
| Off (S5) - WOL E | Enabled | 0.46 W | 0.46 W | 0.54 W | Use for Energy Star | V5 registration(Poff) | |
| Off (S5) - WOL L | Disabled | 0.524W | 0.519 W | 0.571 W | Use for EuP | | |
| EPS No-load | | 0.13 W | 0.14 W | 0.24 W | | | |
| (External power s charger plugged outlet but disconr the product.) | in the wall | | | | | | |
| TEC | | kWh/week | kWh/week | kWh/week | | | \square |
| Typical Energy C | onsumption | | | | | | |
| ETEC * Annual Energy C | onsumption | 27.103 kWh/year | 27.585 kWh/year | 28.934 kWh/year | $E_{TEC} = (8760/1000) x$ 0.1 + $P_{idle} x 0.3$ | $(P_{off} \times 0.6 + P_{sleep} \times$ | |
| | | Poff: Off Mode(S5) - | WOL Enabled; P _{sleep} : | Sleep Mode(S3) - WO | L Enabled; P _{idle} : Idle Stat | te - WOL Enabled | <u> </u> |
| Display resolution | n : 1280*80 | 0 Megapixels | | | | | |
| Print Speed | : | Images per minut | e | | | | \square |
| Default time to er | Default time to enter energy save mode: 25 minutes | | | | | ħ | |
| P9.2* Inform | mation about | the energy save func | tion is provided with | the product. | | | |
| P9.3* The p | | | | | | | |
| ENERGY STAR® version: Version 5.0 dated July 1, 2009 Product category: A | | | | | | | |
| - | | ergy Star for Extern | nal Power Supplies | Eligibility Criteria | Version 2 | | |
| | sions e emission - | Declared according | to ISO 9296 | | | | |
| P10.1 Mode | | Mode description | | Declared | Declared A | -weighted | |
| | | | | A-weighted sound power | sound pressure le | əvel $L_{p{\sf Am}}$ (dB) | |
| | | | | | Operator position 🔀 | Bystander positions | - |
| | | | | | Desktop 🔀 | | |
| | | | | | or Desk side | (only if product is not operator attended) | |
| Idle | | * HDD: Idle | | * 2.40 | 25.9 | | |
| Oper | | * HDD: Operating | ng * 3.16 27.0 | | .0 | | |
| | r mode | | _ | | | | - |
| Meas | sured accordi | ° <u>–</u> – | ECMA-74 | | | | |
| P10.2 The r | roduct mart | Other | | | L _{pAm} measurement dis | stance m) | |
| ILIO.Z INC | D.2 The product meets the acoustic noise requirements of the following voluntary program/s: | | | | | | |

| Model nu | mber * | Lenovo V570 MT: 20092;1066 | | | | |
|------------|---|---|---|--------------------------------|------------------|-------------|
| Issue date |) * | 2010-12-30 | Logo | leno | vo | |
| Product | environn | nental attributes - Market requirements (continued) | | Require | ment | met |
| Item | | | | Yes | No | n.a. |
| | Chemica | al emissions from printing products | | | | |
| P10.3* | Test per | formed according to ECMA-328 (ISO/IEC 28360) standard , other specify: | | | | \times |
| P10.4 | Typical e | mission rate (print phase) is (mg/h): | | | | |
| | | Dust Ozone Styrene Benzene TVOC | | | | |
| P10.5 | | Il emission requirements of the following voluntary program/s are met for : | TVOC | | | \boxtimes |
| | Electron | nagnetic emissions | | | | |
| P10.6 | | er display meets the requirement for low frequency electromagnetic fields of the follows: MPR-II | owing voluntary | | | |
| P11 | | able materials for printing products | | | - | |
| P11.1* | A Safety | Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ | ired (see P4.3). | | | \boxtimes |
| P11.2* | Paper co EN1228 | ontaining post-consumer recycled fibers can be used, provided that it meets the 1. | e requirements | s of 🗌 | | \square |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | | | | | \boxtimes |
| P12 | Ergonor | nics for computing products | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | | | |
| P12.2* | The phys | sical input device meets the requirements of ISO 9995 and ISO 9241-410. | | \boxtimes | | |
| P13 | Packagi | ng and documentation | | | | |
| P13.1* | Product | packaging material type(s): Corrugated Carton weight (kg): 0.378 packaging material type(s): Polyethylene Cushions weight (kg): 0.058 packaging material type(s): Others weight (kg): 0.230 | | | | |
| P13.2* | Product | plastic packaging is free from PVC. | | \boxtimes | | |
| P13.3* | | nedia for user and product documentation (tick box): | | | | |
| P13.4* | | r user and product documentation, please specify contained percentage of post-co % (Japan only 70%) | nsumer recycle | d | | |
| P14 | | al information (See Note B4) | | | | |
| | informati knowled provided informati | | at is provided ba ate such informatic account Represe | used on supp ation. The inf | olier's ormat | |
| P7.17 | | does not contain free TBBPA in printed circuit boards(without components)> | | | | |
| P9 | | d ENERGY STAR Products) for the latest Qualified Notebook Computer inform www.energystar.gov/index.cfm?c=products.pr_find_es_products | mation: | | | |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |