

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		
e-mail address	Alvin L Carter	Lenovo.	
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook							
Commercial name *	Lenovo Yoga C640-13							
Model number *	81UE							
Issue date *	2019-7-26							
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other							
Additional information								

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	imber *	81UE Logo	lon		
Issue dat	te *	2019-7-26	Len		
Product	environ	mental attributes - Legal requirements	Require		t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		o do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), profluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated (PCT) in preparations (see legal reference).	\square		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ie 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🛛		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square		
P2	Batterie	S			
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🖂		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proc	luct is CE-marked to show conformance with applicable legal requirements (see legal reference). laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\square		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\boxtimes		
P5	Droduct	packaging			
P5.1*	Packagii	packaging ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material e legal reference).	s) 🔀		
P5.3*	The proc (see lega	luct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference).	ol 🔀		
De		nt: Legal reference has no maximum concentration values.			
P6.1*		nt information			
P0.1	mormati	on for recyclers/treatment facilities is available (see legal reference).	\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	81UE Logo					
Issue da	ite *	2019-7-26	Len	OVO	D.		
Produc	t environ	mental attributes - Market requirements (See General NOTE GN below)					
Tioudo			Require	ment	met		
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7		Disassembly, recycling					
P7.1*		t have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	\square				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square				
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime					
P7.7*	Upgradir	ig can be done e.g. with processor, memory, cards or drives	\square				
P7.8*	Upgradir	ng can be done using commonly available tools	\boxtimes				
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: >PC-GF30FR(40)< Material type: >PC+ABS- (TD+MD)15FR(40)< Material type:					
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\square			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			Ē		
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin in 25% post-consumer recycled content.	d 💆				
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge and in IEC 61249-2-21. (See 1NOTE B2)	n 🔀				
P7.16	Flame re Marking:	<pre>starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC-GF30FR(40)< >PC+ABS-(TD+MD)15FR(40)<</pre>					
P7.17	<u>Alt. 1: </u> Cł	nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO , CAS #: 35948-25-5					
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4: FR(16)					
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	n				
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40)</i>	\boxtimes				
P7.19	assigned	 parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been I the following Risk phrases; and Hazard statements: rce(s) for these classifications is/are found at (add URL(s)): , (See note B5) 					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
	a) Of t	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 2.3% .					
		weight of recycled material is 9.0 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	81UE 2019-7-26	Logo	Lenovo
Product environm	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met Yes No n.a.

	Material and sub	stance requirements	(continued)			
P7.21*			in the product (See NC	DTE B7):		
	a) Of total plastic b	ic parts' weight > 25 g,	s below shall be answe the biobased plastic ma		ed as a percentage of	
	or b) The weight o	f the biobased plastic n	naterial is g.			
P7.22*	Light sources are	free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	Im mercury content per	lamp: mg	
P8	Batteries	opoony. Number of fun			idinp. ing	
P8.1*	Battery chemical of	composition: Lithium Ic	on			
P9	Energy consump	tion (See NOTE B8)				
P9.1	For the product the	e following power level	s or energy consumptio	ns are reported:		
Energy mod	e *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy [modes and test method *	
Peak (On-m	iax)	45 W	45 W	45 W	Full load	
Category	<u>'1</u>					
Short Idle S Enabled	State - WOL	2.34 W	2.37 W	2.45 W	Use for ENERGY STAR V7.1 registration (Pidle)	
Long Idle S Enabled	tate - WOL	1.6 W	1.59 W	1.64 W	Use for ENERGY STAR V7.1 registration (P _{idle})	
Sleep (S3) - WOL Enabled		0.79 W	0.79 W	0.83 W	Use for ENERGY STAR V7.1 registration (P _{sleep})	
Off (S5) - W	OL Enabled	0.2 W	0.2 W	0.24 W	Use for ENERGY STAR V7.1 registration (Poff)	
Off (S5) - W	OL Disabled	0.396 W	0.396 W	0.396 W	Use for ErP	
EPS No-load (External power sur wall outlet but disco	d pply / charger plugged in the pnnected from the product.)	0.06 W	0.06 W	0.07 W		
PTEC *	rgy Consumption	W	W	W		X
ETEC * Annual Ener	rgy Consumption	10.4 kWh/year	10.5 kWh/year	10.9 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	
		Poff: Off Mode(S5) - WC	DL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enabled	d; P _{idle} : Idle State - WOL Enabled	
External Pov	wer Supply Efficien	cy Level (International	Efficiency Marking Prote	ocol) * : VI		
Display reso	olution * : 1920 x 10	80 megapixels				
Default time	to enter energy say	ve mode: 25 minutes				X
P9.2*	Information about	the energy save function	on is provided with the p	product.		=
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions				l	_
		- Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode N	Mode description		Statistical upper limit	A-weighted sound power level, L _{WA,c} (E	3)
	Idle *	HDD:Idle		* 2.8		
	Operation *	HDD: Operating		* 3.9		
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	16.9 (operator positi	on desktop – idle)	
	Other mode	Declared A-weighted sound	d pressure level (dB) L_{pAm}	31 (operator position	n desktop – operating)	
	Measured accordi	ng to: 🔀 ISO 7779 🔀	-			
		Other	(only if not covered by			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	imber *	81UE			Logo		
Issue dat	te *	2019-7-26				Leno	
	environ	nental attribu	tes - Market requirements (co	ontinued)		Require	
Item						Yes	No n.
		nagnetic emiss					
P10.4	program	(s):	the requirement for low frequency	electromagnetic fields	s of the following volu	Intary	
P12	Ergono	mics for compu	ting products				
P12.1*			gonomic requirements of ISO 924				
P12.2*	The phy	sical input devic	e meets the requirements of ISO 9	995 and ISO 9241-41	0.		
P13	Packagi	ing and docum	entation				
P13.1*	Product Product	packaging mate packaging mate	rial type(s): Corrugated carton rial type(s): paper(manuel) rial type(s): EPE cushion rial type(s): PE bag	weight (kg): 0.274 weight (kg): 0.04 weight (kg): 0.086 weight (kg): 0.013			
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\boxtimes	
P13.3*		duct primary con er recovered fibe	rugated fiberboard packaging, sp er content: 80 %	ecify the contained p	ercentage of minim	um post-	
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (tick box	x):			
P13.5	Ùser an		is item if paper documentation use entation on paper media is chlorin				
	Element	hlorine-free al chlorine-free ed chlorine-free					
P14	Volunta	ry programs					
P14.1			equirements of the following volunt	ary program(s):			
	Eco-labe Eco-labe	el:	Criteria version: 7.1 Criteria version: Criteria version:	Date: 2019/07/31 Date: Date:	Product category: <i>I</i> Product category: Product category:	NB1	
P15			(See NOTE B10)			C (1	
P9	NOTE: S informat knowled provideo	Supplier makes r ion contained in ge available at t I here is approxi	f specific configuration may var to representations, guarantees, as this document. All information prov- ne time of completion, and supplied mate and provided for informational	surances or warranties vided by supplier in thi r shall have no obligat	s whether express or s document is provid ion to update such in	implied, regardin ed based on supp formation. The int	olier's formation
P9	informat See Ene http://wv	ergy Star Qualifie	d Notebooks & Tablet Computers v/index.cfm?fuseaction=find_a_pr	for the latest informati oduct.showProductGr	on: oup&pgw_code=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga C640-13IML	Logo
Model Number	81UE	
Issue Date	2019-7-26	Lenovo
Additional information		

P7.1.1	Product environmental attributes							
(d)	Year of manufacture:							
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]				16GB			
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	# <i>:</i> (Yes / No)	No #: (Yes / No)			
	Category of discrete graphics Card(s)				N/A			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				11.96			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				10.9			
(g)	Idle state power demand (Watts);				3.51			
(h)	Sleep mode power demand (Watts);				0.736			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.83			
(j)	Off mode power demand (Watts);				0.396			
(k)	Off mode with WOL enabled power dema	and (Watts) (where er	nabled);		0.24			
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
(m)	External power supply efficiency (if applied	cable)*:						
	Average active efficiency: 88.19%,88.40	%,87.93%						
	*internal note: show values for all available external po							
(0)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	800cycle			
(p-1)	Measurement methodology used to dete	rmine information mei N/A	ntioned in points (I) – ir	nternal PSU efficiency:				

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode				
(q)	Sequence of steps for	or achieving a stable condition with respect to power <i>Power on -> Wait 5 minutes ->Stable co</i>					
(r)	Description of how s	leep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	off mode				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
(t)		te condition before the computer automatically re- s not exceed the applicable power demand requirement		30min			
(u)		r a period of user inactivity in which the compute		NA			
(v)	mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):						
(w)	Information on the e	nergy-saving potential of power management functio <i>Refer to User Guide</i>	nality:				
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:					
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	4, IEC62301				
Additio	nal Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$					
Internal	/built-in Battery						
Externa	I/detachable Battery						
Bios Ba	ckup Battery						
Other:							
Addition	al information	•					

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.