

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo		
Company name *	Lenovo			
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo		
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Personal Computer			
Commercial name *	ThinkCentre A70z			
Model number *	M/T: 1165,1184,1186			
Issue date *	2009, November 11			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality (Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	ThinkCentre A70z	M/T: 1165,1184,1186		
Issue date *	2009, November 11		Logo	lenovo

Product	uct environmental attributes - Legal requirements			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated	\boxtimes		
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		<u> </u>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS),			\boxtimes
	Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split	$\overline{}$		\boxtimes
' ' ' '	aromatic amines. (See legal reference and Note B1)	ш		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			X
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	\boxtimes		
	microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
	http://www.lenovo.com/social_responsibility/us/en/environment.html			ш
P2	Batteries		•	•
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		П	
	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			ш
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
Do 04	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\square		
1 2.0	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical		ш	ш
	or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\square		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies		$\overline{\Box}$	
	with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the		T	
	product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			
	hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\square		
	Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	ThinkCentre A70z	M/T: 1165,1184,1186		
Issue date *	2009, November 11		Logo	lenovo

Product	environmental attributes - Market requirements - Environmental conscious design Re	quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		Ш	
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$	
P7.2*	Plastic materials in covers/housing have no surface coating.		X	\vdash
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			+
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	$\overline{\mathbb{X}}$	+	╫
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		쓔	╫
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		╬	╬
17.0	Product lifetime		Ш.	
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$	
P7.8*	Upgrading can be done using commonly available tools		∺	+
P7.9.	Spare parts are available after end of production for: 5 years			\dashv
P7.10	Service is available after end of production for: 5 years			+
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		\boxtimes	
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	$\overline{\boxtimes}$	T	
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		$\overline{\boxtimes}$	
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			\boxtimes
P7.17	Marking: Alt. 1			
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):	П		
	TBBPA (additive) ☐, TBBPA (reactive) ☒, Other; chemical name: , CAS #:	_		
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according			
	ISO 1043-4: Brominated Epoxy Resin See P14		Ш	Ш
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in			
	concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain			
	complete chemical name, CAS number and supplier.			
	1. Chemical name: , CAS #: , Supplier:			
	2. Chemical name: , CAS #: , Supplier:			
	3. Chemical name: , CAS #: , Supplier:	\boxtimes		
	Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		ш	ш
	one mical specifications of name retardants in plastic parts 7259 according 100 10454.			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,	\boxtimes		
	R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is 10%.			
P7.21	Of total plastic parts' weight >25g, biobased material content is 0%.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	Ш	Ш	\boxtimes
P8	Batteries			
P8.1*	Battery chemical composition: Lithium Manganese Dioxide			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	ThinkCentre A70z	M/T: 1165,1184,1186		
Issue date *	2009, November 11		Logo	lenovo

Product e	oduct environmental attributes - Market requirements (continued) Requirement met					
Item					Yes No	n.a.
P9	Energy consump					
9.1	For the product th	e following power leve	els or energy consur	nptions are reporte	d:	
Energy mod	de	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-	max)	72 W	72 W	73 W	Full load	
Idle State		27.75 W	27.86 W	27.76 W	Idle State for ES	
Sleep(S3)	- WOL Enable	1.16 W	1.15 W	1.21 W	Sleep Mode w/ WOL Enabled for ES	
Off(S4/S5)	- WOL Enable	0.56 W	0.56 W	0.62 W	Off Mode w/ WOL Enabled for ES	
		W	W	W		
		W	W	W		
charger plu	ower supply / gged in the wall isconnected from	W	W	W		
P _{TEC} Typical Ene	ergy Consumption	W	W	W	(Workstation Levels) $P_{TEC} = 0.35^{*}P_{off} + 0.10^{*}P_{sleep} + 0.55^{*}P_{Idle}$	
TEC Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week		
ETEC *		100.44 kWh/year	100.82 kWh/year	100.79 kWh/year	(Desktop, Integrated Desktop, and Notebook Levels)	
	ergy Consumption				$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep})$	
Display res	olution : 1440*90	Megapixels				
Print Speed	d : Ir	nages per minute				
Default time	e to enter energy s	ave mode: 10 minute:	S			
P9.2*	Information about	the energy save fund	tion is provided with	the product.		
P9.3*		s the energy requirem version: 5.0 Produ		voluntary program/	/s:	
	Others specify:					X
P10	Emissions					
D40.4		- Declared according	to ISO 9296			154
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{\sf Am}}$ (dB)	P1 0.1
				level L_{WAd} (B)	Operator position	
				,,,,,	Desktop 🔀 or Desk side 🔲	
•	Idle	* HDD: Idle		* 3.4	23	
	Operation	* HDD: Operating		* 3.5	24	
	Other mode]
	Measured accordi	ng to: 🔀 ISO7779	ECMA-74			1
D40.6		Other			L _{pAm} measurement distance m)	
P10.2	0.2 The product meets the acoustic noise requirements of the following voluntary program/s:					

Model number *	ThinkCentre A70z	M/T: 1165,1184,1186		
Issue date *	2009, November 11		Logo	lenovo

Product	environmental attributes - Market requirements (continued) Re	equire	ment	met			
Item		Yes	No	n.a.			
	Chemical emissions from printing products						
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			\boxtimes			
P10.4	Typical emission rate (print phase) is (mg/h):			X			
	Dust Ozone Styrene Benzene TVOC						
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes			
	Dust Ozone Styrene Benzene TVOC						
	Electromagnetic emissions						
P10.6	6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II						
P11	Consumable materials for printing products						
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes			
P11.2*	* Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.						
P11.3*	2-sided (duplex) printing/copying is an integrated product function.						
P12	Ergonomics for computing products						
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes					
P12.2*							
P13	Packaging and documentation						
P13.1*	Product packaging material type(s): EPE weight (kg): 0.34						
	Product packaging material type(s): Corrugated weight (kg): 2.6						
P13.2*	Product packaging material type(s): weight (kg): Product plastic packaging is free from PVC.						
P13.3*				#			
P13.3"	* Specify media for user and product documentation (tick box): Electronic , Paper , Other .						
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled						
	fiber: 0%(Japan only 70%)						
P14	Additional information (See Note B4)						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, information contained in this document. All information provided by supplier in this document is provided based or						
	knowledge available at the time of completion, and supplier shall have no obligation to update such information.			on			
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation information.						
P7.17	Product does not contain free TBBPA in printed circuit boards(without components)>25g.						
P9	See Energy Star Qualified Computers for the latest information:						
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO						

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19