

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Iformation * Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Desktop						
Commercial name *	ThinkCentre M700						
Model number *	10JM;10JN;10HY;10J0						
Issue date *	2016-09-20						
Intended market *	🛛 Global 🔲 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information	Tiny;ENERGY STAR® Qualified; GREENGUARD Certification;EPEAT						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

		<b>ThinkCentre M700</b> 10JM;10JN;10HY;10J0			
Issue da	ite *	2016-09-20 Logo	Lend	ovo	
Product	t environ	mental attributes - Legal requirements	Require	ment	t met
Item			Yes	No	n.a.
P1	Hazardo	us substances and preparations			
P1.1*	chromiu	do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent n, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See erence and Note B1)	$\square$		
P1.2*	Products	do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.			
P1.3*	Products hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- thane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ation values.			
P1.4*	Products	do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated I (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products the chair	$\boxtimes$			
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), idinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). ht: Legal reference has no maximum concentration values.			
P1.7*		nd leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden pentachl	parts do not contain arsenic and chromium as a wood preservation treatment as well as prophenol and derivatives (see legal reference). It: Legal reference has no maximum concentration values.			$\square$
P1.9*	Parts wit microgra	h direct and prolonged skin contact do not release nickel in concentrations above 0.5 m/cm²/week (see legal reference). ht: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): w.lenovo.com/social_responsibility/us/en/materials.html	$\boxtimes$		
P2	Batterie	S			
P2.1*	more that marked	duct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains n 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is in user manual. (See legal reference)			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$		
P2.3*	design o	and accumulators are easily removable by either users or service providers (as dependent on the f the product). Exception: Batteries that are permanently installed for safety, performance, medical ntegrity reasons do not have to be "easily removable". (See legal reference)			
P3		EMC connection to the telephone network and labeling			
P3.1*	The proc	luct complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	referenc		$\square$		
P3.3*	with lega	t is intended for connection to a public telecom network or contains a radio transmitter, it complies Ily required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The proc	luct is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4		able materials			
P4.1*	legal refe	o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).			
P4.2*		er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	product/	/toner formulation/preparation is classified as hazardous according to applicable regulations, the backaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these ents is available (see legal reference).			
P5		packaging			
P5.1*	Packagii	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium and nt chromium by weight of these together.			
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montreal (see legal reference). (see legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	mber *	<b>ThinkCentre M700</b> 10JM;10JN;10HY;10J0			
Issue dat	e *	2016-09-20 Logo	Lend	ovo.	
Product	onviron	mental attributes - Market requirements - Environmental conscious design	Require	mont	mot
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	$\square$		
P7	Design				
		mbly, recycling			
P7.1*		t have to be treated separately are easily separable	$\square$		
P7.2*		aterials in covers/housing have no surface coating.		$\square$	
P7.3*		arts >100g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			$\boxtimes$
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			$\boxtimes$
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product	lifetime			
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgradin	g can be done using commonly available tools	$\boxtimes$		
P7.9.	Spare pa	rts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years	-		
	Material	and substance requirements			
P7.11*		cover/housing material type:			
		type: ABS Material type: PC Material type:			
P7.12		I cable insulation materials of power cables are PVC free.	<u> </u>		<u> </u>
P7.13		I cable insulation materials of signal cables are PVC free		$\square$	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			$\square$
P7.15	All printe Note B2)	d circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	:		
P7.16	Flame re Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			$\square$
P7.17		I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: <i>Brominated Epoxy Resin</i> , CAS #:	$\boxtimes$		
	26265-04 Alt. 2 Chemica	8-7 I specifications of flame retardants in printed circuit boards (without components) >25g according			
P7.18	ISO 1043 Alt. 1	3-4: Brominated Epoxy Resin See P14			
	concentr	etarded plastic parts >25g contain the following flame retardant substances/preparations in ations above 0.1%:			
		ent: No legal limits exist, this is a market requirement.			
		ical name: , CAS #:			
		ical name: , CAS #: ical name: , CAS #:			
	Alt. 2	carname. , CAS #.			
		l specifications of flame retardants in plastic parts >25g according ISO 1043-4:	_	_	_
			<u> </u>		
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20		plastic parts' weight >25g, recycled material content is see P14%.			$\boxtimes$
P7.21		lastic parts' weight >25g, biobased material content is 0%.			$\boxtimes$
P7.22		Irces are free from mercury	$\boxtimes$		
Do		y is used specify: Number of lamps: and max. mercury content per lamp: mg			
P8.1*	Batteries	s hemical composition: <i>Lithium manganese dioxide coin battery</i>			
P8.2					<u> </u>
F 0.2	Datteries	meet the requirements of the following voluntary program/s:			

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

		<u>re M700</u>	<b>)</b> 10JM	l;10JN;10HY;10	JO	
Issue date * 2016-09-20	0			Logo	Lenovo	
Product environmental attr	ibutes - Marke	t requirements (	continued)		Requirement	t me
Item					Yes No	n.a
P9Energy consumption9.1For the product the f		vola or operav copy	umptiona ara ra	uported: Sec. P14		
Energy mode *	<b>.</b>	t Power level at			normy modes and test	
Energy mode	100 V AC	115 V AC	230 V AC	method *	nergy modes and test	
Peak (On-max)	W	W	W	Full load		
Category I1						
Short Idle State - WOL Enable		9.13 W	8.95 W	Use for ENERGY STAR V	-	
Long Idle State - WOL Enabled		8.17 W	<b>8.18</b> W	Use for ENERGY STAR V		
Sleep (S3) - WOL Enabled	<b>2.24</b> W	<b>2.23</b> W	2.23 W	Use for ENERGY STAR V	6 registration(P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	0.9 W	0.79 W	<b>0.79</b> W	Use for ENERGY STAR V	6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP		$\ge$
Category I2						
Short Idle State - WOL Enable	d 9.09 W	9.15 W	9.27 W	Use for ENERGY STAR V	6 registration(P <sub>idle</sub> )	
Long Idle State - WOL Enabled	<b>8.02</b> W	<b>8.06</b> W	8.19 W	Use for ENERGY STAR V	6 registration(P <sub>idle</sub> )	
Sleep (S3) - WOL Enabled	<b>2.22</b> W	<b>2.26</b> W	<b>2.24</b> W	Use for ENERGY STAR V	6 registration (P <sub>sleep</sub> )	
Sleep (S3) - WOL Disabled	W	W	W	Reference		
Off (S5) - WOL Enabled	0.79 W	0.79 W	0.79 W	Use for ENERGY STAR V	6 registration(Poff)	
Off (S5) - WOL Disabled	W	W	W	Use for EuP		
Category I3						
Short Idle State - WOL Enable	d 12.85 W	12.8 W	13.19 W	Use for ENERGY STAR V	6 registration(P <sub>idle</sub> )	
Long Idle State - WOL Enabled	11.77 W	11.77 W	12.32 W	Use for ENERGY STAR V		┢╴
Sleep (S3) - WOL Enabled	2.99 W	2.99 W	3.11 W	Use for ENERGY STAR V		┾
Sleep (S3) - WOL Disabled	W	W	W	Reference	• • • • • • • • •	┢
Off (S5) - WOL Enabled	1.07 W	1.07 W	1.14 W	Use for ENERGY STAR V	6 registration(P <sub>eff</sub> )	┼┾
Off (S5) - WOL Disabled	W	W	W	Use for EuP		┼┾
EPS No-load	W	0.084 W	0.144 W			┼┾
(External power supply / charger plugged in the wall outlet but disconnected from the product.)						
PTEC * Typical Energy Consumption	W	W	W			
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week			
Etec *	<i>I1:43.15</i>	I1:42.84	l1:42.3	$E_{TEC} = (8760/1000) \times (P_{off})$	x 0.45 + P <sub>sleep</sub> x 0.05	
Annual Energy Consumption	12:42.49	12:42.73	12:43.29	+ Plong_Idle X 0.15+ Pshort_Id		
	13:60.39	13:60.24	13:62.49			
	kWh/year	kWh/year	kWh/year			
	kwn/year	Kwii/yeai	Kvvii/year			
	Poff: Off Mode(	S5) - WOL Enabled:	Psleen: Sleep Mode	(S3) - WOL Enabled; P <sub>idle</sub> : Idle .	State - WOL Enabled	+
Display resolution* : Meg	japixels		sicep. Steep mode			
	ges per minute					
Default time to enter energy save		es				┼┍
		ction is provided w	ith the product			ᆣ

P9.3*	The product meets the energy requirements of the following voluntary program/s:         ENERGY STAR® version: Version 6.1 Tier:         Product category:         11 12 13         Others specify:								
P10	Emissions	Emissions							
	Noise emission	<ul> <li>Declared according to ISO 9296</li> </ul>							
P10.1	Mode	Mode description	Declared A-weighted sound power level $L_{WAd}$ (B)		A-weighted level $L_{pAm}$ (dB) Bystander positions (only if product is not operator attended)				
	Idle	* HDD:Idle	* 3.1	2	22				
	Operation	* HDD: Operating	* 3.2	2	24				
	Other mode								
	Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L <sub>pAm</sub> measurement distance m)								
P10.2	The product me	ets the acoustic noise requirements of t	the following voluntary	program/s:		$\square$			

Model nu	Image: del number *     ThinkCentre M700     10JM;10JN;10HY;10J0					
Issue date	<del>)</del> *	2016-09-20 Lo	go	Lenov	0	
Product	environr	nental attributes - Market requirements (continued)	R	equire	ment	met
Item				Yes	No	n.a.
	Chemic	al emissions from printing products				
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:				$\square$
P10.4	Typical e	emission rate (print phase) is (mg/h):				$\boxtimes$
		Dust Ozone Styrene Benzene TVOC				
P10.5		al emission requirements of the following voluntary program/s are met for :				$\bowtie$
	Dust  Ozone  Styrene  Benzene  TVOC					
P10.6		nagnetic emissions er display meets the requirement for low frequency electromagnetic fields of the followi	a a voluetore			
P10.6	program		ig voluntary			$\bowtie$
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required	l (see P4.3).			$\boxtimes$
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the re	equirements of			
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				X
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies	5.			$\boxtimes$
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\boxtimes$	
P13	U	ing and documentation				
P13.1*	Product Product	packaging material type(s):EPEweight (kg):0.08packaging material type(s):PAPERweight (kg):0.93packaging material type(s):weight (kg):weight (kg):				
P13.2*		plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		media for user and product documentation (tick box): ic 🔀, Paper 🔀, Other 🔲				
P13.4*	For pape fiber: 3	er user and product documentation, please specify contained percentage of post-const %	mer recycled			
P14		nal information (See Note B4)				
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether exp ion contained in this document. All information provided by supplier in this document is ge available at the time of completion, and supplier shall have no obligation to update I here is approximate and provided for informational purposes only. See a Lenovo Accordion.	provided based such information	on sup . The in	olier's format	ion
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information:	aw oodo-CO			
P7.20		ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&p tic parts in chassis >25g. The recycled material of the total plastic parts is 22.5%		ertified)		

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M700	Logo
Model Number	10JM;10JN;10HY.10J0	Lenovo
Issue Date	2016-09-20	
Additional information	Tiny;ENERGY STAR® Qualified; GREENGUARD Certification;El	PEAT

P7.1.1 P	Product environmental attributes	
(d)	year of manufacture: Availa	able on product label
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics ca disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:	ards (dGfx) are
	Category (according to ErP Lot 3): BEtec: 37.31kWhCategory (according to ErP Lot 3): DEtec: 52.84kWh	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca enabled:	rds (dGfx) are
	Category (according to ErP Lot 3): N/A Etec: N/A	
(g)	idle state power demand (Watts);	B:9.26 D:13.13
(h)	sleep mode power demand (Watts);	B:2.25 D:3.07
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	B:2.25 D:3.07
(j)	off mode power demand (Watts);	B:0.77 D:0.97
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	B:0.8 D:1.14
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):	N/A
	10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable):	
	Average*: level V	
	*internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	N/A
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal PSU efficiency:	
	N/A	
(p-2)	the measurement methodology used to determine information mentioned in points (m) - external PSU efficiency:	
	refer to ErP lot7	
(p-3)	the measurement methodology used to determine information mentioned in points (o) - loadingcycles batteries:	
	N/A	
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode	

ро	ower as d	lefined in Point P9.1	in the F	Product IT Eco Declaration:					
		IEC 62	2623/IE	C EN50564:2011 measure	ment methodology				
(q) se	equence	of steps for achievin	g a stat	ble condition with respect to	power demand::				
			Power	on->Walt 5 minutes->Stal	ble condition				
(r) de	escription	of how sleep and/o	r off mo	de was selected or program	nmed:				
		4	Begin n	nenu->Power->Select slee	p or off mode				
· · /	equence of f mode:	of events required to	o reach	the mode where the equipm	nent automatically changes to sleep and/or				
	Co	ontrol Panel->Powe	r Optio	ns->Change Settings->Re	store default settings for this plan				
	the <b>duration of idle state condition before the computer automatically reaches sleep mode</b> , or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25 <i>minutes</i>								
	the length of time after a period of user inactivity in which the computer automatically reaches apower mode that has a lower power demand requirement than sleep mode (in minutes):25 minutes								
(v) th	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 minutes								
(w) in	formatior	n on the energy-savi	ng pote	ntial of power management	functionality:				
	N/A								
(x) us	ser inform	nation on how to ena	able the	power management function	nality:				
	Refer to User Guide								
th us T	e electric sed for el est voltag otal harm	ity supply system, – ectrical testing: ge in V and frequent nonic distortion of th	– inform cy in Hz e electri	nation and documentation o	ency in Hz, — total harmonic distortion of n the instrumentation, set-up and circuits d circuits used for electrical testing				
		Instrument		Range Used					
		Туре		Or ***	Make and Model **				
	A	C Power Source	1~	280VAC;1~550HZ;1000V A.	NF;EC1000S; SN:9152124				
		Digital Watch		Full range	CASIO; HS-70W; SN:208Q08R				
		Power Meter		0~600V;0~20A	YOKOGAWA;WT210;SN:91M94456 0				
		ygrothermograph ermal anemometer		15~35°C/15~90%	testo; 608-H1,SN:1034895602 Testo;425;SN:02591883				
		Light Measuring		0~20m/s,-20~70°C 1°;1-300cd/m <sup>2</sup>	Konica Minolta;LS-110;				
Addition Not	ebook Ba	attery Information: No	n/a	This notebook computer i	s operated by battery/ies that cannot be acce	ssed and replaced			
			∏/a	by a non-professional use					
(Battery <b>no</b> replaceable)	t user	(Battery user replaceable)		The battery[ies] in	this product cannot be easily repl	aced by users			
		-,,		themselves		,			
Additional in	formatio	n							