



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	nts given in this declaration.						
Type of product *	Type of product * Notebook						
Commercial name *	ThinkPad A275						
Model number *	20KC;20KD						
Issue date *	2017/8/1						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	20KC;20KD	Logo	Lanava
Issue date *	2017/8/1		Lei Iovo

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	€ 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lenovo.com/social responsibility/us/en/ec doc notebooks/			
P3.2*	The product complies with the Eco design requirements for energy-related products,			
1 0.2	(see legal reference).		Ш	Ш
	Required information is; given in item P15 or added to this document, available at (add URL):		Ш	Ш
	http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks/			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(sused (see legal reference).	, 2		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		
-	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information		_	
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20KC;20KD	Logo	Lanava
Issue date *	2017/8/1		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square	П	
P7.2*	Plastic materials in covers/housing have no surface coating.		X	\dashv
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X		\exists
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\overline{X}	H	\exists
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		H	\dashv
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\overline{X}	H	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		П	
P7.8*	Upgrading can be done using commonly available tools			Ħ
P7.9	Spare parts are available after end of production for: 5 years			Ħ
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PA+GF50% Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.	\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	\boxtimes		
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts			
	containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Bisphenol A diglycidyl ether ,, CAS	\boxtimes		
	#: 40039-93-8	_		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		Ш	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:		\boxtimes	
	1. Chemical name: halogen-free organic phosphorus compound, CAS #: confidential (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	\boxtimes		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; R36, R38 and Hazard statements: H319; H315			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <i>0.885</i> %.			
	Or b) The weight of recycled meterial is 7.704 a			
	b) The weight of recycled material is 7.701 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

wodei nun	nber "	20KC;20	KD			Logo	Lend	N/O	
Issue date	*	2017/8/1					Leik		тм
Product e	environn	nental at	tributes - Market re	equirements (conti	nued)		Require	ement	t met
Item				,	,		Yes	No	n.a.
	Material	and subs	stance requirements	(continued)					
P7.21*				in the product (See N	OTE B7):			\boxtimes	
	If YES; a	t least one	e of the two alternative	s below shall be answe	ered;				
					material content (calculat	ed as a perce	entage		
		otal plastic	by weight) is %).					
	or b) The	weight of	the biobased plastic r	naterial is g.					
P7.22*				less than 0,1 mg/lamp.			\square		
			specify: Number of lan		um mercury content per la	amp: m			
P8	Batteries								
P8.1*			omposition: Li-polyme	er					
P9			tion (See NOTE B8)	· · · · · · · · · · · · · ·					
P9.1 Energy mo		roduct the	Power level at	s or energy consumption Power level at		Peference/Sta	ndard for en	orav	
Lifeigy ino	ue		100 V AC	115 V AC		nodes and tes		leigy	Ш
Peak (On-I	max)		65 W	65 W	65 W	Full load			
Category	v13								
Categor	y13								
Short Idle	State - W	OL	9.39 W	9.28 W			RGY STAR V6		
Enabled					'	registration (Pidle)		
Long Idle	State - Wo	OL	7.51 W	7.36 W			RGY STAR V6		
Enabled						registration (P _{idle})		
Sleep (S3)	- WOL Fr	nabled	0.88 W	0.89 W	0.89 W	Ise for FNFR	RGY STAR V6		
Cicop (CC)		labioa	0.00 11	0.00 11		registration(F			
Sleep (S3)	- WOL Di	sabled	W	W	W	Reference			
Off (S5) - V	NOL Enab	oled	0.35 W	0.35 W		Jse for ENEF registration(F	RGY STAR V6		
					•	egistration(i	off/		
EPS No-loa	ad		0.08 W	0.08 W	0.09 W				
(External power s wall outlet but disc	supply / charger	plugged in the							
PTEC *			4.15W	4.11 W	4.14 W				
Typical En	ergy Cons	umption	0.4.=0.1349.4	0.4.00.130.1			(
ETEC * Annual Ene	aray Consi	umntion	34.72 kWh/year	34.33 kWh/year			$(000) \times (P_{off} \times 0) + P_{long_ldle} \times 0.1$		Ш
Allilaal Elic	orgy Corisi	шприоп				P _{short Idle} x 0.3	0)		
					Mode(S3) - WOL Enabled;	P _{idle} : Idle State	e - WOL Enabled		
External Po	ower Supp	ly Efficien	cy Level (International	Efficiency Marking Pro	otocol) *:				
Display res	olution * :	1.05 meg	apixels						
	e to enter	energy sa	ve mode: 10 minutes						
P9.2*	Informati	on about t	the energy save function	on is provided with the	product.		\boxtimes		
P9.3	Energy e	fficiency c	class (monitors only):						\boxtimes
P10	Emissio								
D40.4				ISO 9296 (See NOTE				,	(D)
P10.1	Mode Idle		Mode description HDD idle		Statistical upper limit A * 3.0	-weighted sou	ınd power level	, L _{WA,c}	(R)
	Operation		Operating (HDD)		* 3.0				
	Operation	*	Operating (CPU)		* 3.2				Ш
	Other mo	ode D	eclared A-weighted soun	d pressure level (dB) $L_{p{\sf Am}}$	N/A (operator position	desktop – idle)		
	Other mo			d pressure level (dB) L_{vAn}		-			
				, , , , , , , , , , , , , , , , , , ,	The type and position		a/		
	ivieasure	u accordir	ng to: 🔀 ISO 7779 🔀 Other	Conly if not covered by	FCMA-74)				
	1		- Olliei	torny ii not covered by	LOIVIA-14)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *	Error! Reference source not found.	Logo	Lanova
Issue date *	2017/8/1		LEI IOVO"

Product e	environmental attributes - Market requirements (continued)	Requir	emer	nt
Item		Yes	No	n.a.
ItCIII	Electromagnetic emissions	103	140	n.a.
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only)			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Cardboard weight (kg): 0.599			
	Product packaging material type(s): Others (Plastic Bag) weight (kg): 0.020			
P13.2*	Product plastic primary packaging is free from PVC.	\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70 %			
P13.4*	Specify media for user and product documentation (tick box): Electronic, Paper, Other			
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:	\boxtimes		
	Totally chlorine-free	\boxtimes		
	Elemental chlorine-free	$\overline{\boxtimes}$		
	Processed chlorine-free			
P14	Voluntary programs			
P14.1	The product meets the requirements of the following voluntary program(s):			
	ENERGY STAR® Criteria version: 6.1 Date: 2017/7/24 Product category: 13 Eco-label: EPEAT Criteria version: 1680.1 Date: 2017/9/15 Product category: Noteb Eco-label: TCO Criteria version: NoteBook 5.0 Date: 2017/9/15 Product category: Noteb Criteria version: V13 Date: 2017/9/15 Product category: Noteb	book		
P15	Additional information (See NOTE B10)			
P9	Energy consumption of specific configuration may vary; description of the tested product configurat			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implie information contained in this document. All information provided by supplier in this document is provided bas knowledge available at the time of completion, and supplier shall have no obligation to update such informati provided here is approximate and provided for informational purposes only. See a Lenovo Account Representation.	ed on su on. The i	oplier': nform	s ation
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information:			
	http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad A275	Logo	
Model Number	20KC;20KD		Lenovo
Issue Date	2017/8/1		renovo.
Additional information			

	Product environmental attributes				
d)	year of manufacture:				2017
e)	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Categordisabled	n switchable graphics n	mode with UMA driving	g the display.	, ,
,	enable		••	.	` ,
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	21.67			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	•	•		7.19
ר)	Sleep mode power demand (Watts);				0.83
)	Sleep mode with WOL enabled power do	emand (Watts) (where	enabled);		0.79
)	Off mode power demand (Watts);				0.39
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.37
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W: 87,98%	%,88,63%,88,83%/65W	: 89,41%,88,62%,88,9	96%	
o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	notebook computers):	500 cycles
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency	

(p-2)		dology used to determine information mentioned in p for Calculating the Energy Efficiency of Single-V Power Supplies" dated August 11, 20	oltage External AC-DC and AC-AC	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: <i>IEC 61960 measurement methodology</i>			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: IEC 62623 / IEC EN50564:2011 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed: By selecting sleep and/or off mode thru Windows operating system			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Automatically changes to sleep after 30 minutes			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10
(w)	w) Information on the energy-saving potential of power management functionality: **User information described in User Guide and Power Manager under ThinkVantage menu in all programs **programs**			
(x)	x) user information on how to enable the power management functionality: User information described in User Guide and Power Manager under ThinkVantage menu in all programs			
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V/50HZ; Total Harmonic Distortion <2 %			
Addition Notebook Battery Information:				
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
1)				
I) The batterylies	al in this product cannot be	agaily raplaced by usors themselves		

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.