

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Think	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
	Alvin L Carter					
	1009 Think Place	lenovo				
	Building 2 / 5F1					
	Morrisville, North Carolina 27560					
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at					
	http://www.lenovo.com/social_responsibility/us/en/datasheets_r	notebooks.html				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	ThinkPad E565				
Model number *	20EY				
Issue date *	2015-08-27				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	20EY		
Issue date *	2015-08-27	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromiun 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	ι, 🔀		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\square		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🖂		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\square
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	\boxtimes		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference). 🔀		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	\boxtimes		
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\times		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montree Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	mber *	20EY			
Issue dat	e *	2015-08-27 Logo	ler	iovo	
Product	environ	mental attributes - Market requirements - Environmental conscious design	Requi	remen	t met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Ye		
P6		nt information			
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).	\geq		
P7		nbly, recycling			
P7.1*	Parts tha	t have to be treated separately are easily separable	\geq	1 🗆	
P7.2*	Plastic m	aterials in covers/housing have no surface coating.	\geq	1 [
P7.3*	Plastic pa	arts >100g consist of one material or of easily separable materials.	\succ]	
P7.4*	Plastic pa	arts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly available too			
P7.6*	-	e easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives		1 [
P7.8*		g can be done using commonly available tools			
P7.9.					
	· · ·	rts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type: https://www.actional.com/actional.com/actional.com/actional.com/actional.com/actional.com/actional.com/actional			
P7.12		type: PC+ABS+Talc 15% Material type: PC+ABS Material type: cable insulation materials of power cables are PVC free. Material type: Material type: Material type:			
P7.12		cable insulation materials of signal cables are PVC free			
		-			
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	Note B2)		· ·		
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>			
P7.17	TBBPA (a phospha	I specifications of flame retardants in printed circuit boards >25g (without components): additive) , TBBPA (reactive) , Other; chemical name: <i>DOPO(9,10-dihydro-9-oxy-10-ophenanthrene-10-oxide</i>), CAS #: 35948-25-5]	
	ISO 1043	I specifications of flame retardants in printed circuit boards (without components) >25g accordi 3-4: <i>FR(40)</i>	ng 🔀		
P7.18		etarded plastic parts >25g contain the following flame retardant substances/preparation ations above 0.1%:	ns in		
	 Chemi Chemi Chemi 	ent: No legal limits exist, this is a market requirement. cal name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> cal name: , CAS #: cal name: , CAS #:			
	FR(40)	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45 5, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	i,		
P7.20 P7.21		lastic parts' weight >25g, recycled material content is 10.2 %. lastic parts' weight >25g, biobased material content is 0% .			
P7.22	Light sou	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp: mg	\geq		
P8 P8.1*	Batteries				
P8.2	-		1		<u> </u>
F0.2	JBRC	meet the requirements of the following voluntary program/s: US Call2Recycle,and add EPBA	l,		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	20EY		
Issue date *	2015-08-27	Logo	lenovo

Product environmental attr	ibutes - Market I	requirements (o	continued)	Requirement	
Item P9 Energy consumption	n			Yes No	n.a
9.1 For the product the fo		els or energy cons	umptions are rep	ported: See P14	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	45 W	45 W	45 W	Full load	
Category I1		1			
Short Idle State - WOL Enabled	6.35 W	6.29 W	6.73 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	4.52 W	4.23 W	4.3 W	Use for ENERGY STAR V6 registration (P _{idle})	
Sleep (S3) - WOL Enabled	0.81 W	0.81 W	0.87 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Off (S5) - WOL Disabled	0.25 W	0.25 W	0.27 W	Use for ENERGY STAR V6 registration(Poff)	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.06 W	0.062 W	0.09 W		
PTEC * Typical Energy Consumption	2.7 W	2.67 W	2.82 W		
TEC * Typical Energy Consumption	0.455 kWh/week	0.448 kWh/week	0.475 kWh/week		
ETEC * Annual Energy Consumption	23.68 kWh/year	23.27 kWh/year	24.71 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$	
	Poff: Off Mode(S	5) - WOL Enabled; I	P _{sleep} : Sleep Mode	(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max)	65 W	65 W	65 W	Full load	
Category I2					
Short Idle State - WOL Enabled	5.4 W	5.48 W	5.63 W	Use for ENERGY STAR V6 registration (P _{idle})	
Long Idle State - WOL Enabled	3.46 W	3.33 W	3.4 W	Use for ENERGY STAR V6 registration (Pidle)	
Sleep (S3) - WOL Enabled	0.85 W	0.86 W	0.88 W	Use for ENERGY STAR V6 registration(P _{sleep})	
Off (S5) - WOL Disabled	0.26 W	0.26 W	0.24 W	Use for ENERGY STAR V6 registration(Poff)	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	0.09 W	0.08 W	0.15 W		
PTEC * Typical Energy Consumption	2.31 W	2.33 W	2.4 W		
TEC *	0.39	0.393	0.4		\square
Typical Energy Consumption	kWh/week	kWh/week	kWh/week		
	kWh/week 20.31 kWh/year	kWh/week 20.44 kWh/year	kWh/week 21 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$	
Typical Energy Consumption ETEC * Annual Energy Consumption	kWh/week 20.31 kWh/year	kWh/week 20.44 kWh/year	kWh/week 21 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$ (S3) - WOL Enabled; P_{idle} : Idle State - WOL Enabled	
Typical Energy Consumption ETEC * Annual Energy Consumption Category 13	kWh/week 20.31 kWh/year P _{off} : Off Mode(S3	kWh/week 20.44 kWh/year 5) - WOL Enabled; I	kWh/week 21 kWh/year P _{sleep} : Sleep Mode	+ P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30) (S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Typical Energy Consumption ETEC * Annual Energy Consumption Category 13	kWh/week 20.31 kWh/year P _{off} : Off Mode(S3	kWh/week 20.44 kWh/year	kWh/week 21 kWh/year	+ P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30)	
Typical Energy Consumption ETEC * Annual Energy Consumption Category I3 Short Idle State - WOL Enabled	kWh/week 20.31 kWh/year Port: Off Mode(St	kWh/week 20.44 kWh/year 5) - WOL Enabled; I	kWh/week 21 kWh/year P _{sleep} : Sleep Mode	+ P _{long_ldle} x 0.10+ P _{short_ldle} x 0.30) (S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Typical Energy Consumption ETEC * Annual Energy Consumption	kWh/week 20.31 kWh/year Port: Off Mode(St	kWh/week 20.44 kWh/year 5) - WOL Enabled; 1 6.94 W	kWh/week 21 kWh/year 2 _{sleep} : Sleep Mode 6.85 W	+ P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30) (S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled Use for ENERGY STAR V6 registration (P _{idle})	

plugged in	ad power supply / charge the wall outlet but ted from the product.)		0.08 W	0.15 W		
PTEC * Typical Er	nergy Consumption	2.74 W	2.84 W	2.81 W		
TEC * Typical Er	ergy Consumption	0.46 kWh/week	0.48 kWh/week	0.47 kWh/week		
ETEC * Annual En	ergy Consumption	24.04 kWh/year	24.89 kWh/year	24.65 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 + P_{short_{ldle}} \times 0.30)$	
		Poff: Off Mode(S5) - WOL Enable	d; P _{sleep} : Sleep Mod	le(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
Display re	solution* : <mark>2.0736</mark> M	legapixels				
Print Spee	ed * : Ima	iges per minute				\square
Default tin	ne to enter energy sav	e mode: 20 minut	es			
P9.2*	Information about th			with the product.		Η
P9.3*	The product meets t ENERGY STAR® v Others specify:			wing voluntary pro Product category:		
P10	Emissions					
	Noise emission – [g to ISO 9296			
P10.1	Mode M	ode description		Declared A-weighte sound pov level L_{WAc}	ed sound pressure level L_{pAm} (dB)	
	Idle *	HDD:Idle		* 3.0	25	
	Operation *	HDD: Operating		* 3.4	30	\Box
	Other mode	ODD operating		4.5	40	
	Measured according	to: 🔀 ISO7779		overed by ECMA-7	'4 with L _{pAm} measurement distance m)	
P10.2	The product meets t	he acoustic noise				\boxtimes

Issue dat	e *	2015-08-27 Logo	len	ov	0	
Product	environ	nental attributes - Market requirements (continued)	Regu	irem	ent	met
Item					No	n.a.
	Chemic	al emissions from printing products	•			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify:		_		\square
P10.4		emission rate (print phase) is (mg/h):	L			
F 10.4	• •					
P10.5		Dust Ozone Styrene Benzene TVOC al emission requirements of the following voluntary program/s are met for :		_		
F 10.5		Dust Ozone Styrene Benzene TVOC	L			
	-	nagnetic emissions				
P10.6		er display meets the requirement for low frequency electromagnetic fields of the following volunts	arv N	3		
1 10.0		/s: JEITA-ITR (2pin adapter only)/MPR-II (3pin adapter only)				
P11		nable materials for printing products				
P11.1*	A Safety	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4	3).			\square
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requireme	nts of			
P11.3*	-	(duplex) printing/copying is an integrated product function.				
P12		mics for computing products			<u> </u>	
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		3		
P12.2*		sical input device meets the requirements of ISO 9995 and ISO 9241-410.		3	Ħ	Ħ
P13		ing and documentation	Ľ		<u> </u>	
P13.1*	Product Product Product	packaging material type(s): carton packaging material type(s): paper pad packaging material type(s): bag packaging material type(s):manual packaging material type(s):cushion weight (kg): 0.04 weight (kg): 0.03 weight (kg): 0.01 weight (kg): 0.2				
P13.2*	Product	plastic packaging is free from PVC.		2		
P13.3*		media for user and product documentation (tick box): ic 🔯, Paper 🔯, Other 📃				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-consumer recy (only for Japan) %	cled			
P14		nal information (See Note B4)				
	informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether express or in ion contained in this document. All information provided by supplier in this document is provided ge available at the time of completion, and supplier shall have no obligation to update such infor I here is approximate and provided for informational purposes only. See a Lenovo Account Repr ion.	based on s mation. Th	suppli e info	er's rmati	on
P9	See En	ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code	=CO			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad E565	Logo
Model Number	20EY	_
Issue Date	2015-08-27	lenovo
Additional information		

P7.1.1 Product environmental attributes							
(d)	year of manufacture: 2015	5					
(e)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display:						
	Category (according to ErP Lot 3): A Etec: 13.88						
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics enabled :	cards (dGfx) are					
	Category (according to ErP Lot 3): B Etec: 13.81						
(g)	idle state power demand (Watts);	A:4.4/B:4.32					
(h)	sleep mode power demand (Watts);	A:0.93/B:0.95					
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	A:0.96/B:0.95					
(j)	off mode power demand (Watts);	A:0.3/B:0.36					
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA					
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
	10% 20% 50% 100% Average						
(m)	external power supply efficiency (if applicable):						
	Average*:						
	*internal note: show values for all available external power supplies						
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers	s): 500 cycles					
(p-1)	the measurement methodology used to determine information mentioned in points (I) - internal P	SU					
	efficiency: NA						
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external P efficiency:	SU					
	Measuring the Energy Consumption of External Power Supplies, Appendix Z to 10 CFR Part 430.						

(p-3)	(p-3) the measurement methodology used to determine information mentioned in points (o) – loadingcycles batteries:							
	IEC 61960 measurement methodology / 0.5C Charge/Discharge							
(p-4)	the measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	ENERGY STAR Test Method for Computers, Rev. Aug-2010							
(q)	sequence of steps for achieving a stable condition with respect to power demand::							
	Boot the computer and wait until the operating system has fully loaded. If necessary, run the initial operating system setup and allow all preliminary file indexing and other one-time/periodic processes to complete.							
(r)	description of how sleep and/or off mode was selected or programmed:							
	refer to power management, sleep mode: ACPI system level G1/S3 (suspend to RAM) state; off mode: ACPI system level G2/S5 ('soft off') state							
(s)	sequence off mode:	of events required to	reach tl	ne mode where the equipment automatically changes to sleep and/or				
refer to power management, 20mins automatically reaches sleep mode								
(t)	the duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 20							
(u)	(u) the length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): NA							
(v)	the length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10							
(w)	information on the energy-saving potential of power management functionality:							
refer to user manual								
(x)	(x) user information on how to enable the power management functionality:							
refer to user manual								
 (z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 								
230V, 50GHz-<0.5%-ENERGY STAR Test Method for Computers, Rev. Aug-2010								
Addition	Notebook B	attery Information:						
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be access by a non-professional user.	sed and replaced			
(Battery replaceab	not user le)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replact themselves	ced by users			
Additiona	l informatio	n						

E.